

Risk Adjustment Technical Steps and Risk Factor Specifications

Effective January 1, 2025

Last Updated: December 09, 2024

I. Background

The Centers for Medicare & Medicaid Services (CMS) maintains, re-evaluates and implements changes to the OASIS data item set and develops, implements, maintains and re-evaluates quality measures that are reflective of quality of care provided by home health agencies (HHAs) in the home setting. For outcome measures, the re-evaluation process includes evaluating and updating, as needed, the risk adjustment models used to adjust for patient characteristics at admission, to ensure they are adequately robust and allow for valid comparison across providers. OASIS-based home health outcome measures are risk adjusted using OASIS items that are statistically significant and clinically relevant predictors of the outcome.

This document has been updated from the version effective January 1, 2025, to note:

1) an update to risk adjustment coefficients using episodes ending in 2023.

2) All Payer Data: CMS has mandated collection and submission of OASIS data for all patients regardless of payer (a.k.a. all-payer) effective 7/1/2025, with a voluntary phase-in period of 1/1/2025 – 6/30/2025. The OASIS-based quality measures in the Home Health Quality Reporting Program will continue to report data only for Medicare fee-for-service, Medicare Advantage (Medicare managed care), Medicaid, and Medicaid managed care. All-payer submissions will not affect current risk adjustment calculations.

There are two sets of risk models described in this document. One set updates the prior risk adjustment models after revising the following risk factors to accommodate changes in OASIS-E, using episodes ending in 2023:

- Depression Screening (PHQ-2 Score) was replaced with Patient Mood Screening (PHQ-2 to 9)
- Home Care Diagnoses were replaced with CMS-Hierarchical Condition Categories (CMS-HCCs)

All other risk factors remain the same as the January 1, 2021 update.

The latest risk adjustment update is applicable to home health quality episodes with a start of care/resumption care assessment completion date (M0090_ASMT_CMPLT_DT) on or after begin January 1, 2025. The OASIS-based outcome measures for which the updated risk adjustment models apply starting January 1, 2023 are:

- Improvement in Ambulation/Locomotion
- Improvement in Bathing
- Improvement in Bed Transferring
- Improvement in Bowel Incontinence
- Improvement in Confusion Frequency
- Improvement in Dyspnea
- Improvement in Lower Body Dressing
- Improvement in Upper Body Dressing
- Improvement in Management of Oral Medications
- Improvement in Toilet Transferring
- Discharged to Community

The next major update of these risk adjustment models is planned to take effect in CY 2026. During that update, the risk adjustment models will be based on refreshed data, and all risk factors will be re-tested for inclusion.

The second set describes the risk factors for Discharge Function Score (DC Function), which was first reported in April 2024. For more details on how DC Function is calculated, consult the Discharge Function Score for Home Health (HH) Technical Report dated March 2024 and available in the download section at <https://www.cms.gov/medicare/quality/home-health/home-health-quality-measures>. The next major update to the risk adjustment model for DC Function is planned for CY 2026. During that update, the risk adjustment and imputation models will be based on refreshed data, and all risk factors will be re-tested for inclusion.

Section II describes the technical steps for calculating risk adjusted measures and describes the development of the risk adjustment models.

Section III contains the detailed specifications for each of the risk factors used in the risk adjustment models.

Section IV contains detailed specifications for each of the risk factors used in the DC Function models, but not for the other OASIS-based outcome measures.

Appendix Table 1 and **Appendix Table 2** contains the list of risk factors and the estimated covariate coefficients for each measure, respectively. Because DC Function uses a different risk adjustment model and also requires imputation, the risk adjustment and imputation covariate coefficients for DC Function are located in the downloads section at <https://www.cms.gov/medicare/quality/home-health/home-health-quality-measures>

Definitions

Hierarchical Condition Categories (HCCs) - HCCs are used in the OASIS-based quality measure risk models to reflect patient conditions/diagnoses. HCCs are obtained by mapping the ICD-10-CM diagnoses codes from OASIS items M1021 and M1023. CMS releases midyear final mappings for ICD-10-CM to HCCs every year. The mid-year final version of the HCCs is used in the HHQRP risk models. The HCC mappings in the OASIS-based quality measure risk models are updated each year in the fall, after the mid-year final mapping has been released.

Home Health Quality Reporting Program Measure Calculations and Reporting User's Manual (a.k.a. QM User's Manual) – The Home Health Quality Reporting Program (HH QRP) manual that includes the measure specifications, risk models, and report information for all quality measures included in the HHQRP. An update to the manual is triggered when any significant additions or updates occur to any quality measures included in the HH QRP. A significant update would include the addition of a measure, the re-specification of a measure, or an update to the risk adjustment technical specifications.

Risk (Adjustment) Model – The measure-specific model used to risk adjust a measure. Each risk-adjusted measure has its own unique risk model.

Risk (Adjustment) Model Update – Any update to an individual measure's publicly documented risk model. This could include the addition or removal of a risk factor, updates to coefficients, or any re-calibration of the model. A risk model is considered "updated" whenever publicly available

documentation is required to be revised, in response to measure maintenance/reevaluation. **NOTE:** Updated mapping of HCCs alone (without a change to any coefficients in the model) is not considered a risk model “update”).

II. Technical Approach

Calculating Risk Adjusted Quality Measures

The following steps are used to calculate each quality measure:

A. Calculate the agency observed score (**steps 1 through 3**)

Step 1. Calculate the denominator count:

Calculate the total number of quality episodes that do not meet the exclusion criteria following each measure's specifications.¹

Step 2. Calculate the numerator count:

Calculate the total number of quality episodes in the denominator whose OASIS assessments indicates meeting numerator criteria for each month, following each measure's specifications.

Step 3. Calculate the agency's observed rate:

Divide the agency's numerator count by its denominator count to obtain the agency's observed rate; that is, divide the result of **step 2** by the result of **step 1**.

B. Calculate the predicted rate for each quality episode (**steps 4 and 5**)

Step 4. Determine presence or absence of the risk factors for each patient (technical specifications for risk factors are in [Section III](#)):

If dichotomous risk factors are used, assign values, either '0' for condition not present or '1' for condition present, for each quality episode for each of the covariates as reported at SOC/ROC, as described in the section above.

Step 5. Calculate the predicted rate for each quality episode with the following formula:

$$[1] \text{ Episode-level predicted QM rate} = 1 / [1 + e^{-X}]$$

Where e is the base of natural logarithms and X is a linear combination of the constant and the logistic regression coefficients times the covariate scores (from Formula [2], below).

$$[2] \text{ Quality measure triggered (yes=1, no=0)} = B_0 + B_1 * COV_1 + B_2 * COV_2 + \dots B_N * COV_N$$

Where B_0 is the logistic regression constant, B_1 is the logistic regression coefficient for the first covariate, COV_1 is the episode-level rate for the first covariate, B_2 is the logistic regression coefficient for the second covariate, and COV_2 is the episode-level rate for the second covariate, etc. The regression constant and regression coefficients are provided in [Appendix Table 2](#).

¹ Measure specifications are available in the Downloads section of the Home Health Quality Measures website: <https://www.cms.gov/Medicare/Quality-Initiatives-Patient-Assessment-Instruments/HomeHealthQualityInits/Home-Health-Quality-Measures.html>

C. Calculate the agency predicted rate (**step 6**)

Step 6. Once a predicted QM rate has been calculated for all quality episodes, calculate the mean agency-level predicted QM rate by averaging all episode-level predicted values for that agency for each month.

D. Calculate national predicted rate (**step 7**)

Step 7. Calculate the national predicted rate:

Once a predicted QM value has been calculated for all episodes, calculate the mean national-level predicted QM rate by averaging all episode-level predicted values for each month. Note that the sample will include only those quality episodes with non-missing data for the component covariates.

E. Calculate the agency's risk-adjusted rate (**step 8**)

Step 8. Calculate the agency-level monthly risk-adjusted rate based on the agency-level monthly observed quality measure rate (**step 3**), agency-level monthly mean predicted quality measure rate (**step 6**), and national monthly mean predicted QM rate (**step 7**), using the following formula:

[3] agency risk adjusted rate = agency observed rate + national predicted rate – agency predicted rate

F. Calculate the agency's 12-month risk adjusted rate (**step 9**)

Step 9. Calculate the 12-month risk-adjusted rate by averaging the agency's monthly risk-adjusted rate (**step 8**) weighting by the HHA's number of episodes in each month over the 12-month period.

If the adjusted rate is greater than 100%, the adjusted rate is set to 100%. Similarly, if the result is a negative number, the adjusted rate is set to zero.

Identifying Risk Factors

The risk adjustment model was developed using OASIS national repository data from assessments submitted between January 1, 2021 and December 31, 2021 (~6.2 million episodes of care). The population of 6.2 million episodes for calendar year 2021 was split in half such that 3.1 million episodes were used as a developmental sample and 3.1 million episodes were used as a validation sample. The following process was used to identify unique contributing risk factors to the prediction model:

1. Risk factors were identified based on OASIS items that will remain following the OASIS-E transition. The statistical properties of the items were examined to specify risk factors (e.g., item responses were grouped when there was low prevalence of certain responses). Team clinicians then reviewed all risk factors for clinical relevance and redefined or updated risk factors as necessary. These risk factors were divided into 31 risk factor groups (e.g., functional status, CMS-HCCs). Where possible, risk factors were defined such that they flagged mutually exclusive subgroups within each content focus group. When modelling these risk factors, the exclusion category was set to be either the risk factor flag for most independent or the most frequent within each content focus group.
2. A logistic regression specification was used to estimate coefficients among the full set of candidate risk factors. Those risk factors that are statistically significant at probability <0.0001 are kept for further review.

3. Each risk factor flagged in Step 2 was reviewed to determine which one of the two groups its content focus group resided. Either its content focus group was explicitly tiered by increasing severity or it was not. This classification determined which risk factors covariates were kept and which were dropped from the final risk adjustment specification. For content focus groups that are explicitly tiered by increasing severity, either all risk factors are included within a content focus group or none of them. For example, if response option levels 1 and 2 for M1800 Grooming were statistically significant at probability <0.0001 for a particular outcome, then response option level 3 for M1800 Grooming was added to the list even if it was not statistically significant. If none of the risk factors within an explicitly tiered content focus group are statistically significant at <0.0001 , the entire content focus group is removed from the model.
4. A logistic regression was computed on the list of risk factors that had achieved probability <0.0001 in Step 3 above.
5. Goodness of fit statistics (McFadden's R^2 , C-statistic, and Intra-Class Correlation) were calculated to measure how well the predicted values generated by the prediction model were related to the actual outcomes. Separate bivariate correlations were constructed between the risk factors and the outcomes to confirm the sign and strength of the estimated coefficients in the logistic model.
6. The initial model was reviewed by a team of at least three experienced home health clinicians. Each risk factor was reviewed for its clinical plausibility. Clinicians were asked about the direction indicated by the coefficient in the risk adjustment model and how it compares to their perceived bivariate relationship given their experience treating patients in the home. Risk factors that were not clinically plausible were revised or eliminated if revisions were not possible.
7. The risk factors that were deemed not clinically plausible were revised or eliminated, and Steps 3, 4, and 5 in this process were repeated. The resulting logistic regression equation was designated as the risk adjustment model for the outcome.
8. The risk adjustment model was applied to the validation sample and goodness of fit statistics were computed. The statistics were similar to the goodness of fit statistics computed with the development sample. As additional testing, HHAs were stratified across several observable characteristics, and the distributions of the risk-adjusted outcomes were checked to confirm that values remained similar across strata.
9. Updated for January 1, 2023 as outlined in **Section I**: Risk adjustment models were re-run after revising two risk factors (i.e., replacing depression screening with patient mood screening and home care diagnoses with HCCs).

III. Risk Factor Technical Specifications

OASIS data items are referred to in this documentation using field names specified in OASIS Data Submission Specifications published by CMS. "[1]" is appended to the field name if the value is taken from the beginning of episode assessment (Start or Resumption of Care), and "[2]" is appended if the value is to be taken from the assessment conducted at the end of the episode (Discharge, Transfer, or Death).

1. Age

```
IF M0100_ASSMT_REASON[1] = 01
THEN
  IF MONTH(M0030_START_CARE_DT[1]) > MONTH(M0066_PAT_BIRTH_DT[1]) OR
  (MONTH(M0030_START_CARE_DT[1]) = MONTH(M0066_PAT_BIRTH_DT[1])
  AND DAY(M0030_START_CARE_DT[1]) >= DAY(M0066_PAT_BIRTH_DT[1]))
  THEN
    AGE = YEAR(M0030_START_CARE_DT[1]) – YEAR(M0066_PAT_BIRTH_DT[1])
  ELSE
    AGE = YEAR(M0030_START_CARE_DT[1]) – YEAR(M0066_PAT_BIRTH_DT[1])-1
  END IF
ELSE
  IF MONTH(M0032_ROC_DT[1]) > MONTH(M0066_PAT_BIRTH_DT[1])OR
  (MONTH(M0032_ROC_DT[1]) = MONTH(M0066_PAT_BIRTH_DT[1]) AND
  DAY(M0032_ROC_DT[1]) >= DAY(M0066_PAT_BIRTH_DT[1]))
  THEN
    AGE = YEAR(M0032_ROC_DT[1]) – YEAR(M0066_PAT_BIRTH_DT[1])
  ELSE
    AGE = YEAR(M0032_ROC_DT[1]) – YEAR(M0066_PAT_BIRTH_DT[1])-1
  END IF
END IF
```

Age: 0-54

```
IF (AGE >= 18 AND AGE <= 54)
THEN
  AGE_0_54 = 1
ELSE
  AGE_0_54 = 0
END IF
```

Age: 55-59

```
IF (AGE >= 55 AND AGE <= 59)
THEN
  AGE_55_59 = 1
ELSE
  AGE_55_59 = 0
END IF
```

Age: 60-64

```
IF (AGE >= 60 AND AGE <= 64)
THEN
    AGE_60_64 = 1
ELSE
    AGE_60_64 = 0
END IF
```

Age: 65-69

```
IF (AGE >= 65 AND AGE <= 69)
THEN
    AGE_65_69 = 1
ELSE
    AGE_65_69 = 0
END IF
```

Age: 70-74

```
IF (AGE >= 70 AND AGE <= 74)
THEN
    AGE_70_74 = 1
ELSE
    AGE_70_74 = 0
END IF
```

Age: 75-79

```
IF (AGE >= 75 AND AGE <= 79)
THEN
    AGE_75_79 = 1
ELSE
    AGE_75_79 = 0
END IF
```

Age: 80-84

```
IF (AGE >= 80 AND AGE <= 84)
THEN
    AGE_80_84 = 1
ELSE
    AGE_80_84 = 0
END IF
```

Age: 85-89

```
IF (AGE >= 85 AND AGE <= 89)
THEN
    AGE_85_89 = 1
ELSE
    AGE_85_89 = 0
END IF
```

Age: 90-94

```
IF (AGE >= 90 AND AGE <= 94)
THEN
    AGE_90_94 = 1
ELSE
    AGE_90_94 = 0
END IF
```

Age: 95+

```
IF (AGE >= 95)
THEN
    AGE_95PLUS = 1
ELSE
    AGE_95PLUS = 0
END IF
```

2. Gender

```
IF M0069_PAT_GENDER[1] = 2
THEN
    GENDER = 1
ELSE
    GENDER = 0
END IF
```

Patient is Female

```
IF GENDER = 1
THEN
    GENDER_FEMALE = 1
ELSE
    GENDER_FEMALE = 0
END IF
```

Patient is Male

```
IF GENDER = 0
THEN
    GENDER_MALE = 1
ELSE
    GENDER_MALE = 0
END IF
```

3. Payment Source

Payment Source: Medicare FFS only

```
IF M0150_CPAY_MCARE_FFS[1] = 1 AND M0150_CPAY_NONE[1] = 0 AND
M0150_CPAY_MCARE_HMO[1] = 0 AND M0150_CPAY_MCAID_FFS[1] = 0 AND
M0150_CPAY_MCAID_HMO[1] = 0 AND M0150_CPAY_WRKCOMP[1] = 0 AND
```

**M0150_CPAY_TITLEPGMS[1] = 0 AND M0150_CPAY_OTH_GOVT[1] = 0 AND
 M0150_CPAY_PRIV_INS[1] = 0 AND M0150_CPAY_PRIV_HMO[1] = 0 AND
 M0150_CPAY_SELFPAY[1] = 0 AND M0150_CPAY_OTHER[1] = 0 AND M0150_CPAY_UK [1] = 0
 THEN
 PAY_MCARE_FFS = 1
 ELSE
 PAY_MCARE_FFS = 0
 END IF**

Payment Source: Medicare HMO only

**IF M0150_CPAY_MCARE_HMO[1] = 1 AND M0150_CPAY_NONE[1] = 0 AND
 M0150_CPAY_MCARE_FFS[1] = 0 AND M0150_CPAY_MCAID_FFS[1] = 0 AND
 M0150_CPAY_MCAID_HMO[1] = 0 AND M0150_CPAY_WRKCOMP[1] = 0 AND
 M0150_CPAY_TITLEPGMS[1] = 0 AND M0150_CPAY_OTH_GOVT[1] = 0 AND
 M0150_CPAY_PRIV_INS[1] = 0 AND M0150_CPAY_PRIV_HMO[1] = 0 AND
 M0150_CPAY_SELFPAY[1] = 0 AND M0150_CPAY_OTHER[1] = 0 AND M0150_CPAY_UK[1] = 0
 THEN
 PAY_MCARE_HMO = 1
 ELSE
 PAY_MCARE_HMO = 0
 END IF**

Payment Source: Medicare and Medicaid

**IF ((M0150_CPAY_MCARE_FFS[1] = 1 AND M0150_CPAY_MCAID_FFS[1] = 1) OR
 (M0150_CPAY_MCARE_FFS[1] = 1 AND M0150_CPAY_MCAID_HMO[1] = 1) OR
 (M0150_CPAY_MCARE_HMO[1] = 1 AND M0150_CPAY_MCAID_FFS[1] = 1) OR
 (M0150_CPAY_MCARE_HMO[1] = 1 AND M0150_CPAY_MCAID_HMO[1] = 1) OR
 (M0150_CPAY_MCARE_FFS[1] = 1 AND M0150_CPAY_MCARE_HMO[1] = 1 AND
 M0150_CPAY_MCAID_FFS[1] = 1) OR (M0150_CPAY_MCARE_FFS[1] = 1 AND
 M0150_CPAY_MCARE_HMO[1] = 1 AND M0150_CPAY_MCAID_HMO[1] = 1) OR
 (M0150_CPAY_MCARE_FFS[1] = 1 AND M0150_CPAY_MCAID_FFS[1] = 1 AND
 M0150_CPAY_MCAID_HMO[1] = 1) OR (M0150_CPAY_MCARE_HMO[1] = 1 AND
 M0150_CPAY_MCAID_FFS[1] = 1 AND M0150_CPAY_MCAID_HMO[1] = 1)) AND
 M0150_CPAY_NONE[1] = 0 AND M0150_CPAY_WRKCOMP[1] = 0
 THEN
 PAY_MCAREANDMCAID = 1
 ELSE
 PAY_MCAREANDMCAID = 0
 END IF**

Payment Source: Medicaid Only

**IF (M0150_CPAY_MCAID_FFS[1] = 1 OR M0150_CPAY_MCAID_HMO[1] = 1) AND
 M0150_CPAY_NONE[1] = 0 AND M0150_CPAY_MCARE_FFS[1] = 0 AND
 M0150_CPAY_MCARE_HMO[1] = 0 AND M0150_CPAY_WRKCOMP[1] = 0 AND
 M0150_CPAY_TITLEPGMS[1] = 0 AND M0150_CPAY_OTH_GOVT[1] = 0 AND
 M0150_CPAY_PRIV_INS[1] = 0 AND M0150_CPAY_PRIV_HMO[1] = 0 AND
 M0150_CPAY_SELFPAY[1] = 0 AND M0150_CPAY_OTHER[1] = 0 AND M0150_CPAY_UK[1] = 0
 THEN**

```
        PAY_MCAID_ONLY = 1
ELSE
        PAY_MCAID_ONLY = 0
END IF
```

Payment Source: Other Combinations

```
IF PAY_MCARE_FFS = 0 AND PAY_MCARE_HMO = 0 AND PAY_MCAREANDMCAID = 0 AND
PAY_MCAID_ONLY = 0
THEN
        PAY_OTHER_COMBO = 1
ELSE
        PAY_OTHER_COMBO = 0
END IF
```

4. SOC/ROC and Admission Source

Discharged from facility in past 14 days

```
IF (M1000_DC_IPPS_14_DA[1] = 01 OR M1000_DC_SNF_14_DA[1] = 01 OR M1000_DC_IRF_14_DA[1] = 01 OR
M1000_DC_LTC_14_DA[1] = 01 OR M1000_DC_LTCH_14_DA[1] = 01 OR M1000_DC_PSYCH_14_DA[1] = 01)
THEN
        INPT_FACILITY = 1
ELSE
        INPT_FACILITY = 0
END IF
```

Start of Care - Further visits planned: Discharged from facility in past 14 days

```
IF (M0100_ASSMT_REASON[1] = 01 AND INPT_FACILITY = 1)
THEN
        SOC_INPT = 1
ELSE
        SOC_INPT = 0
END IF
```

Start of Care - Further visits planned: Not Discharged from facility in past 14 days

```
IF (M0100_ASSMT_REASON[1] = 01 AND INPT_FACILITY = 0)
THEN
        SOC_COMM = 1
ELSE
        SOC_COMM = 0
END IF
```

Resumption of care (after inpatient stay)

```
IF (M0100_ASSMT_REASON[1] = 03)
THEN
        ROC = 1
ELSE
        ROC = 0
```

END IF

5. Post-Acute Facility Admission Source

Not discharged from post-acute facility past 14 days

IF M1000_DC_SNF_14_DA[1] = 1 OR M1000_DC_IRF_14_DA[1] = 1 OR M1000_DC_NF_14_DA[1] = 1 OR
M1000_DC_LTCH_14_DA[1] = 1 OR M1000_DC_PSYCH_14_DA[1] = 1

THEN

INPT_NOPOSTACUTE = 0

ELSE

INPT_NOPOSTACUTE = 1

END IF

Discharged from post-acute facility past 14 days

IF M1000_DC_SNF_14_DA[1] = 1 OR M1000_DC_IRF_14_DA[1] = 1 OR M1000_DC_NF_14_DA[1] = 1 OR
M1000_DC_LTCH_14_DA[1] = 1 OR M1000_DC_PSYCH_14_DA[1] = 1

THEN

INPT_POSTACUTE = 1

ELSE

INPT_POSTACUTE = 0

END IF

6. Risk of Hospitalization

Risk of Hospitalization: History of falls in past 12 months

IF M1033_HOSP_RISK_HSTRY_FALLS[1] = 1

THEN

RISK_HSTRY_FALLS = 1

ELSE

RISK_HSTRY_FALLS = 0

END IF

Risk of Hospitalization: Unintentional weight loss in past 12 months

IF M1033_HOSP_RISK_WEIGHT_LOSS[1] = 1

THEN

RISK_WEIGHTLOSS = 1

ELSE

RISK_WEIGHTLOSS = 0

END IF

Risk of Hospitalization: Multiple hospitalizations in past 6 months

IF M1033_HOSP_RISK_MLTPL_HOSPZTN[1] = 1

THEN

RISK_MLTPL_HOSPZTN = 1

ELSE

RISK_MLTPL_HOSPZTN = 0

END IF

Risk of Hospitalization: Multiple ED visits in past 6 months

```
IF M1033_HOSP_RISK_MLTPL_ED_VISIT[1] = 1
THEN
    RISK_ED = 1
ELSE
    RISK_ED = 0
END IF
```

Risk of Hospitalization: Recent decline mental/emotional decline in past 3 months

```
IF M1033_HOSP_RISK_MNTL_BHV_DCLN[1] = 1
THEN
    RISK_RCNT_DCLN = 1
ELSE
    RISK_RCNT_DCLN = 0
END IF
```

Risk of Hospitalization: Difficulty complying with medical instruction in past 3 months

```
IF M1033_HOSP_RISK_COMPLIANCE[1] = 1
THEN
    RISK_COMPLY = 1
ELSE
    RISK_COMPLY = 0
END IF
```

Risk of Hospitalization: Taking five or more medications

```
IF M1033_HOSP_RISK_5PLUS_MDCTN[1] = 1
THEN
    RISK_5PLUS_MDCTN = 1
ELSE
    RISK_5PLUS_MDCTN = 0
END IF
```

Risk of Hospitalization: Reports Exhaustion

```
IF M1033_HOSP_RISK_CRNT_EXHSTN[1] = 1
THEN
    RISK_EXHAUST = 1
ELSE
    RISK_EXHAUST = 0
END IF
```

Risk of Hospitalization: Other unlisted risk factors

```
IF M1033_HOSP_RISK_OTHR_RISK[1] = 1
THEN
    RISK_OTHR = 1
ELSE
    RISK_OTHR = 0
END IF
```

Risk of Hospitalization: None of the Above

```
IF M1033_HOSP_RISK_NONE_ABOVE[1] = 1
THEN
    RISK_NONE = 1
ELSE
    RISK_NONE = 0
END IF
```

7. Availability of Assistance

Availability of Assistance

Around the clock

```
IF M1100_PTNT_LVG_STUTN[1] = 01 OR M1100_PTNT_LVG_STUTN[1] = 06 OR
M1100_PTNT_LVG_STUTN[1] = 11
THEN
    ASSIST_ARND_CLOCK = 1
ELSE
    ASSIST_ARND_CLOCK = 0
END IF
```

Regular daytime

```
IF M1100_PTNT_LVG_STUTN[1] = 02 OR M1100_PTNT_LVG_STUTN[1] = 07 OR
M1100_PTNT_LVG_STUTN[1] = 12
THEN
    ASSIST_REGDAY = 1
ELSE
    ASSIST_REGDAY = 0
END IF
```

Regular nighttime

```
IF M1100_PTNT_LVG_STUTN[1] = 03 OR M1100_PTNT_LVG_STUTN[1] = 08 OR
M1100_PTNT_LVG_STUTN[1] = 13
THEN
    ASSIST_REGNITE = 1
ELSE
    ASSIST_REGNITE = 0
END IF
```

Occasional/None

```
IF M1100_PTNT_LVG_STUTN[1] = 04 OR M1100_PTNT_LVG_STUTN[1] = 05 OR
M1100_PTNT_LVG_STUTN[1] = 09 OR M1100_PTNT_LVG_STUTN[1] = 10 OR
M1100_PTNT_LVG_STUTN[1] = 14 OR M1100_PTNT_LVG_STUTN[1] = 15
THEN
    ASSIST_OCC_NONE = 1
ELSE
    ASSIST_OCC_NONE = 0
```

END IF

Living Arrangement

Lives alone

IF M1100_PTNT_LVG_STUTN[1] = 01 **OR** M1100_PTNT_LVG_STUTN[1] = 02 **OR**
M1100_PTNT_LVG_STUTN[1] = 03 **OR** M1100_PTNT_LVG_STUTN[1] = 04 **OR**
M1100_PTNT_LVG_STUTN[1] = 05

THEN

LIV_ALONE = 1

ELSE

LIV_ALONE = 0

END IF

Lives with Others

IF M1100_PTNT_LVG_STUTN[1] = 06 **OR** M1100_PTNT_LVG_STUTN[1] = 07 **OR**
M1100_PTNT_LVG_STUTN[1] = 08 **OR** M1100_PTNT_LVG_STUTN[1] = 09 **OR**
M1100_PTNT_LVG_STUTN[1] = 10

THEN

LIV_OTHERS = 1

ELSE

LIV_OTHERS = 0

END IF

Lives in a Congregate Situation

IF M1100_PTNT_LVG_STUTN[1] = 11 **OR** M1100_PTNT_LVG_STUTN[1] = 12 **OR**
M1100_PTNT_LVG_STUTN[1] = 13 **OR** M1100_PTNT_LVG_STUTN[1] = 14 **OR**
M1100_PTNT_LVG_STUTN[1] = 15

THEN

LIV_CONGREGATE = 1

ELSE

LIV_CONGREGATE = 0

END IF

8. Pressure Ulcers

None or Stage I Present

IF M1306_UNHLD_STG2_PRSR_ULCR[1] = 00 **AND**
(M1322_NBR_PRSULC_STG1[1] = 00 **OR** M1322_NBR_PRSULC_STG1[1] = 01 **OR**
M1322_NBR_PRSULC_STG1[1] = 02 **OR** M1322_NBR_PRSULC_STG1[1] = 03 **OR**
M1322_NBR_PRSULC_STG1[1] = 04)

THEN

PU_NONE_STG1ONLY = 1

ELSE

PU_NONE_STG1ONLY = 0

END IF

Stage II or Higher and Unstageable Present

IF M1311_NBR_PRSULC_STG2_A1[1] > 0 OR M1311_NBR_PRSULC_STG3_B1[1] > 0 OR
M1311_NBR_PRSULC_STG4_C1[1] > 0 OR M1311_NSTG_DRSG_D1[1] > 0 OR
M1311_NSTG_CVRG_E1[1] > 0 OR M1311_DEEP_TSUE_F1[1] > 0

THEN

PU_STG2PLUS_UNSTG = 1

ELSE

PU_STG2PLUS_UNSTG = 0

END IF

9. Stasis Ulcers

Stasis Ulcer: No observable stasis ulcers

IF M1330_STAS_ULCR_PRSNT[1] = 00 OR M1330_STAS_ULCR_PRSNT[1] = 03

THEN

STAS_ULCR_NONE = 1

ELSE

STAS_ULCR_NONE = 0

END IF

Stasis Ulcer: 1 observable stasis ulcer only

IF M1332_NBR_STAS_ULCR[1] = 1

THEN

STAS_ULCR_OBS_1 = 1

ELSE

STAS_ULCR_OBS_1 = 0

END IF

Stasis Ulcer: Multiple observable stasis ulcers

IF M1332_NBR_STAS_ULCR[1] = 2 OR M1332_NBR_STAS_ULCR[1] = 3 OR M1332_NBR_STAS_ULCR[1] = 4

THEN

STAS_ULCR_OBS_2PLUS = 1

ELSE

STAS_ULCR_OBS_2PLUS = 0

END IF

10. Surgical Wounds

Status of Surgical Wound: None

IF M1342_STUS_PRBLM_SRGCL_WND[1] = MISSING

THEN

SRG_WND_OBS_NONE = 1

ELSE

SRG_WND_OBS_NONE = 0

END IF

Status of Surgical Wound: Newly Epithelialized

```
IF M1342_STUS_PRBLM_SRGCL_WND[1] = 00
THEN
    SRG_WND_OBS_EPI = 1
ELSE
    SRG_WND_OBS_EPI = 0
END IF
```

Status of Surgical Wound: Fully granulating or early/partial granulation

```
IF M1342_STUS_PRBLM_SRGCL_WND[1] = 01 OR M1342_STUS_PRBLM_SRGCL_WND[1] = 02
THEN
    SRG_WND_OBS_GRAN = 1
ELSE
    SRG_WND_OBS_GRAN = 0
END IF
```

Status of Surgical Wound: Not healing

```
IF M1342_STUS_PRBLM_SRGCL_WND[1] = 03
THEN
    SRG_WND_OBS_NOHEAL = 1
ELSE
    SRG_WND_OBS_NOHEAL = 0
END IF
```

11. Dyspnea

Dyspnea: Not short of breath

```
IF (M1400_WHEN_DYSPNEIC[1] = 00)
THEN
    DYSP0 = 1
ELSE
    DYSP0 = 0
END IF
```

Dyspnea: Walking more than 20 feet, climbing stairs

```
IF (M1400_WHEN_DYSPNEIC[1] = 01)
THEN
    DYSP1 = 1
ELSE
    DYSP1 = 0
END IF
```

Dyspnea: Moderate exertion

```
IF (M1400_WHEN_DYSPNEIC[1] = 02)
THEN
    DYSP2 = 1
ELSE
```

DYSP2 = 0
END IF

Dyspnea: Minimal to no exertion

IF (M1400_WHEN_DYSPNEIC[1] = 03 OR M1400_WHEN_DYSPNEIC[1] = 04)
THEN
DYSP34 = 1
ELSE
DYSP34 = 0
END IF

12. Urinary Status

Urinary incontinence/catheter: None

IF M1610_UR_INCONT[1] = 00
THEN
URINCONT_NONE = 1
ELSE
URINCONT_NONE = 0
END IF

Urinary incontinence/catheter: Incontinent

IF M1610_UR_INCONT[1] = 01
THEN
URINCONT_INCONT = 1
ELSE
URINCONT_INCONT = 0
END IF

Urinary incontinence/catheter: Catheter

IF M1610_UR_INCONT[1] = 02
THEN
URINCONT_CATH = 1
ELSE
URINCONT_CATH = 0
END IF

13. Bowel Incontinence

Bowel incontinence Frequency: Never or Very Rare

IF M1620_BWL_INCONT[1] = 00 OR M1620_BWL_INCONT[1] = UK
THEN
BWL_NONE_UK = 1
ELSE
BWL_NONE_UK = 0
END IF

Bowel incontinence Frequency: Less than once a week

IF M1620_BWL_INCONT[1] = 01

THEN

BWL_FR1 = 1

ELSE

BWL_FR1 = 0

END IF

Bowel incontinence Frequency: One to Three times a week

IF M1620_BWL_INCONT[1] = 02

THEN

BWL_FR2 = 1

ELSE

BWL_FR2 = 0

END IF

Bowel incontinence Frequency: Four to six times a week or more

IF M1620_BWL_INCONT[1] = 03 OR M1620_BWL_INCONT[1] = 04 OR M1620_INCONT[1] = 05

THEN

BWL_FR345 = 1

ELSE

BWL_FR345 = 0

END IF

Bowel incontinence Frequency: Ostomy for bowel elimination

IF M1620_BWL_INCONT[1] = NA

THEN

BWL_OSTOMY = 1

ELSE

BWL_OSTOMY = 0

END IF

14. Cognitive function

Cognitive Functioning: Alert and focused

IF M1700_COG_FUNCTION[1] = 00

THEN

COGN0 = 1

ELSE

COGN0 = 0

END IF

Cognitive Functioning: Requires prompting under stress

IF M1700_COG_FUNCTION[1] = 01

THEN

COGN1 = 1

ELSE

COGN1 = 0
END IF

Cognitive Functioning: Requires assist in special circumstances

IF M1700_COG_FUNCTION[1] = 02

THEN

COGN2 = 1

ELSE

COGN2 = 0

END IF

Cognitive Functioning: Requires considerable assist/totally dependent

IF M1700_COG_FUNCTION[1] = 03 **OR** M1700_COG_FUNCTION[1] = 04

THEN

COGN34 = 1

ELSE

COGN34 = 0

END IF

15. Confusion

Confused: Never

IF M1710_WHEN_CONFUSED[1] = 0 **OR** M1710_WHEN_CONFUSED[1] = NA

THEN

CONF0 = 1

ELSE

CONF0 = 0

END IF

Confused: In new or complex situations

IF M1710_WHEN_CONFUSED[1] = 01

THEN

CONF1 = 1

ELSE

CONF1 = 0

END IF

Confused: Sometimes

IF M1710_WHEN_CONFUSED[1] = 02 **OR** M1710_WHEN_CONFUSED[1] = 03

THEN

CONF23 = 1

ELSE

CONF23 = 0

END IF

Confused: Constantly

IF M1710_WHEN_CONFUSED[1] = 04

THEN
 CONF4 = 1
ELSE
 CONF4 = 0
END IF

16. Anxiety

Anxiety: None of the time

IF M1720_WHEN_ANXIOUS[1] = 00 **OR** M1720_WHEN_ANXIOUS[1] = NA
THEN
 ANX0 = 1
ELSE
 ANX0 = 0
END IF

Anxiety: Less often than daily

IF M1720_WHEN_ANXIOUS[1] = 01
THEN
 ANX1 = 1
ELSE
 ANX1 = 0
END IF

Anxiety: Daily, but not constantly

IF M1720_WHEN_ANXIOUS[1] = 02
THEN
 ANX2 = 1
ELSE
 ANX2 = 0
END IF

Anxiety: All of the time

IF M1720_WHEN_ANXIOUS[1] = 03
THEN
 ANX3 = 1
ELSE
 ANX3 = 0
END IF

17. Patient Mood Screening (PHQ-2to9)

Patient Mood Screening (PHQ-2to9): Patient meets criteria for further evaluation

IF D0150_A2[1] = 02 **OR**
 D0150_A2[1] = 03 **OR**
 D0150_B2[1] = 02 **OR**
 D0150_B2[1] = 03

THEN
PHQ2_TO9_MEET = 1
ELSE
PHQ2_TO9_MEET = 0

Patient Mood Screening (PHQ-2to9): Patient does not meet criteria for further evaluation
IF (D0150_A2[1] = 00 **OR** D0150_A2[1] = 01) **AND** (D0150_B2[1] = 00 **OR** D0150_B2[1] = 01)
THEN
PHQ2_TO9_NOTMEET = 1
ELSE
PHQ2_TO9_NOTMEET = 0

Patient Mood Screening (PHQ-2to9): Patient was not screened
IF ((D0150_A2[1] = ^ **AND** (D0150_B2[1] = 00 **OR** D0150_B2[1] = 01 **OR** D0150_B2[1] = ^)) **OR**
((D0150_B2[1] = ^ **AND** (D0150_A2[1] = 00 **OR** D0150_A2[1] = 01 **OR** D0150_A2[1] = ^))
THEN
PHQ2_TO9_NA = 1
ELSE
PHQ2_TO9_NA = 0

18. Behavioral Symptoms

Behavioral: None
IF M1740_BD_NONE[1] = 01
THEN
BEHAV_NONE = 1
ELSE
BEHAV_NONE = 0
END IF

Behavioral: Memory Deficit
IF M1740_BD_MEM_DEFICIT[1] = 01
THEN
BEHAV_MEM_DEFICIT = 1
ELSE
BEHAV_MEM_DEFICIT = 0
END IF

Behavioral: Impaired decision making
IF M1740_BD_IMP_DECISN[1] = 01
THEN
BEHAV_IMPR_DECISN = 1
ELSE
BEHAV_IMPR_DECISN = 0
END IF

Behavioral: Verbally disruptive, physical aggression, disruptive, or delusional

```
IF M1740_BD_VERBAL[1] = 01 OR M1740_BD_PHYSICAL[1] = 01 OR  
M1740_BD_SOC_INAPPRO[1] = 01 OR M1740_BD_DELUSIONS[1] = 01  
THEN  
    BEHAV_OTHR = 1  
ELSE  
    BEHAV_OTHR = 0  
END IF
```

19. Disruptive Behavior Frequency

Frequency of Disruptive Behavior: Never

```
IF M1745_BEH_PROB_FREQ[1] = 00  
THEN  
    BEHPFR0 = 1  
ELSE  
    BEHPFR0 = 0  
END IF
```

Frequency of Disruptive Behavior: Once a month or less

```
IF M1745_BEH_PROB_FREQ[1] = 01 OR M1745_BEH_PROB_FREQ[1] = 02  
THEN  
    BEHPFR12 = 1  
ELSE  
    BEHPFR12 = 0  
END IF
```

Frequency of Disruptive Behavior: Several times a month

```
IF M1745_BEH_PROB_FREQ[1] = 03  
THEN  
    BEHPFR3 = 1  
ELSE  
    BEHPFR3 = 0  
END IF
```

Frequency of Disruptive Behavior: Several times a week

```
IF M1745_BEH_PROB_FREQ[1] = 4  
THEN  
    BEHPFR4 = 1  
ELSE  
    BEHPFR4 = 0  
END IF
```

Frequency of Disruptive Behavior: At least once daily

```
IF M1745_BEH_PROB_FREQ[1] = 5  
THEN  
    BEHPFR5 = 1
```

ELSE
 BEHPFR5 = 0
END IF

20. Grooming

Grooming: Able to groom self unaided

IF M1800_CRNT_GROOMING[1] = 00
THEN

 GROOM0 = 1

ELSE
 GROOM0 = 0

END IF

Grooming: Grooming utensils must be placed within reach

IF M1800_CRNT_GROOMING[1] = 01

THEN
 GROOM1 = 1

ELSE
 GROOM1 = 0

END IF

Grooming: Assistance needed

IF M1800_CRNT_GROOMING[1] = 02

THEN
 GROOM2 = 1

ELSE
 GROOM2 = 0

END IF

Grooming: Entirely dependent upon someone else

IF M1800_CRNT_GROOMING[1] = 03

THEN
 GROOM3 = 1

ELSE
 GROOM3 = 0

END IF

21. Upper Body Dressing

Ability to Dress Upper Body: No help needed

IF M1810_CRNT_DRESS_UPPER[1] = 00
THEN

 UPPER0 = 1

ELSE
 UPPER0 = 0

END IF

Ability to Dress Upper Body: Needs clothing laid out

IF M1810_CRNT_DRESS_UPPER[1] = 01

THEN

UPPER1 = 1

ELSE

UPPER1 = 0

END IF

Ability to Dress Upper Body: Needs assistance needed putting on clothing

IF M1810_CRNT_DRESS_UPPER[1] = 02

THEN

UPPER2 = 1

ELSE

UPPER2 = 0

END IF

Ability to Dress Upper Body: Entirely dependent upon someone else

IF M1810_CRNT_DRESS_UPPER[1] = 03

THEN

UPPER3 = 1

ELSE

UPPER3 = 0

END IF

22. Lower Body Dressing

Ability to Dress Lower Body: No help needed

IF M1820_CRNT_DRESS_LOWER[1] = 00

THEN

LOWERO = 1

ELSE

LOWERO = 0

END IF

Ability to Dress Lower Body: Needs clothing/shoes laid out

IF M1820_CRNT_DRESS_LOWER[1] = 01

THEN

LOWER1 = 1

ELSE

LOWER1 = 0

END IF

Ability to Dress Lower Body: Assist needed putting on clothing

IF M1820_CRNT_DRESS_LOWER[1] = 02

THEN

LOWER2 = 1

ELSE

LOWER2 = 0

END IF

Ability to Dress Lower Body: Entirely dependent upon someone else

IF M1820_CRNT_DRESS_LOWER[1] = 03

THEN

LOWER3 = 1

ELSE

LOWER3 = 0

END IF

23. Bathing

Bathing: Independently in shower/tub

IF M1830_CRNT_BATHING[1] = 00

THEN

BATH0 = 1

ELSE

BATH0 = 0

END IF

Bathing: With the use of devices in shower/tub

IF M1830_CRNT_BATHING[1] = 01

THEN

BATH1 = 1

ELSE

BATH1 = 0

END IF

Bathing: With intermittent assistance in shower/tub

IF M1830_CRNT_BATHING[1] = 02

THEN

BATH2 = 1

ELSE

BATH2 = 0

END IF

Bathing: Participates with supervision in shower/tub

IF M1830_CRNT_BATHING[1] = 03

THEN

BATH3 = 1

ELSE

BATH3 = 0

END IF

Bathing: Independent at sink, in chair, or on commode

IF M1830_CRNT_BATHING[1] = 04

THEN

BATH4 = 1

ELSE
 BATH4 = 0
END IF

Bathing: Participates with assist at sink, in char, or commode

IF M1830_CRNT_BATHING[1] = 05
THEN
 BATH5 = 1
ELSE
 BATH5 = 0
END IF

Bathing: Unable to participate; bathed totally by another

IF M1830_CRNT_BATHING[1] = 06
THEN
 BATH6 = 1
ELSE
 BATH6 = 0
END IF

24. Toilet Transferring

Toilet Transferring: No assistance needed

IF M1840_CRNT_TOILTG[1] = 00
THEN
 TLTTRN0 = 1
ELSE
 TLTTRN0 = 0
END IF

Toilet Transferring: To/from/on/off toilet with human assist

IF M1840_CRNT_TOILTG[1] = 01
THEN
 TLTTRN1 = 1
ELSE
 TLTTRN1 = 0
END IF

Toilet Transferring: Able to self-transfer to bedside commode

IF M1840_CRNT_TOILTG[1] = 02
THEN
 TLTTRN2 = 1
ELSE
 TLTTRN2 = 0
END IF

Toilet Transferring: Unable to transfer to/from toilet or commode

IF M1840_CRNT_TOILTG[1] = 03 **OR** M1840_CRNT_TOILTG[1] = 04

THEN
 TLTRN34 = 1
ELSE
 TLTRN34 = 0
END IF

25. Toilet Hygiene

Toilet Hygiene Assistance: None needed

IF M1845_CRNT_TOILTG_HYGN[1] = 00
THEN
 TLTHYG0 = 1
ELSE
 TLTHYG0 = 0
END IF

Toilet Hygiene Assistance: Needs supplies laid out

IF M1845_CRNT_TOILTG_HYGN[1] = 01
THEN
 TLTHYG1 = 1
ELSE
 TLTHYG1 = 0
END IF

Toilet Hygiene Assistance: Needs assistance

IF M1845_CRNT_TOILTG_HYGN[1] = 02
THEN
 TLTHYG2 = 1
ELSE
 TLTHYG2 = 0
END IF

Toilet Hygiene Assistance:

IF M1845_CRNT_TOILTG_HYGN[1] = 03
THEN
 TLTHYG3 = 1
ELSE
 TLTHYG3 = 0
END IF

26. Transferring

Transferring: No assistance needed

IF M1850_CRNT_TRNSFRNG[1] = 00
THEN
 TRNFRO = 1
ELSE

TRNFRO = 0
END IF

Transferring: With minimal human assist or with device

IF M1850_CRNT_TRNSFRNG[1] = 01
THEN
 TRNFR1 = 1
ELSE
 TRNFR1 = 0
END IF

Transferring: Bears weight and pivots only

IF M1850_CRNT_TRNSFRNG[1] = 02
THEN
 TRNFR2 = 1
ELSE
 TRNFR2 = 0
END IF

Transferring: Unable or bedfast

IF M1850_CRNT_TRNSFRNG[1] = 03 **OR** M1850_CRNT_TRNSFRNG[1] = 04 **OR**
M1850_CRNT_TRNSFRNG[1] = 05
THEN
 TRNFR345 = 1
ELSE
 TRNFR345 = 0
END IF

27. Ambulation

Ambulation/Locomotion: Walk Independently

IF M1860_CUR_AMBLTN[1] = 00
THEN
 AMBO = 1
ELSE
 AMBO = 0
END IF

Ambulation/Locomotion: One-handed device on all surfaces

IF M1860_CUR_AMBLTN[1] = 01
THEN
 AMB1 = 1
ELSE
 AMB1 = 0
END IF

Ambulation/Locomotion: Two-handed device/human assist on steps

IF M1860_CUR_AMBLTN[1] = 02

THEN

AMB2 = 1

ELSE

AMB2 = 0

END IF

Ambulation/Locomotion: Walks only with supervision or assist

IF M1860_CUR_AMBLTN[1] = 03

THEN

AMB3 = 1

ELSE

AMB3 = 0

END IF

Ambulation/Locomotion: Chairfast or bedfast

IF M1860_CUR_AMBLTN[1] = 04 OR M1860_CUR_AMBLTN[1] = 05 OR M1860_CUR_AMBLTN[1] = 06

THEN

AMB456 = 1

ELSE

AMB456 = 0

END IF

28. Feeding or Eating

Eating: Independent

IF M1870_CRNT_FEEDING[1] = 0

THEN

EAT0 = 1

ELSE

EAT0 = 0

END IF

Eating: Requires set up, intermittent assist or modified consistency

IF M1870_CRNT_FEEDING[1] = 1

THEN

EAT1 = 1

ELSE

EAT1 = 0

END IF

Eating: Unable to feed self and must be assisted throughout meal

IF M1870_CRNT_FEEDING[1] = 2

THEN

EAT2 = 1

ELSE

EAT2 = 0
END IF

Eating: Requires tube feedings, or no nutrients orally or via tube

IF M1870_CRNT_FEEDING[1] = 03 **OR** M1870_CRNT_FEEDING[1] = 04 **OR** M1870_CRNT_FEEDING[1] = 05
THEN
EAT345 = 1
ELSE
EAT345 = 0
END IF

29. Oral Medication Management

Management of Oral Meds: Independent

IF M2020_CRNT_MGMT_ORAL_MDCTN[1] = 00
M2020_CRNT_MGMT_ORAL_MDCTN[1] = NA **OR**
M2020_CRNT_MGMT_ORAL_MDCTN[1] = ^ **OR**
M2020_CRNT_MGMT_ORAL_MDCTN[1] = MISSING
THEN
ORMED0 = 1
ELSE
ORMED0 = 0
END IF

Management of Oral Meds: Advance dose prep/chart needed

IF M2020_CRNT_MGMT_ORAL_MDCTN[1] = 01
THEN
ORMED1 = 1
ELSE
ORMED1 = 0
END IF

Management of Oral Meds: Reminders needed

IF M2020_CRNT_MGMT_ORAL_MDCTN[1] = 02
THEN
ORMED2 = 1
ELSE
ORMED2 = 0
END IF

Management of Oral Meds: Unable

IF M2020_CRNT_MGMT_ORAL_MDCTN[1] = 03
THEN
ORMED3 = 1
ELSE
ORMED3 = 0
END IF

30. Supervision and Safety Assistance

None needed

```
IF M2102_CARE_TYPE_SRC_SPRVSN[1] = 00
THEN
    SPRVSN_NONE_NEEDED = 1
ELSE
    SPRVSN_NONE_NEEDED = 0
END IF
```

Caregiver currently provides

```
IF M2102_CARE_TYPE_SRC_SPRVSN[1] = 01
THEN
    SPRVSN_CG_PROVIDES = 1
ELSE
    SPRVSN_CG_PROVIDES = 0
END IF
```

Caregiver training needed

```
IF M2102_CARE_TYPE_SRC_SPRVSN[1] = 02
THEN
    SPRVSN_NEED_TRAINING = 1
ELSE
    SPRVSN_NEED_TRAINING = 0
END IF
```

Uncertain/unlikely to be provided

```
IF M2102_CARE_TYPE_SRC_SPRVSN[1] = 03 OR M2102_CARE_TYPE_SRC_SPRVSN[1] = 04 OR
M2102_CARE_TYPE_SRC_SPRVSN[1] = MISSING
THEN
    SPRVSN_CG_UNCERTAIN_NONE = 1
ELSE
    SPRVSN_CG_UNCERTAIN_NONE = 0
END IF
```

31. Hierarchical Condition Categories

Note: Several intermediate variables are calculated for use in the calculation of these risk factors.

The following modified version of the 2021 Midyear Final Model Version 24 Software is used to convert ICD-10-CM codes into CMS-Hierarchical Condition Categories (CMS-HCCs) for each quality episode that begins in 2023.² The HCC risk factors will always be created with software lagged by two years. For

² Going forward, the risk adjustment models for OASIS-based quality measures will be updated annually. CMS updates its CMS-HCC model annually and provides software for replicating risk adjustment estimation.

example, quality episodes beginning in 2023 will use 2021 software. For the below pseudo-code, references to {YYYY-2} and {YY-2} translate into the quality episode {YYYY} year minus 2. If the quality episode year {YYYY} is 2023, then {YYYY-2} equals 2021 and {YY-2} equals 21.

Assign ICD-10-CM codes to Condition Categories

Import F24{YY-2}P1M.TXT as a crosswalk between ICD-10-CM codes (column 1) and the 86 Condition Categories (CCs) in the payment model (column 2). The crosswalk contains duplicates because a single ICD-10-CM code can be associated with up to three Condition Categories (e.g., E1052 matches to CCs 18, 106, and 108). The third column contains a duplicate flag equal to "D" if the record is a duplicate and blank otherwise.

Divide F24{YY-2}P1M.TXT into three datasets. Each dataset will have two columns: HC_DIAG and CC.

- 1) Save all ICD-10-CMs that are unique and the first record for each duplicate ICD-10-CM in dataset XWALK1.
- 2) Save the second record for each duplicate ICD-10-CM in dataset XWALK2.
- 3) Save the third record, if one exists, for each duplicate ICD-10-CM in dataset XWALK3.

Create six diagnosis variables

Load quality episodes that begin on or after January {YYYY} in dataset MAIN and create six diagnosis variables (HC_DIAG1-HC_DIAG6):

Primary Diagnosis:

```
HC_DIAG1 = UPCASE(TRIM(M1021_PMRD_DGNS10_CD_1))
```

```
IF HC_DIAG1 = 00
```

```
    THEN
```

```
        HC_DIAG1 = BLANK
```

```
IF SUBSTRING(HC_DIAG1, 1, .) = . OR SUBSTRING(HC_DIAG1, 1, .) = ^
```

```
THEN
```

```
    HC_DIAG1 = HC_DIAG1, REMOVE(. OR ^)
```

Secondary Diagnosis #1:

```
HC_DIAG2 = UPCASE(TRIM(M1023_OTHR_DGNS10_1_CD_1))
```

```
IF HC_DIAG2 = 00
```

```
THEN
```

```
    HC_DIAG2 = BLANK
```

```
IF SUBSTRING(HC_DIAG2, 1, .) = . OR SUBSTRING(HC_DIAG2, 1, .) = ^
```

```
THEN
```

```
    HC_DIAG2 = HC_DIAG2, REMOVE(. OR ^)
```

Secondary Diagnosis #2:

```
HC_DIAG3 = UPCASE(TRIM(M1023_OTHR_DGNS10_2_CD_1))
```

<https://www.cms.gov/Medicare/Health-Plans/MedicareAdvtgSpecRateStats/Risk-Adjustors>

```

IF HC_DIAG3 = 00
THEN
    HC_DIAG3 = BLANK

IF SUBSTRING(HC_DIAG3, 1, .) = . OR SUBSTRING(HC_DIAG3, 1, .) = ^
THEN
    HC_DIAG3 = HC_DIAG3, REMOVE(. OR ^)

```

Secondary Diagnosis #3:

```

HC_DIAG4 = UPCASE(TRIM(M1023_OTHR_DGNS10_3_CD_1))
IF HC_DIAG4 = 00
THEN
    HC_DIAG4 = BLANK
IF SUBSTRING(HC_DIAG4, 1, .) = . OR SUBSTRING(HC_DIAG4, 1, .) = ^
THEN
    HC_DIAG4 = HC_DIAG4, REMOVE(. OR ^)

```

Secondary Diagnosis #4:

```

HC_DIAG5 = UPCASE(TRIM(M1023_OTHR_DGNS10_4_CD_1))
IF HC_DIAG5 = 00
THEN
    HC_DIAG5 = BLANK

IF SUBSTRING(HC_DIAG5, 1, .) = . OR SUBSTRING(HC_DIAG5, 1, .) = ^
THEN
    HC_DIAG5 = HC_DIAG5, REMOVE(. OR ^)

```

Secondary Diagnosis #5:

```

HC_DIAG6 = UPCASE(TRIM(M1023_OTHR_DGNS10_5_CD_1))
IF HC_DIAG6 = 00
THEN
    HC_DIAG6 = BLANK

IF SUBSTRING(HC_DIAG6, 1, .) = . OR SUBSTRING(HC_DIAG6, 1, .) = ^
THEN
    HC_DIAG6 = HC_DIAG6, REMOVE(. OR ^)

```

Create arrays for Condition Categories and Hierarchical Condition Categories

In the *MAIN* dataset, create two arrays: "C" for CCs, "HCC" for CMS-HCCs. Set all elements in C and HCC to zero. Then, flag each element in C if one of the CC#_# columns contains a CC value. Set each HCC element equal to each element in C.

```

LET N_CC = 204 /* MACRO EQUALING MAXIMUM NUMBER OF HCCS. MACRO INITIALIZED AS %N_CC.*/
ARRAY C = CC1-CC%N_CC
ARRAY HCC = HCC1- HCC%N_CC

DO I = 1 TO %N_CC
    C(I) = 0

```

```

HCC(I) = 0
DO J = 1 TO 6
  IF CC1_(J) = 1 THEN C(I) = 1
  IF CC2_(J) = 1 THEN C(I) = 1
  IF CC3_(J) = 1 THEN C(I) = 1
END
HCC(I) = C(I)
END

```

Impose Hierarchies

Impose hierarchy using Table 3 in the Appendix. For certain HCC indicators (CC_HCC in Table 3), if other lower hierarchy HCC indicators (CC_ZERO1-CC_ZERO5 in Table 3) are also flagged, then recode those lower hierarchy HCC indicators to zero. Below is an example for imposing hierarchies for neoplasm.

Neoplasm 1

```

IF HCC8 = 1 AND (HCC9 = 1 OR HCC10 = 1 OR HCC11 = 1 OR HCC12 = 1)
THEN
  HCC9 = 0
  HCC10 = 0
  HCC11 = 0
  HCC12 = 0

```

END

Neoplasm 2

```

IF HCC9 = 1 AND (HCC10 = 1 OR HCC11 = 1 OR HCC12 = 1), THEN DO
  HCC10 = 0
  HCC11 = 0
  HCC12 = 0

```

END

Neoplasm 3

```

IF HCC10 = 1 AND (HCC11 = 1 OR HCC12 = 1), THEN DO
  HCC11 = 0
  HCC12 = 0

```

END

Neoplasm 4

```

IF HCC11 = 1 AND (HCC12 = 1), THEN
  HCC12 = 0

```

Note: Please refer to [Appendix Table 3](#) in the Appendix for the complete list of hierarchies that need to be recoded. HCCs not listed in Table 3 do not need to be recoded (e.g., HCC1 for HIV/AIDS). Execution of this step must be performed in linear order from the first record in Table 3 to the second record and so on. If done correctly, Neoplasm 2 through Neoplasm 4 cannot be flagged if Neoplasm 1 is flagged, and likewise for other disease categories.

The above steps create indicators for 204 HCC columns, but there are only 86 CMS-HCCs. Assign labels for these 86 HCCs and remove unlabeled HCC columns (e.g., keep HCC1 and HCC2 and remove HCC3, HCC4, and HCC5). Labels are listed in [Appendix Table 4](#) in the Appendix.

```
DO I=1 TO %N_CC  
  IF HCC(I) HAS LABEL THEN ASSIGN LABEL  
  ELSE DELETE HCC(I)  
END
```

The final output file contains unique quality episode identifiers and 86 CMS-HCC flags (1=yes, 0=no) ranging from HCC1 to HCC189.

IV. Functional Discharge Score Risk Factor Technical Specifications

OASIS data items are referred to in this documentation using field names specified in OASIS Data Submission Specifications published by CMS. "[1]" is appended to the field name if the value is taken from the beginning of episode assessment (Start or Resumption of Care), and "[2]" is appended if the value is to be taken from the assessment conducted at the end of the episode (Discharge, Transfer, or Death).

1. SOC/ROC Source

These covariates indicate whether the patient was admitted from the community at SOC or from a facility at SOC/ROC. Use definition found in [Section III.4](#) and [Section III.5](#).

2. History of Falls

This covariate indicates a history of falls prior to SOC/ROC. Use definition found in [Section III.6](#).

3. Risk for Hospitalization

These covariates indicate multiple hospitalizations, multiple ER visits, decline in status, non-compliance, or polypharmacy. Used as a proxy for Primary Diagnosis Group. Use definition found in [Section III.6](#).

4. Availability of Assistance and Living Arrangements

These covariates indicate the patient's residential circumstance and availability of assistance. Use definition found in [Section III.7](#).

5. Bladder Incontinence

These covariates indicate the patient's level of bladder incontinence. Use definition found in [Section III.12](#).

6. Medication Management Needs

These covariates indicate whether the patient needs medication management assistance for oral medication. Use definition found in [Section III.29](#).

7. Hierarchical Condition Categories

Comorbidities are obtained from Items M1021 and M1023 in OASIS. Use definition found in [Section III.31](#).

8. Age

Calculate AGE using algorithm defined in Section III.1 of “Risk Adjustment Technical Steps and Risk Factor Specifications.”

Age: 0-34

IF AGE < 35

THEN

 AGEGRP = 1

 AGE_LT35 = 1

END IF

Age: 35-44

ELSE IF 35 <= AGE <= 44

THEN

 AGEGRP = 2

 AGE_3544 = 1

END IF

Age: 45-54

ELSE IF 45 <= AGE <= 54

THEN

 AGEGRP = 3

 AGE_4554 = 1

END IF

Age: 55-64

ELSE IF 55 <= AGE <= 64

THEN

 AGEGRP = 4

 AGE_5564 = 1

END IF

Age: 65-74

ELSE IF 65 <= AGE <= 74

THEN

```
    AGEGRP = 5
    AGE_6574 = 1
END IF
```

```
Age: 75-84
ELSE IF 75 <= AGE <= 84
THEN
    AGEGRP = 6
    AGE_7584 = 1
END IF
```

```
Age: 85-90
ELSE IF 85 <= AGE <= 90
THEN
    AGEGRP = 7
    AGE_8590 = 1
END IF
```

```
Age: 90+
ELSE IF AGE > 90
THEN
    AGEGRP = 8
    AGE_91UP = 1
END IF
```

9. Wheelchair Need

```
IF (GG0170I[1] NOT IN("01","02","03","04","05","06") AND
    GG0170I[2] NOT IN("01","02","03","04","05","06"))
    AND (GG0170R[1] IN("01","02","03","04","05","06") OR GG0170S[1] IN("01","02","03","04","05","06") OR
    GG0170R[2] IN("01","02","03","04","05","06") OR GG0170S[2] IN("01","02","03","04","05","06"))
THEN
    MOBILITY_FLAG = 1
ELSE
```

```
MOBILITY_FLAG = 0
END IF
```

10. SOC/ROC Function Score

For calculated imputed values of the GG items used in calculation of admission function score, consult the attached "Imputation_Memo_20231012.docx."

Admission Mobility: Continuous Form

```
IF MOBILITY_FLAG = 0
THEN
    ADMSN_MOBILITY_SCORE = SUM(IMPTD_GG0130A[1], IMPTD_GG0130B[1], IMPTD_GG0130C[1], IMPTD_GG0170A[1], IMPTD_GG0170C[1], IMPTD_GG0170D[1],
    IMPTD_GG0170E[1], IMPTD_GG0170F[1], IMPTD_GG0170I[1], IMPTD_GG0170J[1])
ELSE
THEN
    ADMSN_MOBILITY_SCORE = SUM(IMPTD_GG0130A[1], IMPTD_GG0130B[1], IMPTD_GG0130C[1], IMPTD_GG0170A[1], IMPTD_GG0170C[1], IMPTD_GG0170D[1],
    IMPTD_GG0170E[1], IMPTD_GG0170F[1], IMPTD_GG0170R[1], IMPTD_GG0170R[1])
END IF
```

Admission Mobility: Squared Form

```
ADMSN_MOBILITY_SCORE2 = ADMSN_MOBILITY_SCORE * ADMSN_MOBILITY_SCORE
```

11. Prior Surgery

```
PR_SURG = 0 *REFERENCE*
IF "Z40" <= UPPERCASE(SUBSTRING(M1021_PRMRY_DGNS10_CD[1], 1, 3)) <= "Z53"
THEN
    PR_SURG = 1
END IF
IF "Z40" <= UPPERCASE(SUBSTRING(M1023_OTHR_DGNS10_1_CD[1], 1, 3)) <= "Z53"
THEN
    PR_SURG = 1
END IF
IF "Z40" <= UPPERCASE(SUBSTRING(M1023_OTHR_DGNS10_2_CD[1], 1, 3)) <= "Z53"
THEN
    PR_SURG = 1
```

```

END IF
IF "Z40" <= UPPERCASE(SUBSTRING(M1023_OTHR_DGNS10_3_CD[1], 1, 3)) <= "Z53"
THEN
    PR_SURG = 1
END IF
IF "Z40" <= UPPERCASE(SUBSTRING(M1023_OTHR_DGNS10_4_CD[1], 1, 3)) <= "Z53"
THEN
    PR_SURG = 1
END IF
IF "Z40" <= UPPERCASE(SUBSTRING(M1023_OTHR_DGNS10_5_CD[1], 1, 3)) <= "Z53"
THEN
    PR_SURG = 1
END IF

```

12. Prior Function/Device Use

A. SELF-CARE

Self-Care Dependent

```

IF GG0100A_SELF_CARE_CD[1] = "1"
THEN
    PR_FUNC_SC_DEP = 1
ELSE
    PR_FUNC_SC_DEP = 0
END IF

```

Self-Care Some Help

```

IF GG0100A_SELF_CARE_CD[1] = "2"
THEN
    PR_FUNC_SC_SMH = 1
ELSE
    PR_FUNC_SC_SMH = 0
END IF

```

Self-Care Independent (Reference)

```
IF GG0100A_SELF_CARE_CD[1] = "3"  
THEN  
    PR_FUNC_SC_IND = 1  
ELSE  
    PR_FUNC_SC_IND = 0  
END IF
```

B. INDOOR AMBULATION

Indoor Ambulation Dependent

```
IF GG0100B_INDR_MBLTY_CD[1] IN("1", "9")  
THEN  
    PR_FUNC_AMB_DEP = 1  
ELSE  
    PR_FUNC_AMB_DEP = 0  
END IF
```

Indoor Ambulation Some Help

```
IF GG0100B_INDR_MBLTY_CD[1] = "2"  
THEN  
    PR_FUNC_AMB_SMH = 1  
ELSE  
    PR_FUNC_AMB_SMH = 0  
END IF
```

Indoor Ambulation Independent (Reference)

```
IF GG0100B_INDR_MBLTY_CD[1] = "3"  
THEN  
    PR_FUNC_AMB_IND = 1  
ELSE  
    PR_FUNC_AMB_IND = 0  
END IF
```

C. STAIR NEGOTIATION

Stair Negotiation Dependent

```
IF GG0100C_STR_CD[1] IN("1", "9")
THEN
    PR_FUNC_STR_DEP = 1
ELSE
    PR_FUNC_STR_DEP = 0
END IF
```

Stair Negotiation Some Help

```
IF GG0100C_STR_CD[1] = "2"
THEN
    PR_FUNC_STR_SMH = 1
ELSE
    PR_FUNC_STR_SMH = 0
END IF
```

Stair Negotiation Independent (Reference)

```
IF GG0100C_STR_CD[1] = "3"
THEN
    PR_FUNC_STR_IND = 1
ELSE
    PR_FUNC_STR_IND = 0
END IF
```

D. FUNCTIONAL COGNITION

Cognition Dependent

```
IF GG0100D_FNCTNL_CGNTN_CD[1] = "1"
THEN
    PR_FUNC_COG_DEP = 1
ELSE
    PR_FUNC_COG_DEP = 0
END IF
```

E. PRIOR MOBILITY DEVICE/AID

Walker

IF GG0110D_WLKR_CD[1] = "1"
THEN
 PR_MOBDEV_WLKR = 1
ELSE
 PR_MOBDEV_WLKR = 0
END IF

Wheelchair

IF GG0110A_MNL_WLCHR_CD[1] = "1" **OR** GG0110B_MTR_WLCHR_CD[1] = "1"
THEN
 PR_MOBDEV_WLCHR = 1
ELSE
 PR_MOBDEV_WLCHR = 0
END IF

Mechanical Lift

IF GG0110C_MCHNCL_LFT_CD[1] = "1"
THEN
 PR_MOBDEV_LIFT = 1
ELSE
 PR_MOBDEV_LIFT = 0
END IF

Orthotics/Prosthetics

IF GG0110E_PRSTHTC_CD[1] = "1"
THEN
 PR_MOBDEV_PRSTHTC = 1
ELSE
 PR_MOBDEV_PRSTHTC = 0
END IF

None Of The Above

IF GG0110Z_NO_PRIOR_MBLTY_CD[1] = "1"
THEN

```
        PR_MOBDEV_NONE = 1
ELSE
        PR_MOBDEV_NONE = 0
END IF
```

13. Pressure Ulcers

None Or Stage 1 Only

```
IF M1306_PRSR_ULCR_UNHLD_STG_2_CD[1] = "0"
THEN
    PU_NONE_STG1ONLY = 1
ELSE
    PU_NONE_STG1ONLY = 0
END IF
```

Stage 2

```
IF M1311_NBR_PRSULC_STG2_A1[1] > 0
THEN
    PU_STG2 = 1
ELSE
    PU_STG2 = 0
END IF
```

Stage 3 Or Higher, Or Unstageable

```
IF M1311_NBR_PRSULC_STG3_B1[1] > 0 OR M1311_NBR_PRSULC_STG4_C1[1] > 0 OR M1311_NSTG_DRSG_D1[1] > 0 OR M1311_NSTG_CVRG_E1[1] > 0 OR M1311_DEEP_TSUE_F1[1] > 0
THEN
    PU_STG34UNSTG = 1
ELSE IF PU_STG34UNSTG IS UNDEFINED
THEN
    PU_STG34UNSTG = 0
END IF
```

14. Cognitive Function

No Impairment (Reference)

```
IF M1700_CGNTV_FNCTN_CD[1] = "00"  
THEN  
    COG_NOIMPR = 1  
ELSE  
    COG_NOIMPR = 0  
END IF
```

Moderately Impaired

```
IF M1700_CGNTV_FNCTN_CD[1] IN("01", "02")  
THEN  
    COG_MODIMPR = 1  
ELSE  
    COG_MODIMPR = 0  
END IF
```

Severely Impaired

```
IF M1700_CGNTV_FNCTN_CD[1] IN("03", "04")  
THEN  
    COG_SVRIMPR = 1  
ELSE  
    COG_SVRIMPR = 0  
END IF
```

15. Bowel Incontinence

Not Incontinent (Reference)

```
IF M1620_BWL_INCNTNC_FREQ_CD[1] IN("00", "UK")  
THEN  
    BWL_NONE_UK = 1  
ELSE  
    BWL_NONE_UK = 0
```

END IF

Always Incontinent

IF M1620_BWL_INCNTNC_FREQ_CD[1] IN("04", "05", "NA")

THEN

BWL_ALWAYS = 1

ELSE

BWL_ALWAYS = 0

END IF

Incontinent Less Than Daily

IF M1620_BWL_INCNTNC_FREQ_CD[1] IN("01", "02", "03")

THEN

BWL_LESSTHANDAILY = 1

ELSE

BWL_LESSTHANDAILY = 0

END IF

16. Body Mass Index (BMI)

IF M1060_WT_NUM[1] IN("-", "^")

THEN

M1060_WT_NUM[1] = ""

END IF

IF M1060_HGT_NUM[1] IN("-", "^")

THEN

M1060_HGT_NUM[1] = ""

END IF

WEIGHT = M1060_WT_NUM[1]

HEIGHT = M1060_HGT_NUM[1]

```
IF WEIGHT NOT MISSING AND HEIGHT NOT MISSING AND HEIGHT NOT = 0
THEN
    BMI = (WEIGHT/(HEIGHT^2))*703
ELSE
    BMI = MISSING
END IF
```

Low BMI

```
IF 12 <= BMI <= 19
THEN
    LOWBMI = 1
ELSE
    LOWBMI = 0
END IF
```

High BMI

```
IF BMI > 50 AND BMI NOT MISSING
THEN
    HIGHBMI = 1
ELSE
    HIGHBMI = 0
END IF
```

17. Confusion

Never (Reference)

```
IF M1710_CNFSF_FREQ_CD[1] = "00"
THEN
    CNFSF_NEVER = 1
ELSE
    CNFSF_NEVER = 0
END IF
```

Moderate

```
IF M1710_CNFSF_FREQ_CD[1] IN("01", "02")
THEN
    CNFSF_MOD = 1
ELSE
    CNFSF_MOD = 0
END IF
```

Severe

```
IF M1710_CNFSF_FREQ_CD[1] IN("03", "04")
THEN
    CNFSF_SVR = 1
ELSE
    CNFSF_SVR = 0
END IF
```

18. Supervision and Safety Sources of Assistance

No Assistance Needed (Reference)

SUPSFT_NO_NEED = (M2102_CARE_ASTNC_SFTY_CD[1] = "00")

Non-agency caregiver(s) currently provide assistance

SUPSFT_CG_PROV_AST = (M2102_CARE_ASTNC_SFTY_CD[1] = "01")

Non-agency caregiver(s) need training/supportive services to provide assistance

SUPSFT_CG_NEED_SPRT = (M2102_CARE_ASTNC_SFTY_CD[1] = "02")

Non-agency caregiver(s) are not likely to provide assistance

SUPSFT_CG_UNLKY_AST = (M2102_CARE_ASTNC_SFTY_CD[1] = "03")

Assistance needed, but no non-agency caregivers available

SUPSFT_CG_NOT_AVAIL = (M2102_CARE_ASTNC_SFTY_CD[1] = "04")

19. Locomotion 1 (used for Imputation only)

```
IF MOBILITY_FLAG = 0  
THEN  
    GG0170I  
END IF
```

```
IF MOBILITY_FLAG = 1  
THEN  
    GG0170R  
END IF
```

20. Locomotion 2 (used for Imputation only)

```
IF MOBILITY_FLAG = 0  
THEN  
    GG0170J  
END IF
```

```
IF MOBILITY_FLAG = 1  
THEN  
    GG0170R  
END IF
```

21. Locomotion 3 (used for Imputation only)

```
IF MOBILITY_FLAG = 0  
THEN  
    GG0170K  
END IF
```

```
IF MOBILITY_FLAG = 1
THEN
    GG0170S
END IF
```

22. Locomotion 4 (used for Imputation only)

```
IF MOBILITY_FLAG = 0
THEN
    GG0170L
END IF
```

```
IF MOBILITY_FLAG = 1
THEN
    GG0170S
END IF
```

Appendix Table 1: Description of Risk Factors

Effective CY2025

Risk Factor Group #	Risk Factor Group	Risk Factor	Response Notes	OASIS Item	OASIS Item Description	Variable Name	Excluded Category Indicator
1	Age	Age: 0-54	Calculated off birth date	M0066	Birth Date	AGE_0_54	
		Age: 55-59	Calculated off birth date	M0066	Birth Date	AGE_55_59	
		Age: 60-64	Calculated off birth date	M0066	Birth Date	AGE_60_64	
		Age: 65-69	Calculated off birth date	M0066	Birth Date	AGE_65_69	Excluded category
		Age: 70-74	Calculated off birth date	M0066	Birth Date	AGE_70_74	
		Age: 75-79	Calculated off birth date	M0066	Birth Date	AGE_75_79	
		Age: 80-84	Calculated off birth date	M0066	Birth Date	AGE_80_84	
		Age: 85-89	Calculated off birth date	M0066	Birth Date	AGE_85_89	
		Age: 90-94	Calculated off birth date	M0066	Birth Date	AGE_90_94	
		Age: 95+	Calculated off birth date	M0066	Birth Date	AGE_95PLUS	
2	Gender	Patient is female	response 2	M0069	Gender	GENDER_FEMALE	Excluded category
		Patient is male	response 1	M0069	Gender	GENDER_MALE	
3	Payment source	Payment source: Medicare FFS only	response 1 & NOT any other response	M0150	Current Payment Sources for Home Care	PAY_MCARE_FFS	Excluded category
		Payment source: Medicare HMO only	response 2 & NOT any other response	M0150	Current Payment Sources for Home Care	PAY_MCARE_HMO	
		Payment source: Medicare and Medicaid	response (1 or 2) & (3 or 4)	M0150	Current Payment Sources for Home Care	PAY_MCAREANDMCAID	
		Payment Source: Medicaid only	response (3 or 4) & NOT any other response	M0150	Current Payment Sources for Home Care	PAY_MCAID_ONLY	
		Payment Source: Other combinations	Not one of the above four categories	M0150	Current Payment Sources for Home Care	PAY_OTHER_COMBO	
4	SOC/ROC and Admission Source	Start of Care and inpatient admission	M0100 = 1 & M1000 = 1, 2, 3, 4, 5, or 6	M0100, M1000	(M0100) Reason for assessment; (M1000) Admission source	SOC_INPT	Excluded category
		Start of Care and community admission	M0100 = 1 & M1000 NOT 1, 2, 3, 4, 5, or 6	M0100, M1000	(M0100) Reason for assessment; (M1000) Admission source	SOC_COMM	
		Resumption of care (after inpatient stay)	M0100=3	M0100	Reason for assessment	ROC	

Risk Factor Group #	Risk Factor Group	Risk Factor	Response Notes	OASIS Item	OASIS Item Description	Variable Name	Excluded Category Indicator
5	Post-acute facility admission source	Discharged from post-acute facility in past 14 days	response 1, 2, 4, 5, or 6	M1000	Inpatient Facilities	INPT_POSTACUTE	
		Not discharged from post-acute facility	NOT response 1, 2, 4, 5, and 6	M1000	Inpatient Facilities	INPT_NOPOSTACUTE	Excluded category

Risk Factor Group #	Risk Factor Group	Risk Factor	Response Notes	OASIS Item	OASIS Item Description	Variable Name	Excluded Category Indicator
6	Risk of Hospitalization	Risk for Hospitalization: History of falls in past 12 months	response 1	M1033	Risk for Hospitalization	RISK_HSTRY_FALLS	
		Risk for Hospitalization: Unintentional weight loss in past 12 months	response 2	M1033	Risk for Hospitalization	RISK_WEIGHTLOSS	
		Risk for Hospitalization: Multiple hospitalizations in past 6 months	response 3	M1033	Risk for Hospitalization	RISK_MLTPL_HOSPZTN	
		Risk for Hospitalization: Multiple ED visits in past 6 months	response 4	M1033	Risk for Hospitalization	RISK_ED	
		Risk for Hospitalization: Recent mental/emotional decline in past 3 months	response 5	M1033	Risk for Hospitalization	RISK_RCNT_DCLN	
		Risk for Hospitalization: Difficulty complying with medical instruction in past 3 months	response 6	M1033	Risk for Hospitalization	RISK_COMPLY	
		Risk for Hospitalization: Taking five or more medications	response 7	M1033	Risk for Hospitalization	RISK_5PLUS_MDCTN	
		Risk for Hospitalization: Reports exhaustion	response 8	M1033	Risk for Hospitalization	RISK_EXHAUST	
		Risk for Hospitalization: Other unlisted risk factors	response 9	M1033	Risk for Hospitalization	RISK_OTHR	
		None of the above	response 10	M1033	Risk for Hospitalization	RISK_NONE	
7	Availability of Assistance	Around the clock	response 1, 6, or 11	M1100	Patient Living Situation	ASSIST_ARND_CLOCK	
		Regular daytime	response 2, 7, or 12	M1100	Patient Living Situation	ASSIST_REGDAY	
		Regular nighttime	response 3, 8, or 13	M1100	Patient Living Situation	ASSIST_REGNITE	
		Occasional/none	response 4, 5, 9, 10, 14, or 15	M1100	Patient Living Situation	ASSIST_OCC_NONE	Excluded category
	Living Arrangement	Living Arrangement: Lives alone	response 1, 2, 3, 4, or 5	M1100	Patient Living Situation	LIV_ALONE	
		Living Arrangement: Lives with another person	response 6, 7, 8, 9, or 10	M1100	Patient Living Situation	LIV_OTHERS	Excluded category
		Living Arrangement: Lives in congregate situation	response 11, 12, 13, 14, or 15	M1100	Patient Living Situation	LIV_CONGREGATE	

Risk Factor Group #	Risk Factor Group	Risk Factor	Response Notes	OASIS Item	OASIS Item Description	Variable Name	Excluded Category Indicator
8	Pressure Ulcers	Pressure ulcer: None or Stage I only present	M1306 response 0 & M1322 response 0, 1, 2, 3, or 4	M1306 M1322	At least 1 Stage 2 or unstageable PU? Current number of Stage 1 PUs	PU_NONE_STG1ONLY	Excluded category
		Pressure ulcer: Stage II or higher or unstageable present	response A1 > 0 OR B1 > 0 OR C1 > 0 OR D1>0 OR E1>0 OR F1>0	M1311	Number of PUs at each stage	PU_STG2PLUS_UNSTG	
9	Stasis Ulcer	Stasis Ulcer: None	response 0 or 3	M1330	Does this patient have a Stasis Ulcer?	STAS_ULCR_NONE	Excluded category
		Stasis Ulcer: 1 observable stasis ulcer	response 1	M1332	Number of stasis ulcers	STAS_ULCR_OBS_1	
		Stasis Ulcer: Multiple observable stasis ulcers	response 2,3, or 4	M1332	Number of stasis ulcers	STAS_ULCR_OBS_2PLUS	
10	Surgical Wound	Status of Surgical Wound: None	Not response 0, 1, 2, 3	M1342	Status of Most Problematic Surgical Wound that is Observable	SRG_WND_OBS_NONE	Excluded category
		Status of Surgical Wound: Newly epithelialized	response 0	M1342	Status of Most Problematic Surgical Wound that is Observable	SRG_WND_OBS_EPI	
		Status of Surgical Wound: Fully granulating or early/partial granulation	response 1 or 2	M1342	Status of Most Problematic Surgical Wound that is Observable	SRG_WND_OBS_GRAN	
		Status of Surgical Wound: Not healing	response 3	M1342	Status of Most Problematic Surgical Wound that is Observable	SRG_WND_OBS_NOHEAL	
11	Dyspnea	Dyspnea: Not short of breath	response 0	M1400	When is the patient dyspneic or noticeably Short of Breath?	DYSP0	Excluded category
		Dyspnea: Walking more than 20 feet, climbing stairs	response 1	M1400	When is the patient dyspneic or noticeably Short of Breath?	DYSP1	
		Dyspnea: Moderate exertion	response 2	M1400	When is the patient dyspneic or noticeably Short of Breath?	DYSP2	
		Dyspnea: Minimal to no exertion	response 3 or 4	M1400	When is the patient dyspneic or noticeably Short of Breath?	DYSP34	
12	Urinary Status	Urinary incontinence/catheter: None	response 0	M1610	Urinary Incontinence or Urinary Catheter Presence	URINCONT_NONE	Excluded category
		Urinary incontinence/catheter: Incontinent	response 1	M1610	Urinary Incontinence or Urinary Catheter Presence	URINCONT_INCONT	
		Urinary incontinence/catheter: Catheter	response 2	M1610	Urinary Incontinence or Urinary Catheter Presence	URINCONT_CATH	
13	Bowel Incontinence	Bowel Incontinence Frequency: Never or very rare	response 0 and UK	M1620	Bowel Incontinence Frequency	BWL_NONE_UK	Excluded category

Risk Factor Group #	Risk Factor Group	Risk Factor	Response Notes	OASIS Item	OASIS Item Description	Variable Name	Excluded Category Indicator
		Bowel Incontinence Frequency: Less than once a week	response 1	M1620	Bowel Incontinence Frequency	BWL_FR1	
		Bowel Incontinence Frequency: One to three times a week	response 2	M1620	Bowel Incontinence Frequency	BWL_FR2	
		Bowel Incontinence Frequency: Four to six times a week or more	response 3, 4 or 5	M1620	Bowel Incontinence Frequency	BWL_FR345	
		Bowel Incontinence Frequency: Ostomy for bowel elimination	NA	M1620	Bowel Incontinence Frequency	BWL_OSTOMY	

Risk Factor Group #	Risk Factor Group	Risk Factor	Response Notes	OASIS Item	OASIS Item Description	Variable Name	Excluded Category Indicator
14	Cognitive function	Cognitive Functioning: Alert and focused	response 0	M1700	Cognitive Functioning	COGN0	Excluded category
		Cognitive Functioning: Requires prompting under stress	response 1	M1700	Cognitive Functioning	COGN1	
		Cognitive Functioning: Requires assist in special circumstances	response 2	M1700	Cognitive Functioning	COGN2	
		Cognitive Function: Requires considerable assist/totally dependent	response 3 or 4	M1700	Cognitive Functioning	COGN34	
15	Confusion	Confused: never	response 0 or NA	M1710	When Confused (Reported or Observed Within the Last 14 Days)	CONF0	Excluded category
		Confused: In new or complex situations	response 1	M1710	When Confused (Reported or Observed Within the Last 14 Days)	CONF1	
		Confused: Sometimes	response 2 or 3	M1710	When Confused (Reported or Observed Within the Last 14 Days)	CONF23	
		Confused: Constantly	response 4	M1710	When Confused (Reported or Observed Within the Last 14 Days)	CONF4	
16	Anxiety	Anxiety: None of the time	response 0 or NA	M1720	When Anxious (Reported or Observed Within the Last 14 Days)	ANX0	Excluded category
		Anxiety: Less often than daily	response 1	M1720	When Anxious (Reported or Observed Within the Last 14 Days)	ANX1	
		Anxiety: Daily, but not constantly	response 2	M1720	When Anxious (Reported or Observed Within the Last 14 Days)	ANX2	
		Anxiety: All of the time	response 3	M1720	When Anxious (Reported or Observed Within the Last 14 Days)	ANX3	
17	Patient Mood Screening	PHQ-2 to 9: Does not meet criteria for further eval	(D0150A2 response 0 or 1) and (D0150B2 response 0 or 1)	D0150	Patient Mood Interview (PHQ-2 to 9)	PHQ2_TO9_NOTMEET	Excluded category
		PHQ-2 to 9: Meets criteria for further eval	(D0150A2 response 2 or 3) or (D0150B2 response 2 or 3)	D0150	Patient Mood Interview (PHQ-2 to 9)	PHQ2_TO9_MEET	
		PHQ-2 to 9: No Patient Mood Screening	((D0150A2 response "^") and ((D0150B2 response 0, 1, or "^")) or (D0150B2 response "^" and (D0150A2 response 0, 1, or "^"))	D0150	Patient Mood Interview (PHQ-2 to 9)	PHQ2_TO9_NA	

Risk Factor Group #	Risk Factor Group	Risk Factor	Response Notes	OASIS Item	OASIS Item Description	Variable Name	Excluded Category Indicator
18	Behavioral Symptoms	Behavioral: None	response 7	M1740	Cognitive, behavioral, and psychiatric symptoms that are demonstrated at least once a week (Reported or Observed)	BEHAV_NONE	
		Behavioral: Memory deficit	response 1	M1740	Cognitive, behavioral, and psychiatric symptoms that are demonstrated at least once a week (Reported or Observed)	BEHAV_MEM_DEFICIT	
		Behavioral: Impaired decision making	response 2	M1740	Cognitive, behavioral, and psychiatric symptoms that are demonstrated at least once a week (Reported or Observed)	BEHAV_IMPR_DECISN	
		Behavioral: Verbally disruptive, physical aggression, disruptive, or delusional	response 3, 4, 5 or 6	M1740	Cognitive, behavioral, and psychiatric symptoms that are demonstrated at least once a week (Reported or Observed)	BEHAV_OTHR	
19	Disruptive Behavior Frequency	Frequency of Disruptive Behavior: Never	response 0	M1745	Frequency of Disruptive Behavior Symptoms (Reported or Observed)	BEHPFR0	Excluded category
		Frequency of Disruptive Behavior: Once a month or less	response 1 or 2	M1745	Frequency of Disruptive Behavior Symptoms (Reported or Observed)	BEHPFR12	
		Frequency of Disruptive Behavior: Several times a month	response 3	M1745	Frequency of Disruptive Behavior Symptoms (Reported or Observed)	BEHPFR3	
		Frequency of Disruptive Behavior: Several times a week	response 4	M1745	Frequency of Disruptive Behavior Symptoms (Reported or Observed)	BEHPFR4	
		Frequency of Disruptive Behavior: At least once daily	response 5	M1745	Frequency of Disruptive Behavior Symptoms (Reported or Observed)	BEHPFR5	
20	Grooming	Grooming: Able to groom self, unaided	response 0	M1800	Grooming	GROOM0	Excluded category
		Grooming: Grooming utensils must be placed within reach	response 1	M1800	Grooming	GROOM1	
		Grooming: Assistance needed	response 2	M1800	Grooming	GROOM2	
		Grooming: Entirely dependent upon someone else	response 3	M1800	Grooming	GROOM3	

Risk Factor Group #	Risk Factor Group	Risk Factor	Response Notes	OASIS Item	OASIS Item Description	Variable Name	Excluded Category Indicator
21	Upper Body Dressing	Ability to Dress Upper Body: No help needed	response 0	M1810	Ability to Dress Upper Body	UPPER0	Excluded category
		Ability to Dress Upper Body: Needs clothing laid out	response 1	M1810	Ability to Dress Upper Body	UPPER1	
		Ability to Dress Upper Body: Needs assistance putting on clothing	response 2	M1810	Ability to Dress Upper Body	UPPER2	
		Ability to Dress Upper Body: Entirely dependent upon someone else	response 3	M1810	Ability to Dress Upper Body	UPPER3	

Risk Factor Group #	Risk Factor Group	Risk Factor	Response Notes	OASIS Item	OASIS Item Description	Variable Name	Excluded Category Indicator
22	Lower Body Dressing	Ability to Dress Lower Body: No help needed	response 0	M1820	Ability to Dress Lower Body	LOWER0	Excluded category
		Ability to Dress Lower Body: Needs clothing/shoes laid out	response 1	M1820	Ability to Dress Lower Body	LOWER1	
		Ability to Dress Lower Body: Assist needed putting on clothing	response 2	M1820	Ability to Dress Lower Body	LOWER2	
		Ability to Dress Lower Body: Entirely dependent upon someone else	response 3	M1820	Ability to Dress Lower Body	LOWER3	
23	Bathing	Bathing: Independently in shower/tub	response 0	M1830	Bathing: Excludes grooming (washing face, washing hands, and shampooing hair).	BATH0	Excluded category
		Bathing: With the use of devices in shower/tub	response 1	M1830	Bathing: Excludes grooming (washing face, washing hands, and shampooing hair).	BATH1	
		Bathing: With intermittent assistance in shower/tub	response 2	M1830	Bathing: Excludes grooming (washing face, washing hands, and shampooing hair).	BATH2	
		Bathing: Participates with supervision in shower/tub	response 3	M1830	Bathing: Excludes grooming (washing face, washing hands, and shampooing hair).	BATH3	
		Bathing: Independent at sink, in chair, or on commode	response 4	M1830	Bathing: Excludes grooming (washing face, washing hands, and shampooing hair).	BATH4	
		Bathing: Participates with assist at sink, in chair, or commode	response 5	M1830	Bathing: Excludes grooming (washing face, washing hands, and shampooing hair).	BATH5	
		Bathing: Unable to participate; bathed totally by another	response 6	M1830	Bathing: Excludes grooming (washing face, washing hands, and shampooing hair).	BATH6	
24	Toilet Transferring	Toilet Transferring: No assistance needed	response 0	M1840	Toilet Transferring	TLTTRN0	Excluded category
		Toilet Transferring: To/from/on/off toilet with human assist	response 1	M1840	Toilet Transferring	TLTTRN1	

Risk Factor Group #	Risk Factor Group	Risk Factor	Response Notes	OASIS Item	OASIS Item Description	Variable Name	Excluded Category Indicator
		Toilet Transferring: Able to self-transfer to bedside commode	response 2	M1840	Toilet Transferring	TLTTRN2	
		Toilet Transferring: Unable to transfer to/from toilet or commode	response 3 or 4	M1840	Toilet Transferring	TLTTRN34	
25	Toilet Hygiene	Toilet Hygiene Assistance: None needed	response 0	M1845	Toileting Hygiene	TLTHYG0	Excluded category
		Toilet Hygiene Assistance: Needs supplies laid out	response 1	M1845	Toileting Hygiene	TLTHYG1	
		Toilet Hygiene Assistance: Needs assistance	response 2	M1845	Toileting Hygiene	TLTHYG2	
		Toilet Hygiene Assistance: Entirely dependent	response 3	M1845	Toileting Hygiene	TLTHYG3	
26	Transferring	Transferring: No assistance needed	response 0	M1850	Transferring	TRNFR0	Excluded category
		Transferring: With minimal human assist or with device	response 1	M1850	Transferring	TRNFR1	
		Transferring: Bears weight and pivots only	response 2	M1850	Transferring	TRNFR2	
		Transferring: Unable or bedfast	response 3 or 4 or 5	M1850	Transferring	TRNFR345	

Risk Factor Group #	Risk Factor Group	Risk Factor	Response Notes	OASIS Item	OASIS Item Description	Variable Name	Excluded Category Indicator
27	Ambulation	Ambulation/Locomotion: Walk independently	response 0	M1860	Ambulation/Locomotion	AMB0	Excluded category
		Ambulation/Locomotion: One-handed device on all surfaces	response 1	M1860	Ambulation/Locomotion	AMB1	
		Ambulation/Locomotion: Two-handed device/human assist on steps	response 2	M1860	Ambulation/Locomotion	AMB2	
		Ambulation/Locomotion: Walks only with supervision or assist	response 3	M1860	Ambulation/Locomotion	AMB3	
		Ambulation/Locomotion: Chairfast or bedfast	response 4 or 5 or 6	M1860	Ambulation/Locomotion	AMB456	
28	Feeding or Eating	Eating: Independent	response 0	M1870	Feeding or Eating	EAT0	Excluded category
		Eating: Requires set up, intermittent assist or modified consistency	response 1	M1870	Feeding or Eating	EAT1	
		Eating: Unable to feed self and must be assisted throughout meal	response 2	M1870	Feeding or Eating	EAT2	
		Eating: Requires tube feedings, or no nutrients orally or via tube	response 3 or 4 or 5	M1870	Feeding or Eating	EAT345	
29	Oral Medication Management	Management of Oral Meds: Independent	response 0 or NA or missing	M2020	Management of Oral Medications: Excludes injectable and IV medications.	ORMED0	Excluded category
		Management of Oral Meds: Advance dose prep/chart needed	response 1	M2020	Management of Oral Medications: Excludes injectable and IV medications.	ORMED1	
		Management of Oral Meds: Reminders needed	response 2	M2020	Management of Oral Medications: Excludes injectable and IV medications.	ORMED2	
		Management of Oral Meds: Unable	response 3	M2020	Management of Oral Medications: Excludes injectable and IV medications.	ORMED3	
30	Supervision and Safety Assistance	None needed	response 0	M2102	Types and Sources of Assistance	SPRVSN_NONE_NEEDED	Excluded category
		Caregiver currently provides	response 1	M2102	Types and Sources of Assistance	SPRVSN_CG_PROVIDES	
		Caregiver training needed	response 2	M2102	Types and Sources of Assistance	SPRVSN_NEED_TRAINING	

Risk Factor Group #	Risk Factor Group	Risk Factor	Response Notes	OASIS Item	OASIS Item Description	Variable Name	Excluded Category Indicator
		Uncertain/unlikely to be provided	response 3 or 4 or missing	M2102	Types and Sources of Assistance	SPRVSN_CG_UNCERTAIN_NON E	
31	Hierarchical Condition Categories	HCC: HIV/AIDS	2023 HCCs were generated based on 2021 Model Software/ICD-10 Mappings. Future HCCs will be generated using software with a two-year lag. For example, 2024 HCCs will be generated based on 2022 software. Source: https://www.cms.gov/medicarehealth-plans/medicareadvantage/specialty-risk-adjustors/2021-model-software/icd-10-mappings	M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC1	
		HCC: Septicemia, sepsis, systemic inflammatory response syndrome/shock		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC2	
		HCC: Opportunistic infections		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC6	
		HCC: Metastatic cancer and acute leukemia		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC8	
		HCC: Lung and other severe cancers		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC9	
		HCC: Lymphoma and other cancers		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC10	
		HCC: Colorectal, bladder, and other cancers		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC11	
		HCC: Breast, prostate, and other cancers and tumors		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC12	
		HCC: Diabetes with acute complications		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC17	
		HCC: Diabetes with chronic complications		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC18	
		HCC: Diabetes without complication		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC19	
		HCC: Protein-calorie malnutrition		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC21	
		HCC: Morbid obesity		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC22	
		HCC: Other significant endocrine and metabolic disorders		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC23	
HCC: End-stage liver disease	M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC27				
HCC: Cirrhosis of liver	M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC28				

Risk Factor Group #	Risk Factor Group	Risk Factor	Response Notes	OASIS Item	OASIS Item Description	Variable Name	Excluded Category Indicator
		HCC: Chronic hepatitis		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC29	
		HCC: Intestinal obstruction/perforation		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC33	
		HCC: Chronic pancreatitis		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC34	
		HCC: Inflammatory bowel disease		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC35	
		HCC: Bone/joint/muscle infections/necrosis		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC39	
		HCC: Rheumatoid arthritis and inflammatory connective tissue disease		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC40	
		HCC: Severe hematological disorders		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC46	
		HCC: Disorders of immunity		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC47	
		HCC: Coagulation defects and other specified hematological disorders		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC48	
		HCC: Dementia with complications		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC51	
		HCC: Dementia without complication		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC52	
		HCC: Substance use with psychotic complications		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC54	
		HCC: Substance use disorder, moderate/severe, or substance use with complications		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC55	
		HCC: Substance use disorder, mild, except alcohol and cannabis		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC56	
		HCC: Schizophrenia		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC57	
		HCC: Reactive and unspecified psychosis		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC58	

Risk Factor Group #	Risk Factor Group	Risk Factor	Response Notes	OASIS Item	OASIS Item Description	Variable Name	Excluded Category Indicator
		HCC: Major depressive, bipolar, and paranoid disorders		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC59	
		HCC: Personality disorders		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC60	
		HCC: Quadriplegia		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC70	
		HCC: Paraplegia		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC71	
		HCC: Spinal cord disorders/injuries		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC72	
		HCC: Amyotrophic lateral sclerosis and other motor neuron disease		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC73	
		HCC: Cerebral palsy		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC74	
		HCC: Myasthenia gravis/myoneural disorders and Guillain-Barre syndrome/inflammatory and toxic neuropathy		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC75	
		HCC: Muscular dystrophy		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC76	
		HCC: Multiple sclerosis		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC77	
		HCC: Parkinson's and Huntington's diseases		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC78	
		HCC: Seizure disorders and convulsions		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC79	
		HCC: Coma, brain compression/anoxic damage		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC80	
		HCC: Respirator dependence/tracheostomy status		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC82	
		HCC: Respiratory arrest		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC83	
		HCC: Cardio-respiratory failure and shock		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC84	

Risk Factor Group #	Risk Factor Group	Risk Factor	Response Notes	OASIS Item	OASIS Item Description	Variable Name	Excluded Category Indicator
		HCC: Congestive heart failure		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC85	
		HCC: Acute myocardial infarction		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC86	
		HCC: Unstable angina and other acute ischemic heart disease		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC87	
		HCC: Angina pectoris		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC88	
		HCC: Specified heart arrhythmias		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC96	
		HCC: Intracranial hemorrhage		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC99	
		HCC: Ischemic or unspecified stroke		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC100	
		HCC: Hemiplegia/hemiparesis		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC103	
		HCC: Monoplegia, other paralytic syndromes		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC104	
		HCC: Atherosclerosis of the extremities with ulceration or gangrene		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC106	
		HCC: Vascular disease with complications		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC107	
		HCC: Vascular disease		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC108	
		HCC: Cystic fibrosis		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC110	
		HCC: Chronic obstructive pulmonary disease		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC111	
		HCC: Fibrosis of lung and other chronic lung disorders		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC112	
		HCC: Aspiration and specified bacterial pneumonias		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC114	
		HCC: Pneumococcal pneumonia, empyema, lung abscess		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC115	

Risk Factor Group #	Risk Factor Group	Risk Factor	Response Notes	OASIS Item	OASIS Item Description	Variable Name	Excluded Category Indicator
		HCC: Proliferative diabetic retinopathy and vitreous hemorrhage		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC122	
		HCC: Exudative macular degeneration		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC124	
		HCC: Dialysis status		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC134	
		HCC: Acute renal failure		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC135	
		HCC: Chronic kidney disease, stage 5		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC136	
		HCC: Chronic kidney disease, severe (stage 4)		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC137	
		HCC: Chronic kidney disease, moderate (stage 3)		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC138	
		HCC: Pressure ulcer of skin with necrosis through to muscle, tendon, or bone		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC157	
		HCC: Pressure ulcer of skin with full thickness skin loss		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC158	
		HCC: Pressure ulcer of skin with partial thickness skin loss		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC159	
		HCC: Chronic ulcer of skin, except pressure		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC161	
		HCC: Severe skin burn or condition		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC162	
		HCC: Severe head injury		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC166	
		HCC: Major head injury		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC167	
		HCC: Vertebral fractures without spinal cord injury		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC169	
		HCC: Hip fracture/dislocation		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC170	
		HCC: Traumatic amputations and complications		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC173	

Risk Factor Group #	Risk Factor Group	Risk Factor	Response Notes	OASIS Item	OASIS Item Description	Variable Name	Excluded Category Indicator
		HCC: Complications of specified implanted device or graft		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC176	
		HCC: Major organ transplant or replacement status		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC186	
		HCC: Artificial openings for feeding or elimination		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC188	
		HCC: Amputation status, lower limb/amputation complications		M1021, M1023	(M1021) Primary Diagnosis & (M1023) Other Diagnoses	HCC189	

Appendix Table 2: Estimated Coefficients

Effective CY 2025 using quality episodes ending CY 2023

Risk Factor Group #	Risk Factor Group	Risk Factor #	Risk Factor Name	Excluded Category Indicator	Amb	Bathing	Bed Transfer	Bowel Incont	Conf	Dyspnea	Lower Dress	Upper Dress	Oral Meds	Toilet Transfer	DTC	
1	Age	1	AGE_0_54		-0.1860	-0.1321	-0.1128	-0.1211	-0.0374	-0.0507	-0.1380	-0.2133	-0.1061	-0.1857	-0.2079	
		2	AGE_55_59		-0.1822	-0.1371	-0.1385	-0.0261	-0.0394	-0.1157	-0.1206	-0.1680	-0.0942	-0.1607	-0.1449	
		3	AGE_60_64		-0.1612	-0.1190	-0.1081	-0.0299	-0.0572	-0.1039	-0.0970	-0.1557	-0.0894	-0.1256	-0.1213	
		4	AGE_65_69	Excluded category												
		5	AGE_70_74		0.0289	0.0272	0.0394	0.0275	-0.0420	0.0315	0.0205	0.0168	0.0029	0.0159	0.0092	
		6	AGE_75_79		-0.0129	-0.0081	0.0144	0.0520	-0.1329	0.0433	0.0127	-0.0178	-0.0760	-0.0105	-0.0014	
		7	AGE_80_84		-0.0509	-0.0669	-0.0170	0.0426	-0.2634	0.0236	-0.0245	-0.0755	-0.1937	-0.0716	-0.0301	
		8	AGE_85_89		-0.1615	-0.1676	-0.1194	0.0257	-0.3775	-0.0225	-0.1239	-0.1909	-0.3313	-0.1582	-0.0426	
		9	AGE_90_94		-0.2823	-0.3148	-0.2269	0.0075	-0.4581	-0.0878	-0.2581	-0.3260	-0.4445	-0.2873	-0.0408	
		10	AGE_95PLUS		-0.4799	-0.5307	-0.4089	-0.1068	-0.5573	-0.1951	-0.4936	-0.5802	-0.6431	-0.4935	-0.0371	
2	Gender	11	GENDER_FEMALE	Excluded category												
		12	GENDER_MALE		0.0504	0.0526	0.0371			-0.0261			-0.0465	0.0247	-0.0647	
3	Payment source	13	PAY_MCARE_FFS	Excluded category												
		14	PAY_MCARE_HMO		-0.0777	-0.0897	-0.0365	0.0315		-0.0311	-0.0461	-0.0663	0.0002	-0.0263	0.1169	
		15	PAY_MCAREANDMCAID		-0.3101	-0.3363	-0.2529	-0.2496		-0.1102	-0.2370	-0.2149	-0.3465	-0.1987	0.1134	
		16	PAY_MCAID_ONLY		-0.1729	-0.2525	-0.1256	-0.1290		-0.1526	-0.1740	-0.1843	-0.2112	-0.1236	-0.0315	
		17	PAY_OTHER_COMBO		-0.0898	-0.0959	0.0078	0.0791		0.0545	0.0160	0.0677	-0.0227	0.1629	0.1507	
4	SOC/ROC and Admission Source	18	SOC_INPT	Excluded category												
		19	SOC_COMM		-0.3628	-0.3082	-0.3644	-0.3173	-0.3546	-0.2736	-0.3106	-0.3274	-0.3237	-0.3704	0.2416	
		20	ROC		-0.4119	-0.4026	-0.4552	-0.2156	-0.2147	-0.3946	-0.4150	-0.4250	-0.3757	-0.4185	-0.6504	
5	Post-acute facility admission source	21	INPT_POSTACUTE		-0.2286	-0.1488	-0.1542		-0.1192	-0.0861	-0.1187	-0.1035	-0.1648	-0.1409	-0.0816	
		22	INPT_NOPOSTACUTE	Excluded category												
6		23	RISK_HSTRY_FALLS		-0.0105			0.1594	-0.0252					0.0878	-0.0468	

Risk Factor Group #	Risk Factor Group	Risk Factor #	Risk Factor Name	Excluded Category Indicator	Amb	Bathing	Bed Transfer	Bowel Incont	Conf	Dyspnea	Lower Dress	Upper Dress	Oral Meds	Toilet Transfer	DTC		
	Risk of Hospitalization	24	RISK_WEIGHTLOSS					0.1357	0.0723		0.0814			0.0876	-0.1205		
		25	RISK_MLTPH_HOSPZTN		-0.0726	-0.0686	-0.0517				-0.0930	-0.0445	-0.0600	-0.0280	-0.0698	-0.2816	
		26	RISK_ED					0.0691								-0.1890	
		27	RISK_RCNT_DCLN		0.1606	0.1394	0.2297				0.1269	0.1568	0.1209	0.1357	0.1812	-0.0276	
		28	RISK_COMPLY		0.0893	0.1100						0.0932	0.1041	0.0605			
		29	RISK_5PLUS_MDCTN							0.0910	-0.0809				0.1366	-0.1592	
		30	RISK_EXHAUST		0.0748	0.1059				0.1014		0.1106	0.0976	0.1133	0.0502		
		31	RISK_OTHR						-0.0379				0.0459				0.0568
		32	RISK_NONE		0.1501	0.1170	0.0825			0.2071	0.1878	0.0586	-0.0199	0.1918	0.1304		
7	Availability of Assistance	33	ASSIST_OCC_NONE	Excluded category													
		34	ASSIST_REGNITE		-0.0973	-0.1189	-0.0721	-0.0331	-0.0294	-0.0899	-0.0860	-0.0916	-0.1432	-0.0894			
		35	ASSIST_REGDAY		-0.2109	-0.2557	-0.2776	-0.1718	-0.1255	-0.1155	-0.3263	-0.2820	-0.3116	-0.3267			
		36	ASSIST_ARND_CLOCK		-0.2558	-0.2768	-0.2583	-0.2419	-0.1588	-0.1335	-0.3290	-0.2647	-0.4340	-0.2671			
	Living Arrangement	37	LIV_ALONE		0.1267	0.1447	0.1693	0.0874	0.0784			0.2890	0.2251	0.2780	0.2359		
		38	LIV_OTHERS	Excluded category													
		39	LIV_CONGREGATE		-0.1991	-0.0905	-0.0778	-0.3502	-0.4494			-0.0555	-0.0797	-0.6593	-0.0759		
8	Pressure Ulcers	40	PU_NONE_STG1ONLY	Excluded category													
		41	PU_STG2PLUS_UNSTG		-0.4385	-0.5503	-0.5195	-0.3864			-0.3779	-0.5055	-0.4389	-0.3746	-0.4604	-0.5117	
9	Stasis Ulcer	42	STAS_ULCR_OBS_NONE	Excluded category													
		43	STAS_ULCR_OBS_1		-0.0698	-0.1382	-0.1596				-0.1728	-0.1548	-0.1123	-0.0053	-0.0927	-0.1762	
		44	STAS_ULCR_OBS_2PLUS		-0.2541	-0.3620	-0.3078				-0.4392	-0.3859	-0.3277	-0.2227	-0.2860	-0.5601	
10	Surgical Wound	45	SRG_WND_OBS_NONE	Excluded category													
		46	SRG_WND_OBS_EPI		0.3630	0.3786	0.3537	0.2144	0.2521	0.2259	0.3287	0.3375	0.3704	0.3378	0.2523		
		47	SRG_WND_OBS_GRAN		0.3114	0.3222	0.2882	0.1574	0.2102	0.1296	0.2974	0.2614	0.3247	0.2733	0.1363		
		48	SRG_WND_OBS_NOHEAL		0.5022	0.4477	0.5008	0.4235	0.4548	0.3273	0.4280	0.4857	0.5426	0.5475	0.0898		
11	Dyspnea	49	DYSPO	Excluded category													
		50	DYSP1		0.2798	0.2769	0.2847	0.3228	0.1740		0.3129	0.2984	0.2760	0.2922	-0.0168		

Risk Factor Group #	Risk Factor Group	Risk Factor #	Risk Factor Name	Excluded Category Indicator	Amb	Bathing	Bed Transfer	Bowel Incont	Conf	Dyspnea	Lower Dress	Upper Dress	Oral Meds	Toilet Transfer	DTC
		51	DYSP2		0.2069	0.2595	0.1362	0.2880	0.1279	0.9533	0.2431	0.2261	0.3231	0.1193	-0.1648
		52	DYSP34		0.3248	0.3647	0.2767	0.4346	0.2653	1.6244	0.3310	0.3262	0.5427	0.2743	-0.3355
12	Urinary Status	53	URINCONT_NONE	Excluded category											
		54	URINCONT_INCONT		-0.2951	-0.2730	-0.3303	-0.2535	-0.2067	-0.2290	-0.2873	-0.2645	-0.2689	-0.3052	-0.1161
		55	URINCONT_CATH		-0.6136	-0.6210	-0.6926	-0.5383	-0.1992	-0.4067	-0.6228	-0.6160	-0.4933	-0.6285	-0.7934
13	Bowel Incontinence	56	BWL_NONE	Excluded category											
		57	BWL_FR1		-0.2162	-0.2343	-0.1941		-0.0399	-0.1623	-0.2132	-0.2079	-0.1635	-0.1822	-0.1173
		58	BWL_FR2		-0.3531	-0.3692	-0.3625	0.1669	-0.1373	-0.2333	-0.3586	-0.3772	-0.2565	-0.3390	-0.1940
		59	BWL_FR345		-0.5726	-0.6483	-0.6817	0.1838	-0.2393	-0.3871	-0.6417	-0.6706	-0.5000	-0.7405	-0.2329
		60	BWL_OSTOMY		-0.1900	-0.2641	-0.2020	0.0000	-0.0273	-0.1191	-0.1930	-0.2296	-0.1425	-0.2681	-0.4283
14	Cognitive function	61	COGN0	Excluded category											
		62	COGN1		-0.1634	-0.1717	-0.2036	-0.1491	-0.3750	-0.1210	-0.1704	-0.1684	-0.3405	-0.2011	-0.0160
		63	COGN2		-0.2907	-0.3437	-0.2906	-0.2622	-0.7112	-0.1690	-0.3325	-0.3573	-0.5919	-0.3151	-0.0207
		64	COGN34		-0.4737	-0.5318	-0.4363	-0.3967	-1.0544	-0.1481	-0.5406	-0.6014	-0.8404	-0.4638	0.0378
15	Confusion	65	CONF0	Excluded category											
		66	CONF1		-0.1332	-0.1544	-0.1777	-0.1413		-0.1379	-0.1397	-0.1763	-0.3151	-0.2041	-0.0920
		67	CONF23		-0.2447	-0.2871	-0.2739	-0.2107	1.2124	-0.1324	-0.2747	-0.3043	-0.5635	-0.3225	-0.1053
		68	CONF4		-0.4182	-0.4804	-0.3710	-0.2887	1.7352	-0.0804	-0.4399	-0.5321	-0.9010	-0.4759	-0.0393
16	Anxiety	69	ANX0	Excluded category											
		70	ANX1		0.0105	-0.0070	-0.0115	0.0438	-0.0264	-0.1168	-0.0205	0.0045	0.0013	-0.0185	-0.0299
		71	ANX2		0.0326	0.0192	0.0207	0.1748	0.0307	-0.1412	0.0216	0.0530	0.0549	0.0489	-0.0688
		72	ANX3		0.1401	0.1258	0.1539	0.3188	0.1799	-0.0691	0.1504	0.1605	0.1876	0.1978	-0.0520
17	Depression Screening	73	PHQ2_TO9_NOTMEET	Excluded category											
		74	PHQ2_TO9_MEET		-0.2498	-0.2541	-0.2746	-0.1466	-0.1300	-0.3102	-0.2616	-0.2124	-0.2433	-0.2078	-0.1467
		75	PHQ2_TO9_NA		-0.3355	-0.4342	-0.3513	-0.2963	-0.4537	-0.1691	-0.4345	-0.5247	-0.4878	-0.4215	-0.0739
18	Behavioral Symptoms	76	BEHAV_NONE		0.2305	0.2806	0.2421		0.1193	0.1484	0.2802	0.3199	0.3378	0.2106	0.1210
		77	BEHAV_MEM_DEFICIT						-0.3187					-0.1207	-0.0850

Risk Factor Group #	Risk Factor Group	Risk Factor #	Risk Factor Name	Excluded Category Indicator	Amb	Bathing	Bed Transfer	Bowel Incont	Conf	Dyspnea	Lower Dress	Upper Dress	Oral Meds	Toilet Transfer	DTC
		78	BEHAV_IMPR_DECISN		-0.0410				-0.1514	-0.1245	-0.0354			-0.0859	
		79	BEHAV_OTHR		-0.2103	-0.2286	-0.2353	-0.2075	-0.3270	-0.1586	-0.2287	-0.2658	-0.3150	-0.2510	-0.1044
19	Disruptive Behavior Frequency	80	BEHPFR0	Excluded category											
		81	BEHPFR12		0.2042	0.2359	0.1383	-0.0417	0.1028	0.2035	0.2465	0.2024	0.2611	0.1231	0.0550
		82	BEHPFR3		0.1827	0.2351	0.2161	-0.0258	0.0874	0.1968	0.2639	0.2601	0.2490	0.2257	0.0554
		83	BEHPFR4		0.2017	0.2343	0.2701	0.0670	0.1220	0.2448	0.3012	0.3029	0.2486	0.3387	0.0613
		84	BEHPFR5		0.2260	0.2505	0.3209	0.1196	0.0576	0.3342	0.3003	0.3186	0.1923	0.3856	0.1489
20	Grooming	85	GROOM0	Excluded category											
		86	GROOM1								0.0054	0.0077		0.1436	0.0216
		87	GROOM2								-0.0769	-0.1596		0.0136	-0.0393
		88	GROOM3								-0.3071	-0.5682		-0.1566	-0.0869
21	Upper Body Dressing	89	UPPER0	Excluded category											
		90	UPPER1			-0.0163					0.0043		0.0565	-0.1721	0.0973
		91	UPPER2			-0.1306					-0.1664	1.3774	-0.1022	-0.3870	-0.0233
		92	UPPER3			-0.2561					-0.2896	2.8757	-0.3638	-0.5102	-0.0548
22	Lower Body Dressing	93	LOWER0	Excluded category											
		94	LOWER1		0.3016	0.2173								0.2297	
		95	LOWER2		0.2015	0.1596					0.9931			0.2443	
		96	LOWER3		0.2576	0.2312					2.8426			0.4048	
23	Bathing	97	BATH0	Excluded category											
		98	BATH1		-0.3132				0.1273	0.0584	-0.2698				0.1860
		99	BATH2		-0.2750	1.0400			0.1159	0.1077	-0.1672				0.2179
		100	BATH3		-0.3591	1.8787			0.1201	0.1456	-0.1864				0.2228
		101	BATH4		-0.2233	2.5009			0.1602	0.2294	-0.1278				0.2325
		102	BATH5		-0.1565	2.9212			0.3268	0.4614	-0.0551				0.2491
		103	BATH6		-0.5390	3.1008			0.0284	0.1662	-0.5459				0.1640
24		104	TLTRNO	Excluded category											

Risk Factor Group #	Risk Factor Group	Risk Factor #	Risk Factor Name	Excluded Category Indicator	Amb	Bathing	Bed Transfer	Bowel Incont	Conf	Dyspnea	Lower Dress	Upper Dress	Oral Meds	Toilet Transfer	DTC
	Toilet Transferring	105	TLTRN1		0.2701	0.2571	0.1386		0.1471	0.2683	0.1552		0.2243		0.1706
		106	TLTRN2		0.2252	0.2632	0.0595		0.1306	0.2870	0.1233		0.3073	1.8809	0.0726
		107	TLTRN34		0.3845	0.2945	0.0401		0.1733	0.3993	0.1770		0.4409	2.3942	0.0791
25	Toilet Hygiene	108	TLTHYG0	Excluded category											
		109	TLTHYG1		0.1063	0.0520	0.0485	0.2123			-0.0436	-0.0578	0.0570	-0.2673	
		110	TLTHYG2		-0.0885	-0.0558	-0.2234	0.1613			-0.2035	-0.2332	-0.0777	-0.4813	
		111	TLTHYG3		-0.3401	-0.3350	-0.5702	-0.3557			-0.5860	-0.5371	-0.3465	-0.6993	
26	Transferring	112	TRNFR0	Excluded category											
		113	TRNFR1		-0.3179	-0.0823			0.1013	-0.0119			0.1174	-0.2659	
		114	TRNFR2		-0.0884	0.1801	2.2227		0.3806	0.2637			0.4525	-0.0916	
		115	TRNFR345		-0.2540	-0.0477	2.8169		0.3421	0.1657			0.3006	-0.4014	
27	Ambulation	116	AMB0	Excluded category											
		117	AMB1			-0.2908	-0.4936			-0.0694	-0.1524	-0.0632	-0.0763	-0.1381	0.1039
		118	AMB2		0.1871	-0.6174	-0.9676			-0.1688	-0.2678	-0.1526	-0.2576	-0.2967	0.0298
		119	AMB3		1.9924	-0.3739	-0.6349			0.0184	0.0518	0.2737	-0.0114	0.1680	0.1531
		120	AMB456		1.4316	-1.2957	-1.6884			-0.4243	-0.9724	-0.6633	-0.5359	-0.8053	-0.1226
28	Feeding or Eating	121	EAT0	Excluded category											
		122	EAT1		0.0070	-0.0242	-0.1430	-0.0255	0.0000		-0.0798	-0.1946	-0.0050	-0.2825	-0.0885
		123	EAT2		-0.0278	-0.0836	-0.2540	-0.1406	-0.0237		-0.1625	-0.3463	-0.1260	-0.3818	-0.0586
		124	EAT345		-0.2195	-0.5409	-0.4510	-0.4467	-0.0925		-0.4982	-0.7417	-0.5916	-0.7365	-0.3891
29	Oral Medication Management	125	ORMED0	Excluded category											
		126	ORMED1		0.0853		0.0147	0.0238		0.1310					-0.1146
		127	ORMED2		0.2780		0.0669	0.1538		0.3008			1.3262		-0.0498
		128	ORMED3		0.3873		0.3699	0.3141		0.5340			1.8501		0.0083
30	Supervision and Safety Assistance	129	SPRVSN_NONE_NEEDED	Excluded category											
		130	SPRVSN_CG_PROVIDES		-0.1509	-0.2118	-0.1821		-0.2736	-0.0873	-0.2029	-0.2548	-0.3150	-0.3090	-0.0596
		131	SPRVSN_NEED_TRAINING		-0.0000	-0.0265	-0.0836		-0.2118	0.0199	-0.0477	-0.0686	-0.1379	-0.2320	0.0257

Risk Factor Group #	Risk Factor Group	Risk Factor #	Risk Factor Name	Excluded Category Indicator	Amb	Bathing	Bed Transfer	Bowel Incont	Conf	Dyspnea	Lower Dress	Upper Dress	Oral Meds	Toilet Transfer	DTC		
		132	SPRVSN_CG_UNCERTAIN_NONE		-0.1050	-0.1530	-0.1672		-0.1736	-0.1390	-0.1401	-0.2360	-0.1056	-0.2863	-0.1767		
31	Hierarchical Condition Categories	133	hcc1														
		134	hcc2													-0.1611	
		135	hcc6														-0.3277
		136	hcc8			-0.6004	-0.6384	-0.5764	-0.1493	-0.1403	-0.6798	-0.5676	-0.6817	-0.5520	-0.5489	-1.1777	
		137	hcc9			-0.2744	-0.3300	-0.2761		-0.0389	-0.4935	-0.2688	-0.3306	-0.2678	-0.2753	-0.7787	
		138	hcc10			-0.2416	-0.2212	-0.1874			-0.1704	-0.1754	-0.2232	-0.2027	-0.1715	-0.7166	
		139	hcc11								-0.1246					-0.4162	
		140	hcc12								-0.0859		-0.0746				-0.2432
		141	hcc17														-0.3109
		142	hcc18			-0.1338	-0.1173	-0.1646		-0.0501	-0.1447	-0.1044	-0.1122	-0.1464	-0.1695	-0.2434	
		143	hcc19												-0.0915	-0.0549	
		144	hcc21			-0.1444	-0.1446	-0.1110		-0.0846	-0.0922	-0.1215	-0.1449	-0.1816	-0.1442	-0.2453	
		145	hcc22			-0.2078	-0.2786	-0.1692		0.2004	-0.2710	-0.2600	-0.1240		-0.1303	0.1704	
		146	hcc23														-0.1954
		147	hcc27			-0.1761	-0.1987	-0.1180		-0.0592	-0.2098	-0.1173	-0.2001	-0.2740	-0.1470	-1.0176	
		148	hcc28			-0.2080	-0.1569	-0.2021		-0.0748	-0.2504	-0.1532	-0.1801	-0.1850	-0.1447	-0.7094	
		149	hcc29														-0.1460
150	hcc33														-0.2619		
151	hcc34														-0.5132		
152	hcc35				0.1996	0.1782	0.2210				0.1876	0.2077		0.2096	-0.3079		
153	hcc39				-0.0685	-0.0569	-0.0718							-0.0668	-0.2780		
154	hcc40								0.1067			-0.0499			-0.0323		
155	hcc46				-0.1806					-0.2134		-0.1987		-0.1250	-0.6061		
156	hcc47														-0.3022		
157	hcc48														-0.1368		
158	hcc51				-0.2649	-0.2367	-0.2234	-0.1389	-0.3516		-0.2156	-0.2027	-0.3582	-0.2571			

Risk Factor Group #	Risk Factor Group	Risk Factor #	Risk Factor Name	Excluded Category Indicator	Amb	Bathing	Bed Transfer	Bowel Incont	Conf	Dyspnea	Lower Dress	Upper Dress	Oral Meds	Toilet Transfer	DTC
		159	hcc52		-0.2232	-0.2462	-0.1568	-0.2026	-0.5959	0.0225	-0.2321	-0.2974	-0.4402	-0.2802	0.0517
		160	hcc54						-0.2567				-0.1867		
		161	hcc55												-0.0631
		162	hcc56												
		163	hcc57						-0.3349				-0.4015		-0.3879
		164	hcc58												
		165	hcc59				-0.0948		-0.1322	-0.0574			-0.1416	-0.1141	-0.0619
		166	hcc60										-0.2590		
		167	hcc70		-1.1032	-1.2500	-1.3551	-0.5412			-1.3390	-1.4179	-1.0471	-1.4510	
		168	hcc71		-1.1909	-0.4715	-0.7611	-0.4268			-0.6207	-0.4211	-0.1649	-0.7844	0.0911
		169	hcc72		-0.5224	-0.2883	-0.2852				-0.2614	-0.2685	-0.1819	-0.2493	
		170	hcc73		-1.5319	-1.5843	-1.5941				-1.1514	-1.6569	-1.7911	-1.4996	-1.4863
		171	hcc74		-0.7514	-0.7672	-0.8464	-0.3110	-0.3118		-0.8146	-0.8176	-0.6671	-0.7902	0.3443
		172	hcc75		-0.1665	-0.1244	-0.1047				-0.0688	-0.1388	-0.1158	-0.0715	-0.0925
		173	hcc76		-1.0426	-0.7650	-0.9391				-0.4106	-0.8845	-0.8664	-0.6114	-0.8004
		174	hcc77		-0.7118	-0.4459	-0.5977	-0.2638			-0.5228	-0.4693	-0.3086	-0.5421	
		175	hcc78		-0.4568	-0.3874	-0.3381		-0.1767	-0.0632	-0.4629	-0.4867	-0.3828	-0.3849	-0.0881
		176	hcc79		-0.1537	-0.1391	-0.1281		-0.2107		-0.1143	-0.1636	-0.2463	-0.1539	-0.0942
		177	hcc80		-0.2209	-0.1420			-0.2458				-0.3201	-0.1361	
		178	hcc82			-0.3774					-0.6786	-0.2669	-0.3482	-0.4881	-0.3607
		179	hcc83												
		180	hcc84			-0.1695			0.0259	-0.4406		-0.1543	-0.1791		-0.2140
		181	hcc85		-0.1371	-0.1443	-0.1360	-0.0428	-0.0167	-0.2747	-0.1343	-0.1333	-0.1195	-0.1407	-0.4034
		182	hcc86								-0.0265	0.1254			-0.1461
		183	hcc87												0.0151
		184	hcc88								-0.1245				0.0131
		185	hcc96					0.0954	0.0441						-0.1510

Risk Factor Group #	Risk Factor Group	Risk Factor #	Risk Factor Name	Excluded Category Indicator	Amb	Bathing	Bed Transfer	Bowel Incont	Conf	Dyspnea	Lower Dress	Upper Dress	Oral Meds	Toilet Transfer	DTC
		186	hcc99												
		187	hcc100		-0.4253	-0.4284	-0.4128			-0.5502	-0.4354	-0.4755	-0.4640	-0.4398	-0.2325
		188	hcc103		-0.4527	-0.3550	-0.3523	-0.2329	-0.1188		-0.4269	-0.4878	-0.3705	-0.3552	0.0310
		189	hcc104		-0.2136						-0.1180		-0.1217		
		190	hcc106		-0.6315	-0.5347	-0.5731			-0.3793	-0.4945	-0.5254	-0.3420	-0.5452	-1.1549
		191	hcc107							-0.0395					
		192	hcc108		-0.1086						-0.0426	-0.0617		-0.0722	-0.1475
		193	hcc110												
		194	hcc111		-0.1378	-0.1348	-0.1231		-0.0247	-0.4874	-0.1002	-0.1156	-0.1086	-0.1279	-0.2280
		195	hcc112		-0.0366					-0.5053		-0.0675	-0.0658		-0.1691
		196	hcc114		-0.1282	-0.0913	-0.0890				-0.1144	-0.1237	-0.1995	-0.0847	-0.0606
		197	hcc115												
		198	hcc122												
		199	hcc124											0.1411	
		200	hcc134		-0.7158	-0.6946	-0.6480	-0.4645	-0.3699	-0.5201	-0.6130	-0.6836	-0.6554	-0.6844	-0.8231
		201	hcc135							-0.0523					-0.3035
		202	hcc136		-0.5080	-0.5058	-0.4516	-0.2968	-0.2047	-0.3201	-0.4290	-0.4704	-0.4556	-0.4961	-0.7367
		203	hcc137		-0.0857	-0.0899	-0.0414			-0.0831	-0.0452	-0.0777	-0.0775	-0.0530	-0.3795
		204	hcc138												-0.1172
		205	hcc157		-0.6192	-0.5382	-0.6606	-0.3510		-0.1393	-0.5976	-0.6099	-0.3973	-0.7047	-0.6967
		206	hcc158		-0.2562	-0.1554	-0.2861				-0.2335	-0.2973	-0.1218	-0.2831	-0.4306
		207	hcc159		-0.0939		-0.1013				-0.0961	-0.1654		-0.1168	-0.0644
		208	hcc161		-0.3007	-0.3447	-0.3635			-0.3095	-0.3399	-0.3284	-0.1104	-0.3342	-0.7827
		209	hcc162												
		210	hcc166												
		211	hcc167						-0.2103				-0.2921		
		212	hcc169												

Risk Factor Group #	Risk Factor Group	Risk Factor #	Risk Factor Name	Excluded Category Indicator	Amb	Bathing	Bed Transfer	Bowel Incont	Conf	Dyspnea	Lower Dress	Upper Dress	Oral Meds	Toilet Transfer	DTC
		213	hcc170		-0.3892										
		214	hcc173		-0.6690										
		215	hcc176						0.1884						-0.2787
		216	hcc186		0.2239		0.2375								-0.4515
		217	hcc188												-0.3447
		218	hcc189		-0.9512	-0.3728	-0.4541		-0.0982	-0.2113	-0.2772	-0.2832	-0.1999	-0.3778	-0.3395
32	CONSTANT	219	_CONS		0.8915	0.9706	1.9645	1.2597	0.5428	1.1928	2.0514	2.0793	0.9053	3.0129	1.9465

Appendix Table 3: CMS-HCC Mapping
Effective January 1, 2023

HCC LABEL	CC_HCC	CC_ZERO1	CC_ZERO2	CC_ZERO3	CC_ZERO4	CC_ZERO5
Neoplasm 1	8	9	10	11	12	
Neoplasm 2	9	10	11	12		
Neoplasm 3	10	11	12			
Neoplasm 4	11	12				
Diabetes 1	17	18	19			
Diabetes 2	18	19				
Liver 1	27	28	29	80		
Liver 2	28	29				
Blood 1	46	48				
Cognitive 2	51	52				
SUD 1	54	55	56			
SUD 2	55	56				
Psychiatric 1	57	58	59	60		
Psychiatric 2	58	59	60			
Psychiatric 3	59	60				
Spinal 1	70	71	72	103	104	169
Spinal 2	71	72	104	169		
Spinal 3	72	169				
Arrest 1	82	83	84			
Arrest 2	83	84				
Heart 2	86	87	88			
Heart 3	87	88				
CVD 1	99	100				
CVD 5	103	104				
Vascular 1	106	107	108	161	189	
Vascular 2	107	108				
Lung 1	110	111	112			
Lung 2	111	112				
Lung 5	114	115				
Kidney 3	134	135	136	137	138	
Kidney 4	135	136	137	138		
Kidney 5	136	137	138			
Kidney 6	137	138				
Skin 1	157	158	159	161		
Skin 2	158	159	161			
Skin 3	159	161				
Injury 1	166	80	167			

Appendix Table 4: CMS-HCC Labels

Effective January 1, 2023

HCC	Label
HCC1	HIV/AIDS
HCC2	Septicemia, Sepsis, Systemic Inflammatory Response Syndrome/Shock
HCC6	Opportunistic Infections
HCC8	Metastatic Cancer and Acute Leukemia
HCC9	Lung and Other Severe Cancers
HCC10	Lymphoma and Other Cancers
HCC11	Colorectal, Bladder, and Other Cancers
HCC12	Breast, Prostate, and Other Cancers and Tumors
HCC17	Diabetes with Acute Complications
HCC18	Diabetes with Chronic Complications
HCC19	Diabetes without Complication
HCC21	Protein-Calorie Malnutrition
HCC22	Morbid Obesity
HCC23	Other Significant Endocrine and Metabolic Disorders
HCC27	End-Stage Liver Disease
HCC28	Cirrhosis of Liver
HCC29	Chronic Hepatitis
HCC33	Intestinal Obstruction/Perforation
HCC34	Chronic Pancreatitis
HCC35	Inflammatory Bowel Disease
HCC39	Bone/Joint/Muscle Infections/Necrosis
HCC40	Rheumatoid Arthritis and Inflammatory Connective Tissue Disease
HCC46	Severe Hematological Disorders
HCC47	Disorders of Immunity
HCC48	Coagulation Defects and Other Specified Hematological Disorders
HCC51	Dementia With Complications
HCC52	Dementia Without Complication
HCC54	Substance Use with Psychotic Complications
HCC55	Substance Use Disorder, Moderate/Severe, or Substance Use with Complications
HCC56	Substance Use Disorder, Mild, Except Alcohol and Cannabis
HCC57	Schizophrenia
HCC58	Reactive and Unspecified Psychosis
HCC59	Major Depressive, Bipolar, and Paranoid Disorders
HCC60	Personality Disorders
HCC70	Quadriplegia
HCC71	Paraplegia
HCC72	Spinal Cord Disorders/Injuries
HCC73	Amyotrophic Lateral Sclerosis and Other Motor Neuron Disease
HCC74	Cerebral Palsy
HCC75	Myasthenia Gravis/Myoneural Disorders and Guillain-Barre Syndrome/Inflammatory and Toxic Neuropathy
HCC76	Muscular Dystrophy
HCC77	Multiple Sclerosis
HCC78	Parkinson's and Huntington's Diseases
HCC79	Seizure Disorders and Convulsions
HCC80	Coma, Brain Compression/Anoxic Damage
HCC82	Respirator Dependence/Tracheostomy Status
HCC83	Respiratory Arrest
HCC84	Cardio-Respiratory Failure and Shock
HCC85	Congestive Heart Failure
HCC86	Acute Myocardial Infarction
HCC87	Unstable Angina and Other Acute Ischemic Heart Disease
HCC88	Angina Pectoris
HCC96	Specified Heart Arrhythmias
HCC99	Intracranial Hemorrhage
HCC100	Ischemic or Unspecified Stroke
HCC103	Hemiplegia/Hemiparesis
HCC104	Monoplegia, Other Paralytic Syndromes
HCC106	Atherosclerosis of the Extremities with Ulceration or Gangrene
HCC107	Vascular Disease with Complications

HCC	Label
HCC108	Vascular Disease
HCC110	Cystic Fibrosis
HCC111	Chronic Obstructive Pulmonary Disease
HCC112	Fibrosis of Lung and Other Chronic Lung Disorders
HCC114	Aspiration and Specified Bacterial Pneumonias
HCC115	Pneumococcal Pneumonia, Empyema, Lung Abscess
HCC122	Proliferative Diabetic Retinopathy and Vitreous Hemorrhage
HCC124	Exudative Macular Degeneration
HCC134	Dialysis Status
HCC135	Acute Renal Failure
HCC136	Chronic Kidney Disease, Stage 5
HCC137	Chronic Kidney Disease, Severe (Stage 4)
HCC138	Chronic Kidney Disease, Moderate (Stage 3)
HCC157	Pressure Ulcer of Skin with Necrosis Through to Muscle, Tendon, or Bone
HCC158	Pressure Ulcer of Skin with Full Thickness Skin Loss
HCC159	Pressure Ulcer of Skin with Partial Thickness Skin Loss
HCC161	Chronic Ulcer of Skin, Except Pressure
HCC162	Severe Skin Burn or Condition
HCC166	Severe Head Injury
HCC167	Major Head Injury
HCC169	Vertebral Fractures without Spinal Cord Injury
HCC170	Hip Fracture/Dislocation
HCC173	Traumatic Amputations and Complications
HCC176	Complications of Specified Implanted Device or Graft
HCC186	Major Organ Transplant or Replacement Status
HCC188	Artificial Openings for Feeding or Elimination
HCC189	Amputation Status, Lower Limb/Amputation Complications