

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0150A1_1

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0150A1_1	Mood: Little interest/pleasure doing things: P (A)	Asmt	Code	1	1722-1722

Item Values

Value	Value Text
0	No
1	Yes
9	No response
-	Not Assessed/No Information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the applicable FY annual increase factor.
-5091	Consistency	Fatal	(a) If D0150A1_1=[0], then D0150A2_1 must equal [0]. (b) If D0150A1_1=[1], then D0150A2_1 must equal [0,1,2,3]. (c) If D0150A1_1=[9,-], then D0150A2_1 must equal [^].
-5108	Consistency	Fatal	(a) If D0150A2_1 = [0,1] and D0150B2_1 = [0,1], then the following active items must equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (b) If D0150A1_1 = [-] or D0150B1_1 = [-], then the following active items must not equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (c) If D0150A1_1 = [9] and D0150B1_1 = [9], then the following active items must equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (d) If (D0150A2_1 = [^] and D0150B2_1 = [0,1]) OR (D0150A2_1 = [0,1] and D0150B2_1 = [^]), then the following active items must not equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (e) If D0150A2_1 = [2,3] or D0150B2_1 = [2,3], then the following active items must not equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1.
-5153	Consistency	Fatal	Total Severity Score Calculation: (a) If D0150A1_1 = [9] and D0150B1_1 = [9], then D0160_1 must equal [^]. (b) If D0150A2_1 = [0,1] and D0150B2_1 = [0,1], then D0160_1 must equal the sum of the values from D0150A2_1 and D0150B2_1. Otherwise, the PHQ-9 must be completed, and D0160_1 must equal the sum of the values of the following nine items: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1. Format integer Items to nearest integer. The following rules explain how to compute the score that is placed in item D0160_1.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

(c) If the following items equal [0,1,2,3], then D0160_1 must equal the sum of these items: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1.

(d) If one of the following items = [^], then D0160_1 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1.

(e) If two of the following items = [^], then D0160_1 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1.

(f) If three or more of the following items = [^], then D0160_1 must equal [99]: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1.

-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-------	--------	-------	---

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.
Consistency	-5004	[V5.02.0]-Added mapping to new item O0350. Added mappings to the M0300 admission items. Removed mappings to D0160_1 and D0160_2.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0150A1_2

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0150A1_2	Mood: Little interest/pleasure doing things: P (D)	Asmt	Code	1	1723-1723

Item Values

Value	Value Text
0	No
1	Yes
9	No response
-	Not Assessed/No Information
^	Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the applicable FY annual increase factor.
-5092	Consistency	Fatal	(a) If D0150A1_2=[0], then D0150A2_2 must equal [0]. (b) If D0150A1_2=[1], then D0150A2_2 must equal [0,1,2,3]. (c) If D0150A1_2=[9,-,^], then D0150A2_2 must equal [^].
-5109	Consistency	Fatal	(a) If D0150A2_2 = [0,1] and D0150B2_2 = [0,1], then the following active items must equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (b) If D0150A1_2 = [-] or D0150B1_2 = [-], then the following active items must not equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (c) If D0150A1_2 = [9] and D0150B1_2 = [9], then the following active items must equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (d) If (D0150A2_2 = [^] and D0150B2_2 = [0,1]) OR (D0150A2_2 = [0,1] and D0150B2_2 = [^]), then the following active items must not equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (e) If D0150A2_2 = [2,3] or D0150B2_2 = [2,3], then the following active items must not equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (f) If D0150A1_2 = [^] and D0150B1_2 = [^], then the following active items must equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2.
-5154	Consistency	Fatal	Total Severity Score Calculation: (a) If (D0150A1_2 = [9] and D0150B1_2 = [9]) OR (D0150A1_2 = [^] and D0150B1_2 = [^]), then D0160_2 must equal [^]. (b) If D0150A2_2 = [0,1] and D0150B2_2 = [0,1], then D0160_2 must equal the sum of the values from D0150A2_2 and D0150B2_2.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Otherwise, the PHQ-9 must be completed, and D0160_2 must equal the sum of the values of the following nine items: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2. Format integer Items to nearest integer.

The following rules explain how to compute the score that is placed in item D0160_2.

(c) If the following items equal [0,1,2,3], then D0160_2 must equal the sum of these items: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2.

(d) If one of the following items = [^], then D0160_2 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2.

(e) If two of the following items = [^], then D0160_2 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2.

(f) If three or more of the following items = [^], then D0160_2 must equal [99]: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2.

-5165	Consistency	Fatal	(a) IF (44D=[02,63,65,66]) OR (14=[04]) OR (41=[1]) OR (44C=[0]), then the following items must equal [^]: B1300_2, C0100_2, D0150A1_2, D0150B1_2, D0700_2, J0510_2. (b) IF (44D=[01,03,04,06,50,51,61,62,64,99]) AND (14=[01,03,05,^]) AND (41=[0]) AND (44C=[1]), then the following items must not equal [^]: B1300_2, C0100_2, D0150A1_2, D0150B1_2, D0700_2, J0510_2.
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.
Consistency	-5004	[V5.02.0]-Added mapping to new item O0350. Added mappings to the M0300 admission items. Removed mappings to D0160_1 and D0160_2.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0150A2_1

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0150A2_1	Mood: Little interest/pleasure doing things: F (A)	Asmt	Code	1	1724-1724

Item Values

Value	Value Text
0	Never or 1 day
1	2-6 days
2	7-11 days
3	12-14 days
^	Blank (Skip Pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5091	Consistency	Fatal	(a) If D0150A1_1=[0], then D0150A2_1 must equal [0]. (b) If D0150A1_1=[1], then D0150A2_1 must equal [0,1,2,3]. (c) If D0150A1_1=[9,-], then D0150A2_1 must equal [^].
-5108	Consistency	Fatal	(a) If D0150A2_1 = [0,1] and D0150B2_1 = [0,1], then the following active items must equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (b) If D0150A1_1 = [-] or D0150B1_1 = [-], then the following active items must not equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (c) If D0150A1_1 = [9] and D0150B1_1 = [9], then the following active items must equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (d) If (D0150A2_1 = [^] and D0150B2_1 = [0,1]) OR (D0150A2_1 = [0,1] and D0150B2_1 = [^]), then the following active items must not equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (e) If D0150A2_1 = [2,3] or D0150B2_1 = [2,3], then the following active items must not equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1.
-5153	Consistency	Fatal	Total Severity Score Calculation: (a) If D0150A1_1 = [9] and D0150B1_1 = [9], then D0160_1 must equal [^]. (b) If D0150A2_1 = [0,1] and D0150B2_1 = [0,1], then D0160_1 must equal the sum of the values from D0150A2_1 and D0150B2_1. Otherwise, the PHQ-9 must be completed, and D0160_1 must equal the sum of the values of the following nine items: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1. Format integer Items to nearest integer. The following rules explain how to compute the score that is placed in item D0160_1. (c) If the following items equal [0,1,2,3], then D0160_1 must equal the sum of these items: D0150A2_1,

Data Submission Specifications for the IRF-PAI (V5.02.0)
Detailed Data Specifications Report

Section: D

D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1.
(d) If one of the following items = [^], then D0160_1 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1.
(e) If two of the following items = [^], then D0160_1 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1.
(f) If three or more of the following items = [^], then D0160_1 must equal [99]: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1.

-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-------	--------	-------	---

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0150A2_2

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0150A2_2	Mood: Little interest/pleasure doing things: F (D)	Asmt	Code	1	1725-1725

Item Values

Value	Value Text
0	Never or 1 day
1	2-6 days
2	7-11 days
3	12-14 days
^	Blank (Skip Pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5092	Consistency	Fatal	(a) If D0150A1_2=[0], then D0150A2_2 must equal [0]. (b) If D0150A1_2=[1], then D0150A2_2 must equal [0,1,2,3]. (c) If D0150A1_2=[9,-,^], then D0150A2_2 must equal [^].
-5109	Consistency	Fatal	(a) If D0150A2_2 = [0,1] and D0150B2_2 = [0,1], then the following active items must equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (b) If D0150A1_2 = [-] or D0150B1_2 = [-], then the following active items must not equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (c) If D0150A1_2 = [9] and D0150B1_2 = [9], then the following active items must equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (d) If (D0150A2_2 = [^] and D0150B2_2 = [0,1]) OR (D0150A2_2 = [0,1] and D0150B2_2 = [^]), then the following active items must not equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (e) If D0150A2_2 = [2,3] or D0150B2_2 = [2,3], then the following active items must not equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (f) If D0150A1_2 = [^] and D0150B1_2 = [^], then the following active items must equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2.
-5154	Consistency	Fatal	Total Severity Score Calculation: (a) If (D0150A1_2 = [9] and D0150B1_2 = [9]) OR (D0150A1_2 = [^] and D0150B1_2 = [^]), then D0160_2 must equal [^]. (b) If D0150A2_2 = [0,1] and D0150B2_2 = [0,1], then D0160_2 must equal the sum of the values from D0150A2_2 and D0150B2_2. Otherwise, the PHQ-9 must be completed, and D0160_2 must equal the sum of the values of the following nine items: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2,

Data Submission Specifications for the IRF-PAI (V5.02.0)
Detailed Data Specifications Report

Section: D

D0150H2_2, D0150I_2. Format integer Items to nearest integer.

The following rules explain how to compute the score that is placed in item D0160_2.

(c) If the following items equal [0,1,2,3], then D0160_2 must equal the sum of these items: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2.

(d) If one of the following items = [^], then D0160_2 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2.

(e) If two of the following items = [^], then D0160_2 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2.

(f) If three or more of the following items = [^], then D0160_2 must equal [99]: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2.

-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-------	--------	-------	---

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0150B1_1

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0150B1_1	Mood: Feeling down, depressed, or hopeless: P (A)	Asmt	Code	1	1726-1726

Item Values

Value	Value Text
0	No
1	Yes
9	No response
-	Not Assessed/No Information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the applicable FY annual increase factor.
-5093	Consistency	Fatal	(a) If D0150B1_1=[0], then D0150B2_1 must equal [0]. (b) If D0150B1_1=[1], then D0150B2_1 must equal [0,1,2,3]. (c) If D0150B1_1=[9,-], then D0150B2_1 must equal [^].
-5108	Consistency	Fatal	(a) If D0150A2_1 = [0,1] and D0150B2_1 = [0,1], then the following active items must equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (b) If D0150A1_1 = [-] or D0150B1_1 = [-], then the following active items must not equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (c) If D0150A1_1 = [9] and D0150B1_1 = [9], then the following active items must equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (d) If (D0150A2_1 = [^] and D0150B2_1 = [0,1]) OR (D0150A2_1 = [0,1] and D0150B2_1 = [^]), then the following active items must not equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (e) If D0150A2_1 = [2,3] or D0150B2_1 = [2,3], then the following active items must not equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1.
-5153	Consistency	Fatal	Total Severity Score Calculation: (a) If D0150A1_1 = [9] and D0150B1_1 = [9], then D0160_1 must equal [^]. (b) If D0150A2_1 = [0,1] and D0150B2_1 = [0,1], then D0160_1 must equal the sum of the values from D0150A2_1 and D0150B2_1. Otherwise, the PHQ-9 must be completed, and D0160_1 must equal the sum of the values of the following nine items: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1. Format integer Items to nearest integer. The following rules explain how to compute the score that is placed in item D0160_1.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

(c) If the following items equal [0,1,2,3], then D0160_1 must equal the sum of these items: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1.

(d) If one of the following items = [^], then D0160_1 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1.

(e) If two of the following items = [^], then D0160_1 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1.

(f) If three or more of the following items = [^], then D0160_1 must equal [99]: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1.

-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-------	--------	-------	---

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.
Consistency	-5004	[V5.02.0]-Added mapping to new item O0350. Added mappings to the M0300 admission items. Removed mappings to D0160_1 and D0160_2.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0150B1_2

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0150B1_2	Mood: Feeling down, depressed, or hopeless: P (D)	Asmt	Code	1	1727-1727

Item Values

Value	Value Text
0	No
1	Yes
9	No response
-	Not Assessed/No Information
^	Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the applicable FY annual increase factor.
-5094	Consistency	Fatal	(a) If D0150B1_2=[0], then D0150B2_2 must equal [0]. (b) If D0150B1_2=[1], then D0150B2_2 must equal [0,1,2,3]. (c) If D0150B1_2=[9,-,^], then D0150B2_2 must equal [^].
-5109	Consistency	Fatal	(a) If D0150A2_2 = [0,1] and D0150B2_2 = [0,1], then the following active items must equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (b) If D0150A1_2 = [-] or D0150B1_2 = [-], then the following active items must not equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (c) If D0150A1_2 = [9] and D0150B1_2 = [9], then the following active items must equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (d) If (D0150A2_2 = [^] and D0150B2_2 = [0,1]) OR (D0150A2_2 = [0,1] and D0150B2_2 = [^]), then the following active items must not equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (e) If D0150A2_2 = [2,3] or D0150B2_2 = [2,3], then the following active items must not equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (f) If D0150A1_2 = [^] and D0150B1_2 = [^], then the following active items must equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2.
-5154	Consistency	Fatal	Total Severity Score Calculation: (a) If (D0150A1_2 = [9] and D0150B1_2 = [9]) OR (D0150A1_2 = [^] and D0150B1_2 = [^]), then D0160_2 must equal [^]. (b) If D0150A2_2 = [0,1] and D0150B2_2 = [0,1], then D0160_2 must equal the sum of the values from D0150A2_2 and D0150B2_2.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Otherwise, the PHQ-9 must be completed, and D0160_2 must equal the sum of the values of the following nine items: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2. Format integer Items to nearest integer.

The following rules explain how to compute the score that is placed in item D0160_2.

(c) If the following items equal [0,1,2,3], then D0160_2 must equal the sum of these items: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2.

(d) If one of the following items = [^], then D0160_2 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2.

(e) If two of the following items = [^], then D0160_2 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2.

(f) If three or more of the following items = [^], then D0160_2 must equal [99]: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2.

-5165	Consistency	Fatal	(a) IF (44D=[02,63,65,66]) OR (14=[04]) OR (41=[1]) OR (44C=[0]), then the following items must equal [^]: B1300_2, C0100_2, D0150A1_2, D0150B1_2, D0700_2, J0510_2. (b) IF (44D=[01,03,04,06,50,51,61,62,64,99]) AND (14=[01,03,05,^]) AND (41=[0]) AND (44C=[1]), then the following items must not equal [^]: B1300_2, C0100_2, D0150A1_2, D0150B1_2, D0700_2, J0510_2.
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.
Consistency	-5004	[V5.02.0]-Added mapping to new item O0350. Added mappings to the M0300 admission items. Removed mappings to D0160_1 and D0160_2.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0150B2_1

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0150B2_1	Mood: Feeling down, depressed, or hopeless: F (A)	Asmt	Code	1	1728-1728

Item Values

Value	Value Text
0	Never or 1 day
1	2-6 days
2	7-11 days
3	12-14 days
^	Blank (Skip Pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5093	Consistency	Fatal	(a) If D0150B1_1=[0], then D0150B2_1 must equal [0]. (b) If D0150B1_1=[1], then D0150B2_1 must equal [0,1,2,3]. (c) If D0150B1_1=[9,-], then D0150B2_1 must equal [^].
-5108	Consistency	Fatal	(a) If D0150A2_1 = [0,1] and D0150B2_1 = [0,1], then the following active items must equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (b) If D0150A1_1 = [-] or D0150B1_1 = [-], then the following active items must not equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (c) If D0150A1_1 = [9] and D0150B1_1 = [9], then the following active items must equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (d) If (D0150A2_1 = [^] and D0150B2_1 = [0,1]) OR (D0150A2_1 = [0,1] and D0150B2_1 = [^]), then the following active items must not equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (e) If D0150A2_1 = [2,3] or D0150B2_1 = [2,3], then the following active items must not equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1.
-5153	Consistency	Fatal	Total Severity Score Calculation: (a) If D0150A1_1 = [9] and D0150B1_1 = [9], then D0160_1 must equal [^]. (b) If D0150A2_1 = [0,1] and D0150B2_1 = [0,1], then D0160_1 must equal the sum of the values from D0150A2_1 and D0150B2_1. Otherwise, the PHQ-9 must be completed, and D0160_1 must equal the sum of the values of the following nine items: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1. Format integer Items to nearest integer. The following rules explain how to compute the score that is placed in item D0160_1. (c) If the following items equal [0,1,2,3], then D0160_1 must equal the sum of these items: D0150A2_1,

Data Submission Specifications for the IRF-PAI (V5.02.0)
Detailed Data Specifications Report

Section: D

D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1.
(d) If one of the following items = [^], then D0160_1 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1.
(e) If two of the following items = [^], then D0160_1 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1.
(f) If three or more of the following items = [^], then D0160_1 must equal [99]: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1.

-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-------	--------	-------	---

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0150B2_2

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0150B2_2	Mood: Feeling down, depressed, or hopeless: F (D)	Asmt	Code	1	1729-1729

Item Values

Value	Value Text
0	Never or 1 day
1	2-6 days
2	7-11 days
3	12-14 days
^	Blank (Skip Pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5094	Consistency	Fatal	(a) If D0150B1_2=[0], then D0150B2_2 must equal [0]. (b) If D0150B1_2=[1], then D0150B2_2 must equal [0,1,2,3]. (c) If D0150B1_2=[9,-,^], then D0150B2_2 must equal [^].
-5109	Consistency	Fatal	(a) If D0150A2_2 = [0,1] and D0150B2_2 = [0,1], then the following active items must equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (b) If D0150A1_2 = [-] or D0150B1_2 = [-], then the following active items must not equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (c) If D0150A1_2 = [9] and D0150B1_2 = [9], then the following active items must equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (d) If (D0150A2_2 = [^] and D0150B2_2 = [0,1]) OR (D0150A2_2 = [0,1] and D0150B2_2 = [^]), then the following active items must not equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (e) If D0150A2_2 = [2,3] or D0150B2_2 = [2,3], then the following active items must not equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (f) If D0150A1_2 = [^] and D0150B1_2 = [^], then the following active items must equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2.
-5154	Consistency	Fatal	Total Severity Score Calculation: (a) If (D0150A1_2 = [9] and D0150B1_2 = [9]) OR (D0150A1_2 = [^] and D0150B1_2 = [^]), then D0160_2 must equal [^]. (b) If D0150A2_2 = [0,1] and D0150B2_2 = [0,1], then D0160_2 must equal the sum of the values from D0150A2_2 and D0150B2_2. Otherwise, the PHQ-9 must be completed, and D0160_2 must equal the sum of the values of the following nine items: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2,

Data Submission Specifications for the IRF-PAI (V5.02.0)
Detailed Data Specifications Report

Section: D

D0150H2_2, D0150I_2. Format integer Items to nearest integer.

The following rules explain how to compute the score that is placed in item D0160_2.

(c) If the following items equal [0,1,2,3], then D0160_2 must equal the sum of these items: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2.

(d) If one of the following items = [^], then D0160_2 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2.

(e) If two of the following items = [^], then D0160_2 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2.

(f) If three or more of the following items = [^], then D0160_2 must equal [99]: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2.

-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-------	--------	-------	---

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0150C1_1

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0150C1_1	Mood: Trouble falling or staying asleep: P (A)	Asmt	Code	1	1730-1730

Item Values

Value	Value Text
0	No
1	Yes
9	No response
-	Not Assessed/No Information
^	Blank (Skip Pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the applicable FY annual increase factor.
-5095	Consistency	Fatal	(a) If D0150C1_1=[0], then D0150C2_1 must equal [0]. (b) If D0150C1_1=[1], then D0150C2_1 must equal [0,1,2,3]. (c) If D0150C1_1=[9,^,-], then D0150C2_1 must equal [^].
-5108	Consistency	Fatal	(a) If D0150A2_1 = [0,1] and D0150B2_1 = [0,1], then the following active items must equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (b) If D0150A1_1 = [-] or D0150B1_1 = [-], then the following active items must not equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (c) If D0150A1_1 = [9] and D0150B1_1 = [9], then the following active items must equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (d) If (D0150A2_1 = [^] and D0150B2_1 = [0,1]) OR (D0150A2_1 = [0,1] and D0150B2_1 = [^]), then the following active items must not equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (e) If D0150A2_1 = [2,3] or D0150B2_1 = [2,3], then the following active items must not equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1.
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.
Consistency	-5004	[V5.02.0]-Added mapping to new item O0350. Added mappings to the M0300 admission items. Removed mappings to D0160_1 and D0160_2.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0150C1_2

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0150C1_2	Mood: Trouble falling or staying asleep: P (D)	Asmt	Code	1	1731-1731

Item Values

Value	Value Text
0	No
1	Yes
9	No response
-	Not Assessed/No Information
^	Blank (Skip Pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the applicable FY annual increase factor.
-5109	Consistency	Fatal	(a) If D0150A2_2 = [0,1] and D0150B2_2 = [0,1], then the following active items must equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (b) If D0150A1_2 = [-] or D0150B1_2 = [-], then the following active items must not equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (c) If D0150A1_2 = [9] and D0150B1_2 = [9], then the following active items must equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (d) If (D0150A2_2 = [^] and D0150B2_2 = [0,1]) OR (D0150A2_2 = [0,1] and D0150B2_2 = [^]), then the following active items must not equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (e) If D0150A2_2 = [2,3] or D0150B2_2 = [2,3], then the following active items must not equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (f) If D0150A1_2 = [^] and D0150B1_2 = [^], then the following active items must equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2.
-5155	Consistency	Fatal	(a) If D0150C1_2=[0], then D0150C2_2 must equal [0]. (b) If D0150C1_2=[1], then D0150C2_2 must equal [0,1,2,3]. (c) If D0150C1_2=[9,^,-], then D0150C2_2 must equal [^].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.
Consistency	-5004	[V5.02.0]-Added mapping to new item O0350. Added mappings to the M0300 admission items. Removed mappings to D0160_1 and D0160_2.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0150C2_1

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0150C2_1	Mood: Trouble falling or staying asleep: F (A)	Asmt	Code	1	1732-1732

Item Values

Value	Value Text
0	Never or 1 day
1	2-6 days
2	7-11 days
3	12-14 days
^	Blank (Skip Pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5095	Consistency	Fatal	(a) If D0150C1_1=[0], then D0150C2_1 must equal [0]. (b) If D0150C1_1=[1], then D0150C2_1 must equal [0,1,2,3]. (c) If D0150C1_1=[9,^,-], then D0150C2_1 must equal [^].
-5153	Consistency	Fatal	Total Severity Score Calculation: (a) If D0150A1_1 = [9] and D0150B1_1 = [9], then D0160_1 must equal [^]. (b) If D0150A2_1 = [0,1] and D0150B2_1 = [0,1], then D0160_1 must equal the sum of the values from D0150A2_1 and D0150B2_1. Otherwise, the PHQ-9 must be completed, and D0160_1 must equal the sum of the values of the following nine items: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1. Format integer Items to nearest integer. The following rules explain how to compute the score that is placed in item D0160_1. (c) If the following items equal [0,1,2,3], then D0160_1 must equal the sum of these items: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1. (d) If one of the following items = [^], then D0160_1 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1. (e) If two of the following items = [^], then D0160_1 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1. (f) If three or more of the following items = [^], then D0160_1 must equal [99]: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1.
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for the IRF-PAI (V5.02.0)
Detailed Data Specifications Report
Section: D

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0150C2_2

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0150C2_2	Mood: Trouble falling or staying asleep: F (D)	Asmt	Code	1	1733-1733

Item Values

Value	Value Text
0	Never or 1 day
1	2-6 days
2	7-11 days
3	12-14 days
^	Blank (Skip Pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5154	Consistency	Fatal	<p>Total Severity Score Calculation:</p> <p>(a) If (D0150A1_2 = [9] and D0150B1_2 = [9]) OR (D0150A1_2 = [^] and D0150B1_2 = [^]), then D0160_2 must equal [^].</p> <p>(b) If D0150A2_2 = [0,1] and D0150B2_2 = [0,1], then D0160_2 must equal the sum of the values from D0150A2_2 and D0150B2_2.</p> <p>Otherwise, the PHQ-9 must be completed, and D0160_2 must equal the sum of the values of the following nine items: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2. Format integer Items to nearest integer.</p> <p>The following rules explain how to compute the score that is placed in item D0160_2.</p> <p>(c) If the following items equal [0,1,2,3], then D0160_2 must equal the sum of these items: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2.</p> <p>(d) If one of the following items = [^], then D0160_2 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2.</p> <p>(e) If two of the following items = [^], then D0160_2 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2.</p> <p>(f) If three or more of the following items = [^], then D0160_2 must equal [99]: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2.</p>
-5155	Consistency	Fatal	<p>(a) If D0150C1_2=[0], then D0150C2_2 must equal [0].</p> <p>(b) If D0150C1_2=[1], then D0150C2_2 must equal [0,1,2,3].</p> <p>(c) If D0150C1_2=[9,^,-], then D0150C2_2 must equal [^].</p>
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for the IRF-PAI (V5.02.0)
Detailed Data Specifications Report
Section: D

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0150D1_1

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0150D1_1	Mood: Feeling tired or having little energy: P (A)	Asmt	Code	1	1734-1734

Item Values

Value	Value Text
0	No
1	Yes
9	No response
-	Not Assessed/No Information
^	Blank (Skip Pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the applicable FY annual increase factor.
-5096	Consistency	Fatal	(a) If D0150D1_1=[0], then D0150D2_1 must equal [0]. (b) If D0150D1_1=[1], then D0150D2_1 must equal [0,1,2,3]. (c) If D0150D1_1=[9,^,-], then D0150D2_1 must equal [^].
-5108	Consistency	Fatal	(a) If D0150A2_1 = [0,1] and D0150B2_1 = [0,1], then the following active items must equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (b) If D0150A1_1 = [-] or D0150B1_1 = [-], then the following active items must not equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (c) If D0150A1_1 = [9] and D0150B1_1 = [9], then the following active items must equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (d) If (D0150A2_1 = [^] and D0150B2_1 = [0,1]) OR (D0150A2_1 = [0,1] and D0150B2_1 = [^]), then the following active items must not equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (e) If D0150A2_1 = [2,3] or D0150B2_1 = [2,3], then the following active items must not equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1.
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.
Consistency	-5004	[V5.02.0]-Added mapping to new item O0350. Added mappings to the M0300 admission items. Removed mappings to D0160_1 and D0160_2.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0150D1_2

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0150D1_2	Mood: Feeling tired or having little energy: P (D)	Asmt	Code	1	1735-1735

Item Values

Value	Value Text
0	No
1	Yes
9	No response
-	Not Assessed/No Information
^	Blank (Skip Pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the applicable FY annual increase factor.
-5097	Consistency	Fatal	(a) If D0150D1_2=[0], then D0150D2_2 must equal [0]. (b) If D0150D1_2=[1], then D0150D2_2 must equal [0,1,2,3]. (c) If D0150D1_2=[9,^,-], then D0150D2_2 must equal [^].
-5109	Consistency	Fatal	(a) If D0150A2_2 = [0,1] and D0150B2_2 = [0,1], then the following active items must equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (b) If D0150A1_2 = [-] or D0150B1_2 = [-], then the following active items must not equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (c) If D0150A1_2 = [9] and D0150B1_2 = [9], then the following active items must equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (d) If (D0150A2_2 = [^] and D0150B2_2 = [0,1]) OR (D0150A2_2 = [0,1] and D0150B2_2 = [^]), then the following active items must not equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (e) If D0150A2_2 = [2,3] or D0150B2_2 = [2,3], then the following active items must not equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (f) If D0150A1_2 = [^] and D0150B1_2 = [^], then the following active items must equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2.
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.
Consistency	-5004	[V5.02.0]-Added mapping to new item O0350. Added mappings to the M0300 admission items. Removed mappings to D0160_1 and D0160_2.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0150D2_1

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0150D2_1	Mood: Feeling tired or having little energy: F (A)	Asmt	Code	1	1736-1736

Item Values

Value	Value Text
0	Never or 1 day
1	2-6 days
2	7-11 days
3	12-14 days
^	Blank (Skip Pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5096	Consistency	Fatal	(a) If D0150D1_1=[0], then D0150D2_1 must equal [0]. (b) If D0150D1_1=[1], then D0150D2_1 must equal [0,1,2,3]. (c) If D0150D1_1=[9,^,-], then D0150D2_1 must equal [^].
-5153	Consistency	Fatal	Total Severity Score Calculation: (a) If D0150A1_1 = [9] and D0150B1_1 = [9], then D0160_1 must equal [^]. (b) If D0150A2_1 = [0,1] and D0150B2_1 = [0,1], then D0160_1 must equal the sum of the values from D0150A2_1 and D0150B2_1. Otherwise, the PHQ-9 must be completed, and D0160_1 must equal the sum of the values of the following nine items: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1. Format integer Items to nearest integer. The following rules explain how to compute the score that is placed in item D0160_1. (c) If the following items equal [0,1,2,3], then D0160_1 must equal the sum of these items: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1. (d) If one of the following items = [^], then D0160_1 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1. (e) If two of the following items = [^], then D0160_1 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1. (f) If three or more of the following items = [^], then D0160_1 must equal [99]: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1.
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for the IRF-PAI (V5.02.0)
Detailed Data Specifications Report
Section: D

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0150D2_2

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0150D2_2	Mood: Feeling tired or having little energy: F (D)	Asmt	Code	1	1737-1737

Item Values

Value	Value Text
0	Never or 1 day
1	2-6 days
2	7-11 days
3	12-14 days
^	Blank (Skip Pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5097	Consistency	Fatal	(a) If D0150D1_2=[0], then D0150D2_2 must equal [0]. (b) If D0150D1_2=[1], then D0150D2_2 must equal [0,1,2,3]. (c) If D0150D1_2=[9,^,-], then D0150D2_2 must equal [^].
-5154	Consistency	Fatal	Total Severity Score Calculation: (a) If (D0150A1_2 = [9] and D0150B1_2 = [9]) OR (D0150A1_2 = [^] and D0150B1_2 = [^]), then D0160_2 must equal [^]. (b) If D0150A2_2 = [0,1] and D0150B2_2 = [0,1], then D0160_2 must equal the sum of the values from D0150A2_2 and D0150B2_2. Otherwise, the PHQ-9 must be completed, and D0160_2 must equal the sum of the values of the following nine items: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2. Format integer Items to nearest integer. The following rules explain how to compute the score that is placed in item D0160_2. (c) If the following items equal [0,1,2,3], then D0160_2 must equal the sum of these items: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2. (d) If one of the following items = [^], then D0160_2 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2. (e) If two of the following items = [^], then D0160_2 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2. (f) If three or more of the following items = [^], then D0160_2 must equal [99]: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2.
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for the IRF-PAI (V5.02.0)
Detailed Data Specifications Report
Section: D

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0150E1_1

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0150E1_1	Mood: Poor appetite or overeating: P (A)	Asmt	Code	1	1738-1738

Item Values

Value	Value Text
0	No
1	Yes
9	No response
-	Not Assessed/No Information
^	Blank (Skip Pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the applicable FY annual increase factor.
-5098	Consistency	Fatal	(a) If D0150E1_1=[0], then D0150E2_1 must equal [0]. (b) If D0150E1_1=[1], then D0150E2_1 must equal [0,1,2,3]. (c) If D0150E1_1=[9,^,-], then D0150E2_1 must equal [^].
-5108	Consistency	Fatal	(a) If D0150A2_1 = [0,1] and D0150B2_1 = [0,1], then the following active items must equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (b) If D0150A1_1 = [-] or D0150B1_1 = [-], then the following active items must not equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (c) If D0150A1_1 = [9] and D0150B1_1 = [9], then the following active items must equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (d) If (D0150A2_1 = [^] and D0150B2_1 = [0,1]) OR (D0150A2_1 = [0,1] and D0150B2_1 = [^]), then the following active items must not equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (e) If D0150A2_1 = [2,3] or D0150B2_1 = [2,3], then the following active items must not equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1.
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.
Consistency	-5004	[V5.02.0]-Added mapping to new item O0350. Added mappings to the M0300 admission items. Removed mappings to D0160_1 and D0160_2.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0150E1_2

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0150E1_2	Mood: Poor appetite or overeating: P (D)	Asmt	Code	1	1739-1739

Item Values

Value	Value Text
0	No
1	Yes
9	No response
-	Not Assessed/No Information
^	Blank (Skip Pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the applicable FY annual increase factor.
-5099	Consistency	Fatal	(a) If D0150E1_2=[0], then D0150E2_2 must equal [0]. (b) If D0150E1_2=[1], then D0150E2_2 must equal [0,1,2,3]. (c) If D0150E1_2=[9,^,-], then D0150E2_2 must equal [^].
-5109	Consistency	Fatal	(a) If D0150A2_2 = [0,1] and D0150B2_2 = [0,1], then the following active items must equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (b) If D0150A1_2 = [-] or D0150B1_2 = [-], then the following active items must not equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (c) If D0150A1_2 = [9] and D0150B1_2 = [9], then the following active items must equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (d) If (D0150A2_2 = [^] and D0150B2_2 = [0,1]) OR (D0150A2_2 = [0,1] and D0150B2_2 = [^]), then the following active items must not equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (e) If D0150A2_2 = [2,3] or D0150B2_2 = [2,3], then the following active items must not equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (f) If D0150A1_2 = [^] and D0150B1_2 = [^], then the following active items must equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2.
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.
Consistency	-5004	[V5.02.0]-Added mapping to new item O0350. Added mappings to the M0300 admission items. Removed mappings to D0160_1 and D0160_2.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0150E2_1

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0150E2_1	Mood: Poor appetite or overeating: F (A)	Asmt	Code	1	1740-1740

Item Values

Value	Value Text
0	Never or 1 day
1	2-6 days
2	7-11 days
3	12-14 days
^	Blank (Skip Pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5098	Consistency	Fatal	(a) If D0150E1_1=[0], then D0150E2_1 must equal [0]. (b) If D0150E1_1=[1], then D0150E2_1 must equal [0,1,2,3]. (c) If D0150E1_1=[9,^,-], then D0150E2_1 must equal [^].
-5153	Consistency	Fatal	Total Severity Score Calculation: (a) If D0150A1_1 = [9] and D0150B1_1 = [9], then D0160_1 must equal [^]. (b) If D0150A2_1 = [0,1] and D0150B2_1 = [0,1], then D0160_1 must equal the sum of the values from D0150A2_1 and D0150B2_1. Otherwise, the PHQ-9 must be completed, and D0160_1 must equal the sum of the values of the following nine items: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1. Format integer Items to nearest integer. The following rules explain how to compute the score that is placed in item D0160_1. (c) If the following items equal [0,1,2,3], then D0160_1 must equal the sum of these items: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1. (d) If one of the following items = [^], then D0160_1 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1. (e) If two of the following items = [^], then D0160_1 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1. (f) If three or more of the following items = [^], then D0160_1 must equal [99]: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1.
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for the IRF-PAI (V5.02.0)
Detailed Data Specifications Report
Section: D

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0150E2_2

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0150E2_2	Mood: Poor appetite or overeating: F (D)	Asmt	Code	1	1741-1741

Item Values

Value	Value Text
0	Never or 1 day
1	2-6 days
2	7-11 days
3	12-14 days
^	Blank (Skip Pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5099	Consistency	Fatal	(a) If D0150E1_2=[0], then D0150E2_2 must equal [0]. (b) If D0150E1_2=[1], then D0150E2_2 must equal [0,1,2,3]. (c) If D0150E1_2=[9,^,-], then D0150E2_2 must equal [^].
-5154	Consistency	Fatal	Total Severity Score Calculation: (a) If (D0150A1_2 = [9] and D0150B1_2 = [9]) OR (D0150A1_2 = [^] and D0150B1_2 = [^]), then D0160_2 must equal [^]. (b) If D0150A2_2 = [0,1] and D0150B2_2 = [0,1], then D0160_2 must equal the sum of the values from D0150A2_2 and D0150B2_2. Otherwise, the PHQ-9 must be completed, and D0160_2 must equal the sum of the values of the following nine items: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2. Format integer Items to nearest integer. The following rules explain how to compute the score that is placed in item D0160_2. (c) If the following items equal [0,1,2,3], then D0160_2 must equal the sum of these items: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2. (d) If one of the following items = [^], then D0160_2 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2. (e) If two of the following items = [^], then D0160_2 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2. (f) If three or more of the following items = [^], then D0160_2 must equal [99]: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2.
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for the IRF-PAI (V5.02.0)
Detailed Data Specifications Report
Section: D

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0150F1_1

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0150F1_1	Mood: Feeling bad about yourself: P (A)	Asmt	Code	1	1742-1742

Item Values

Value	Value Text
0	No
1	Yes
9	No response
-	Not Assessed/No Information
^	Blank (Skip Pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the applicable FY annual increase factor.
-5100	Consistency	Fatal	(a) If D0150F1_1=[0], then D0150F2_1 must equal [0]. (b) If D0150F1_1=[1], then D0150F2_1 must equal [0,1,2,3]. (c) If D0150F1_1=[9,^,-], then D0150F2_1 must equal [^].
-5108	Consistency	Fatal	(a) If D0150A2_1 = [0,1] and D0150B2_1 = [0,1], then the following active items must equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (b) If D0150A1_1 = [-] or D0150B1_1 = [-], then the following active items must not equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (c) If D0150A1_1 = [9] and D0150B1_1 = [9], then the following active items must equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (d) If (D0150A2_1 = [^] and D0150B2_1 = [0,1]) OR (D0150A2_1 = [0,1] and D0150B2_1 = [^]), then the following active items must not equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (e) If D0150A2_1 = [2,3] or D0150B2_1 = [2,3], then the following active items must not equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1.
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.
Consistency	-5004	[V5.02.0]-Added mapping to new item O0350. Added mappings to the M0300 admission items. Removed mappings to D0160_1 and D0160_2.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0150F1_2

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0150F1_2	Mood: Feeling bad about yourself: P (D)	Asmt	Code	1	1743-1743

Item Values

Value	Value Text
0	No
1	Yes
9	No response
-	Not Assessed/No Information
^	Blank (Skip Pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the applicable FY annual increase factor.
-5101	Consistency	Fatal	(a) If D0150F1_2=[0], then D0150F2_2 must equal [0]. (b) If D0150F1_2=[1], then D0150F2_2 must equal [0,1,2,3]. (c) If D0150F1_2=[9,^,-], then D0150F2_2 must equal [^].
-5109	Consistency	Fatal	(a) If D0150A2_2 = [0,1] and D0150B2_2 = [0,1], then the following active items must equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (b) If D0150A1_2 = [-] or D0150B1_2 = [-], then the following active items must not equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (c) If D0150A1_2 = [9] and D0150B1_2 = [9], then the following active items must equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (d) If (D0150A2_2 = [^] and D0150B2_2 = [0,1]) OR (D0150A2_2 = [0,1] and D0150B2_2 = [^]), then the following active items must not equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (e) If D0150A2_2 = [2,3] or D0150B2_2 = [2,3], then the following active items must not equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (f) If D0150A1_2 = [^] and D0150B1_2 = [^], then the following active items must equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2.
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.
Consistency	-5004	[V5.02.0]-Added mapping to new item O0350. Added mappings to the M0300 admission items. Removed mappings to D0160_1 and D0160_2.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0150F2_1

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0150F2_1	Mood: Feeling bad about yourself: F (A)	Asmt	Code	1	1744-1744

Item Values

Value	Value Text
0	Never or 1 day
1	2-6 days
2	7-11 days
3	12-14 days
^	Blank (Skip Pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5100	Consistency	Fatal	(a) If D0150F1_1=[0], then D0150F2_1 must equal [0]. (b) If D0150F1_1=[1], then D0150F2_1 must equal [0,1,2,3]. (c) If D0150F1_1=[9,^,-], then D0150F2_1 must equal [^].
-5153	Consistency	Fatal	Total Severity Score Calculation: (a) If D0150A1_1 = [9] and D0150B1_1 = [9], then D0160_1 must equal [^]. (b) If D0150A2_1 = [0,1] and D0150B2_1 = [0,1], then D0160_1 must equal the sum of the values from D0150A2_1 and D0150B2_1. Otherwise, the PHQ-9 must be completed, and D0160_1 must equal the sum of the values of the following nine items: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1. Format integer Items to nearest integer. The following rules explain how to compute the score that is placed in item D0160_1. (c) If the following items equal [0,1,2,3], then D0160_1 must equal the sum of these items: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1. (d) If one of the following items = [^], then D0160_1 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1. (e) If two of the following items = [^], then D0160_1 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1. (f) If three or more of the following items = [^], then D0160_1 must equal [99]: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1.
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for the IRF-PAI (V5.02.0)
Detailed Data Specifications Report
Section: D

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0150F2_2

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0150F2_2	Mood: Feeling bad about yourself: F (D)	Asmt	Code	1	1745-1745

Item Values

Value	Value Text
0	Never or 1 day
1	2-6 days
2	7-11 days
3	12-14 days
^	Blank (Skip Pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5101	Consistency	Fatal	(a) If D0150F1_2=[0], then D0150F2_2 must equal [0]. (b) If D0150F1_2=[1], then D0150F2_2 must equal [0,1,2,3]. (c) If D0150F1_2=[9,^,-], then D0150F2_2 must equal [^].
-5154	Consistency	Fatal	Total Severity Score Calculation: (a) If (D0150A1_2 = [9] and D0150B1_2 = [9]) OR (D0150A1_2 = [^] and D0150B1_2 = [^]), then D0160_2 must equal [^]. (b) If D0150A2_2 = [0,1] and D0150B2_2 = [0,1], then D0160_2 must equal the sum of the values from D0150A2_2 and D0150B2_2. Otherwise, the PHQ-9 must be completed, and D0160_2 must equal the sum of the values of the following nine items: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2. Format integer Items to nearest integer. The following rules explain how to compute the score that is placed in item D0160_2. (c) If the following items equal [0,1,2,3], then D0160_2 must equal the sum of these items: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2. (d) If one of the following items = [^], then D0160_2 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2. (e) If two of the following items = [^], then D0160_2 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2. (f) If three or more of the following items = [^], then D0160_2 must equal [99]: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2.
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for the IRF-PAI (V5.02.0)
Detailed Data Specifications Report
Section: D

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0150G1_1

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0150G1_1	Mood: Trouble concentrating on things: P (A)	Asmt	Code	1	1746-1746

Item Values

Value	Value Text
0	No
1	Yes
9	No response
-	Not Assessed/No Information
^	Blank (Skip Pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the applicable FY annual increase factor.
-5102	Consistency	Fatal	(a) If D0150G1_1=[0], then D0150G2_1 must equal [0]. (b) If D0150G1_1=[1], then D0150G2_1 must equal [0,1,2,3]. (c) If D0150G1_1=[9,^,-], then D0150G2_1 must equal [^].
-5108	Consistency	Fatal	(a) If D0150A2_1 = [0,1] and D0150B2_1 = [0,1], then the following active items must equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (b) If D0150A1_1 = [-] or D0150B1_1 = [-], then the following active items must not equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (c) If D0150A1_1 = [9] and D0150B1_1 = [9], then the following active items must equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (d) If (D0150A2_1 = [^] and D0150B2_1 = [0,1]) OR (D0150A2_1 = [0,1] and D0150B2_1 = [^]), then the following active items must not equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (e) If D0150A2_1 = [2,3] or D0150B2_1 = [2,3], then the following active items must not equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1.
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.
Consistency	-5004	[V5.02.0]-Added mapping to new item O0350. Added mappings to the M0300 admission items. Removed mappings to D0160_1 and D0160_2.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0150G1_2

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0150G1_2	Mood: Trouble concentrating on things: P (D)	Asmt	Code	1	1747-1747

Item Values

Value	Value Text
0	No
1	Yes
9	No response
-	Not Assessed/No Information
^	Blank (Skip Pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the applicable FY annual increase factor.
-5103	Consistency	Fatal	(a) If D0150G1_2=[0], then D0150G2_2 must equal [0]. (b) If D0150G1_2=[1], then D0150G2_2 must equal [0,1,2,3]. (c) If D0150G1_2=[9,^,-], then D0150G2_2 must equal [^].
-5109	Consistency	Fatal	(a) If D0150A2_2 = [0,1] and D0150B2_2 = [0,1], then the following active items must equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (b) If D0150A1_2 = [-] or D0150B1_2 = [-], then the following active items must not equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (c) If D0150A1_2 = [9] and D0150B1_2 = [9], then the following active items must equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (d) If (D0150A2_2 = [^] and D0150B2_2 = [0,1]) OR (D0150A2_2 = [0,1] and D0150B2_2 = [^]), then the following active items must not equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (e) If D0150A2_2 = [2,3] or D0150B2_2 = [2,3], then the following active items must not equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (f) If D0150A1_2 = [^] and D0150B1_2 = [^], then the following active items must equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2.
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.
Consistency	-5004	[V5.02.0]-Added mapping to new item O0350. Added mappings to the M0300 admission items. Removed mappings to D0160_1 and D0160_2.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0150G2_1

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0150G2_1	Mood: Trouble concentrating on things: F (A)	Asmt	Code	1	1748-1748

Item Values

Value	Value Text
0	Never or 1 day
1	2-6 days
2	7-11 days
3	12-14 days
^	Blank (Skip Pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5102	Consistency	Fatal	(a) If D0150G1_1=[0], then D0150G2_1 must equal [0]. (b) If D0150G1_1=[1], then D0150G2_1 must equal [0,1,2,3]. (c) If D0150G1_1=[9,^,-], then D0150G2_1 must equal [^].
-5153	Consistency	Fatal	Total Severity Score Calculation: (a) If D0150A1_1 = [9] and D0150B1_1 = [9], then D0160_1 must equal [^]. (b) If D0150A2_1 = [0,1] and D0150B2_1 = [0,1], then D0160_1 must equal the sum of the values from D0150A2_1 and D0150B2_1. Otherwise, the PHQ-9 must be completed, and D0160_1 must equal the sum of the values of the following nine items: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1. Format integer Items to nearest integer. The following rules explain how to compute the score that is placed in item D0160_1. (c) If the following items equal [0,1,2,3], then D0160_1 must equal the sum of these items: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1. (d) If one of the following items = [^], then D0160_1 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1. (e) If two of the following items = [^], then D0160_1 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1. (f) If three or more of the following items = [^], then D0160_1 must equal [99]: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1.
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for the IRF-PAI (V5.02.0)
Detailed Data Specifications Report
Section: D

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0150G2_2

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0150G2_2	Mood: Trouble concentrating on things: F (D)	Asmt	Code	1	1749-1749

Item Values

Value	Value Text
0	Never or 1 day
1	2-6 days
2	7-11 days
3	12-14 days
^	Blank (Skip Pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5103	Consistency	Fatal	(a) If D0150G1_2=[0], then D0150G2_2 must equal [0]. (b) If D0150G1_2=[1], then D0150G2_2 must equal [0,1,2,3]. (c) If D0150G1_2=[9,^,-], then D0150G2_2 must equal [^].
-5154	Consistency	Fatal	Total Severity Score Calculation: (a) If (D0150A1_2 = [9] and D0150B1_2 = [9]) OR (D0150A1_2 = [^] and D0150B1_2 = [^]), then D0160_2 must equal [^]. (b) If D0150A2_2 = [0,1] and D0150B2_2 = [0,1], then D0160_2 must equal the sum of the values from D0150A2_2 and D0150B2_2. Otherwise, the PHQ-9 must be completed, and D0160_2 must equal the sum of the values of the following nine items: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2. Format integer Items to nearest integer. The following rules explain how to compute the score that is placed in item D0160_2. (c) If the following items equal [0,1,2,3], then D0160_2 must equal the sum of these items: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2. (d) If one of the following items = [^], then D0160_2 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2. (e) If two of the following items = [^], then D0160_2 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2. (f) If three or more of the following items = [^], then D0160_2 must equal [99]: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2.
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for the IRF-PAI (V5.02.0)
Detailed Data Specifications Report
Section: D

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0150H1_1

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0150H1_1	Mood: Moving or speaking so slowly: P (A)	Asmt	Code	1	1750-1750

Item Values

Value	Value Text
0	No
1	Yes
9	No response
-	Not Assessed/No Information
^	Blank (Skip Pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the applicable FY annual increase factor.
-5104	Consistency	Fatal	(a) If D0150H1_1=[0], then D0150H2_1 must equal [0]. (b) If D0150H1_1=[1], then D0150H2_1 must equal [0,1,2,3]. (c) If D0150H1_1=[9,^,-], then D0150H2_1 must equal [^].
-5108	Consistency	Fatal	(a) If D0150A2_1 = [0,1] and D0150B2_1 = [0,1], then the following active items must equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (b) If D0150A1_1 = [-] or D0150B1_1 = [-], then the following active items must not equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (c) If D0150A1_1 = [9] and D0150B1_1 = [9], then the following active items must equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (d) If (D0150A2_1 = [^] and D0150B2_1 = [0,1]) OR (D0150A2_1 = [0,1] and D0150B2_1 = [^]), then the following active items must not equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (e) If D0150A2_1 = [2,3] or D0150B2_1 = [2,3], then the following active items must not equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1.
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.
Consistency	-5004	[V5.02.0]-Added mapping to new item O0350. Added mappings to the M0300 admission items. Removed mappings to D0160_1 and D0160_2.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0150H1_2

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0150H1_2	Mood: Moving or speaking so slowly: P (D)	Asmt	Code	1	1751-1751

Item Values

Value	Value Text
0	No
1	Yes
9	No response
-	Not Assessed/No Information
^	Blank (Skip Pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the applicable FY annual increase factor.
-5105	Consistency	Fatal	(a) If D0150H1_2=[0], then D0150H2_2 must equal [0]. (b) If D0150H1_2=[1], then D0150H2_2 must equal [0,1,2,3]. (c) If D0150H1_2=[9,^,-], then D0150H2_2 must equal [^].
-5109	Consistency	Fatal	(a) If D0150A2_2 = [0,1] and D0150B2_2 = [0,1], then the following active items must equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (b) If D0150A1_2 = [-] or D0150B1_2 = [-], then the following active items must not equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (c) If D0150A1_2 = [9] and D0150B1_2 = [9], then the following active items must equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (d) If (D0150A2_2 = [^] and D0150B2_2 = [0,1]) OR (D0150A2_2 = [0,1] and D0150B2_2 = [^]), then the following active items must not equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (e) If D0150A2_2 = [2,3] or D0150B2_2 = [2,3], then the following active items must not equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (f) If D0150A1_2 = [^] and D0150B1_2 = [^], then the following active items must equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2.
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.
Consistency	-5004	[V5.02.0]-Added mapping to new item O0350. Added mappings to the M0300 admission items. Removed mappings to D0160_1 and D0160_2.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0150H2_1

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0150H2_1	Mood: Moving or speaking so slowly: F (A)	Asmt	Code	1	1752-1752

Item Values

Value	Value Text
0	Never or 1 day
1	2-6 days
2	7-11 days
3	12-14 days
^	Blank (Skip Pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5104	Consistency	Fatal	(a) If D0150H1_1=[0], then D0150H2_1 must equal [0]. (b) If D0150H1_1=[1], then D0150H2_1 must equal [0,1,2,3]. (c) If D0150H1_1=[9,^,-], then D0150H2_1 must equal [^].
-5153	Consistency	Fatal	Total Severity Score Calculation: (a) If D0150A1_1 = [9] and D0150B1_1 = [9], then D0160_1 must equal [^]. (b) If D0150A2_1 = [0,1] and D0150B2_1 = [0,1], then D0160_1 must equal the sum of the values from D0150A2_1 and D0150B2_1. Otherwise, the PHQ-9 must be completed, and D0160_1 must equal the sum of the values of the following nine items: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1. Format integer Items to nearest integer. The following rules explain how to compute the score that is placed in item D0160_1. (c) If the following items equal [0,1,2,3], then D0160_1 must equal the sum of these items: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1. (d) If one of the following items = [^], then D0160_1 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1. (e) If two of the following items = [^], then D0160_1 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1. (f) If three or more of the following items = [^], then D0160_1 must equal [99]: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1.
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for the IRF-PAI (V5.02.0)
Detailed Data Specifications Report
Section: D

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0150H2_2

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0150H2_2	Mood: Moving or speaking so slowly: F (D)	Asmt	Code	1	1753-1753

Item Values

Value	Value Text
0	Never or 1 day
1	2-6 days
2	7-11 days
3	12-14 days
^	Blank (Skip Pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5105	Consistency	Fatal	(a) If D0150H1_2=[0], then D0150H2_2 must equal [0]. (b) If D0150H1_2=[1], then D0150H2_2 must equal [0,1,2,3]. (c) If D0150H1_2=[9,^,-], then D0150H2_2 must equal [^].
-5154	Consistency	Fatal	Total Severity Score Calculation: (a) If (D0150A1_2 = [9] and D0150B1_2 = [9]) OR (D0150A1_2 = [^] and D0150B1_2 = [^]), then D0160_2 must equal [^]. (b) If D0150A2_2 = [0,1] and D0150B2_2 = [0,1], then D0160_2 must equal the sum of the values from D0150A2_2 and D0150B2_2. Otherwise, the PHQ-9 must be completed, and D0160_2 must equal the sum of the values of the following nine items: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2. Format integer Items to nearest integer. The following rules explain how to compute the score that is placed in item D0160_2. (c) If the following items equal [0,1,2,3], then D0160_2 must equal the sum of these items: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2. (d) If one of the following items = [^], then D0160_2 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2. (e) If two of the following items = [^], then D0160_2 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2. (f) If three or more of the following items = [^], then D0160_2 must equal [99]: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2.
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for the IRF-PAI (V5.02.0)
Detailed Data Specifications Report
Section: D

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0150I1_1

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0150I1_1	Mood: Thoughts of better off dead: P (A)	Asmt	Code	1	1754-1754

Item Values

Value	Value Text
0	No
1	Yes
9	No response
-	Not Assessed/No Information
^	Blank (Skip Pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the applicable FY annual increase factor.
-5106	Consistency	Fatal	(a) If D0150I1_1=[0], then D0150I2_1 must equal [0]. (b) If D0150I1_1=[1], then D0150I2_1 must equal [0,1,2,3]. (c) If D0150I1_1=[9,^,-], then D0150I2_1 must equal [^].
-5108	Consistency	Fatal	(a) If D0150A2_1 = [0,1] and D0150B2_1 = [0,1], then the following active items must equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (b) If D0150A1_1 = [-] or D0150B1_1 = [-], then the following active items must not equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (c) If D0150A1_1 = [9] and D0150B1_1 = [9], then the following active items must equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (d) If (D0150A2_1 = [^] and D0150B2_1 = [0,1]) OR (D0150A2_1 = [0,1] and D0150B2_1 = [^]), then the following active items must not equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1. (e) If D0150A2_1 = [2,3] or D0150B2_1 = [2,3], then the following active items must not equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1.
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.
Consistency	-5004	[V5.02.0]-Added mapping to new item O0350. Added mappings to the M0300 admission items. Removed mappings to D0160_1 and D0160_2.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0150I1_2

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0150I1_2	Mood: Thoughts of better off dead: P (D)	Asmt	Code	1	1755-1755

Item Values

Value	Value Text
0	No
1	Yes
9	No response
-	Not Assessed/No Information
^	Blank (Skip Pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5004	Consistency	Warning	A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the applicable FY annual increase factor.
-5107	Consistency	Fatal	(a) If D0150I1_2=[0], then D0150I2_2 must equal [0]. (b) If D0150I1_2=[1], then D0150I2_2 must equal [0,1,2,3]. (c) If D0150I1_2=[9,^,-], then D0150I2_2 must equal [^].
-5109	Consistency	Fatal	(a) If D0150A2_2 = [0,1] and D0150B2_2 = [0,1], then the following active items must equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (b) If D0150A1_2 = [-] or D0150B1_2 = [-], then the following active items must not equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (c) If D0150A1_2 = [9] and D0150B1_2 = [9], then the following active items must equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (d) If (D0150A2_2 = [^] and D0150B2_2 = [0,1]) OR (D0150A2_2 = [0,1] and D0150B2_2 = [^]), then the following active items must not equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (e) If D0150A2_2 = [2,3] or D0150B2_2 = [2,3], then the following active items must not equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2. (f) If D0150A1_2 = [^] and D0150B1_2 = [^], then the following active items must equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2.
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.
Consistency	-5004	[V5.02.0]-Added mapping to new item O0350. Added mappings to the M0300 admission items. Removed mappings to D0160_1 and D0160_2.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0150I2_1

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0150I2_1	Mood: Thoughts of better off dead: F (A)	Asmt	Code	1	1756-1756

Item Values

Value	Value Text
0	Never or 1 day
1	2-6 days
2	7-11 days
3	12-14 days
^	Blank (Skip Pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5106	Consistency	Fatal	(a) If D0150I1_1=[0], then D0150I2_1 must equal [0]. (b) If D0150I1_1=[1], then D0150I2_1 must equal [0,1,2,3]. (c) If D0150I1_1=[9,^,-], then D0150I2_1 must equal [^].
-5153	Consistency	Fatal	Total Severity Score Calculation: (a) If D0150A1_1 = [9] and D0150B1_1 = [9], then D0160_1 must equal [^]. (b) If D0150A2_1 = [0,1] and D0150B2_1 = [0,1], then D0160_1 must equal the sum of the values from D0150A2_1 and D0150B2_1. Otherwise, the PHQ-9 must be completed, and D0160_1 must equal the sum of the values of the following nine items: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1. Format integer Items to nearest integer. The following rules explain how to compute the score that is placed in item D0160_1. (c) If the following items equal [0,1,2,3], then D0160_1 must equal the sum of these items: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1. (d) If one of the following items = [^], then D0160_1 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1. (e) If two of the following items = [^], then D0160_1 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1. (f) If three or more of the following items = [^], then D0160_1 must equal [99]: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1.
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for the IRF-PAI (V5.02.0)
Detailed Data Specifications Report
Section: D

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0150I2_2

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0150I2_2	Mood: Thoughts of better off dead: F (D)	Asmt	Code	1	1757-1757

Item Values

Value	Value Text
0	Never or 1 day
1	2-6 days
2	7-11 days
3	12-14 days
^	Blank (Skip Pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5107	Consistency	Fatal	(a) If D0150I1_2=[0], then D0150I2_2 must equal [0]. (b) If D0150I1_2=[1], then D0150I2_2 must equal [0,1,2,3]. (c) If D0150I1_2=[9,^,-], then D0150I2_2 must equal [^].
-5154	Consistency	Fatal	Total Severity Score Calculation: (a) If (D0150A1_2 = [9] and D0150B1_2 = [9]) OR (D0150A1_2 = [^] and D0150B1_2 = [^]), then D0160_2 must equal [^]. (b) If D0150A2_2 = [0,1] and D0150B2_2 = [0,1], then D0160_2 must equal the sum of the values from D0150A2_2 and D0150B2_2. Otherwise, the PHQ-9 must be completed, and D0160_2 must equal the sum of the values of the following nine items: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2. Format integer Items to nearest integer. The following rules explain how to compute the score that is placed in item D0160_2. (c) If the following items equal [0,1,2,3], then D0160_2 must equal the sum of these items: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2. (d) If one of the following items = [^], then D0160_2 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2. (e) If two of the following items = [^], then D0160_2 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2. (f) If three or more of the following items = [^], then D0160_2 must equal [99]: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2.
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for the IRF-PAI (V5.02.0)
Detailed Data Specifications Report
Section: D

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0160_1

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0160_1	Total Severity Score (Adm)	Asmt	Number	2	1758-1759

Item Values

Value	Value Text
00	Minimum Total Severity Score
27	Maximum Total Severity Score
99	Patient was unable to complete the interview
^	Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5153	Consistency	Fatal	<p>Total Severity Score Calculation:</p> <p>(a) If D0150A1_1 = [9] and D0150B1_1 = [9], then D0160_1 must equal [^].</p> <p>(b) If D0150A2_1 = [0,1] and D0150B2_1 = [0,1], then D0160_1 must equal the sum of the values from D0150A2_1 and D0150B2_1.</p> <p>Otherwise, the PHQ-9 must be completed, and D0160_1 must equal the sum of the values of the following nine items: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1. Format integer Items to nearest integer.</p> <p>The following rules explain how to compute the score that is placed in item D0160_1.</p> <p>(c) If the following items equal [0,1,2,3], then D0160_1 must equal the sum of these items: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1.</p> <p>(d) If one of the following items = [^], then D0160_1 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1.</p> <p>(e) If two of the following items = [^], then D0160_1 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1.</p> <p>(f) If three or more of the following items = [^], then D0160_1 must equal [99]: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1.</p>
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for the IRF-PAI (V5.02.0)
Detailed Data Specifications Report
Section: D

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0160_2

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0160_2	Total Severity Score (DsCh)	Asmt	Number	2	1760-1761

Item Values

Value	Value Text
00	Minimum Total Severity Score
27	Maximum Total Severity Score
99	Patient was unable to complete the interview
^	Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5154	Consistency	Fatal	<p>Total Severity Score Calculation:</p> <p>(a) If (D0150A1_2 = [9] and D0150B1_2 = [9]) OR (D0150A1_2 = [^] and D0150B1_2 = [^]), then D0160_2 must equal [^].</p> <p>(b) If D0150A2_2 = [0,1] and D0150B2_2 = [0,1], then D0160_2 must equal the sum of the values from D0150A2_2 and D0150B2_2.</p> <p>Otherwise, the PHQ-9 must be completed, and D0160_2 must equal the sum of the values of the following nine items: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2. Format integer Items to nearest integer.</p> <p>The following rules explain how to compute the score that is placed in item D0160_2.</p> <p>(c) If the following items equal [0,1,2,3], then D0160_2 must equal the sum of these items: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2.</p> <p>(d) If one of the following items = [^], then D0160_2 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2.</p> <p>(e) If two of the following items = [^], then D0160_2 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2.</p> <p>(f) If three or more of the following items = [^], then D0160_2 must equal [99]: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2.</p>
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Data Submission Specifications for the IRF-PAI (V5.02.0)
Detailed Data Specifications Report
Section: D

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0700_1

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0700_1	Social Isolation (Adm)	Asmt	Code	1	1762-1762

Item Values

Value	Value Text
0	Never
1	Rarely
2	Sometimes
3	Often
4	Always
7	Patient declines to respond
8	Patient unable to respond

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: D

Item ID: D0700_2

XML Tag	Item Label	Item Group	Item Type	Max Length	Fixed Format Start-End
D0700_2	Social Isolation (Dsch)	Asmt	Code	1	1763-1763

Item Values

Value	Value Text
0	Never
1	Rarely
2	Sometimes
3	Often
4	Always
7	Patient declines to respond
8	Patient unable to respond
^	Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-5165	Consistency	Fatal	(a) IF (44D=[02,63,65,66]) OR (14=[04]) OR (41=[1]) OR (44C=[0]), then the following items must equal [^]: B1300_2, C0100_2, D0150A1_2, D0150B1_2, D0700_2, J0510_2. (b) IF (44D=[01,03,04,06,50,51,61,62,64,99]) AND (14=[01,03,05,^]) AND (41=[0]) AND (44C=[1]), then the following items must not equal [^]: B1300_2, C0100_2, D0150A1_2, D0150B1_2, D0700_2, J0510_2.
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Format	-1010	[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.