

Data Submission Specifications for the LTCH - CARE Data Set (V4.02.1)

Detailed Data Specifications Report

Section: B

Item ID: B0100

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Comatose	Asmt		Code	1	645-645

Item Subsets

Active: LA,LP
Inactive: LU,LE,XX

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3900	Consistency	Warning	A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3972	Skip	Fatal	If B0100=[1], then all active fields from B0200 through D0700 must equal [^].
-3983	Consistency	Fatal	Total Severity Score Calculation: (a) If D0150A1 = [9] and D0150B1 = [9], then D0160 must equal [^]. (b) If D0150A2 = [0,1] and D0150B2 = [0,1], then D0160 must equal the sum of the values from D0150A2 and D0150B2. Otherwise, the PHQ-9 must be completed, and D0160 must equal the sum of the values of the following nine items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 and Format Integer Items to nearest integer. These are referred to as the "items in Column 2", below. The following rules explain how to compute the score that is placed in item D0160. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are skipped. (c) If the following items D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 equal [0,1,2,3], then D0160 must equal the sum of these items. (d) If one of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^], then D0160 must equal the sum of the remaining items times 9/8(1.125), rounded

Data Submission Specifications for the LTCH - CARE Data Set (V4.02.1)

Detailed Data Specifications Report

Section: B

to the nearest integer.

(e) If two of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^], then D0160 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer.

(f) If three or more items between D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2 and D0150I2 = [^] and B0100 is equal to [0], then D0160 must equal [99].

-4024	Fatal	Fatal	If B0100=[0], then the following fields, when active, must not equal [^]: B0200, B1000, B1300, BB0700, BB0800, C0100, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150B1, D0700.
-4025	Fatal	Fatal	If B0100=[-], then the following fields, when active, must equal [-]: B0200, B1000, BB0700, BB0800, C0100, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150B1.

Changes for Version

Type	ID	Description
Format	-1009	[V4.02.0]-Removed mappings to deleted items GG0130A2, GG0130B2, GG0130C2, GG0130D2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, GG0130D1, GG0130D3. Added mapping to new item O0350.
Consistency	-3900	[V4.02.0]-Removed mappings to GG0130D1 and GG0130D3. Added mapping to O0350.

Data Submission Specifications for the LTCH - CARE Data Set (V4.02.1)

Detailed Data Specifications Report

Section: B

Item ID: B0200

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hearing	Asmt		Code	1	1091-1091

Item Subsets

Active: LA
Inactive: LP,LU,LE,XX

Item Values

Value	LOINC Code	Value Text
0		Adequate - no difficulty in normal conversation, social interaction, listening to TV.
1		Minimal difficulty - difficulty in some environments (e.g., when person speaks softly or setting is noisy).
2		Moderate difficulty - speaker has to increase volume and speak distinctly.
3		Highly impaired - absence of useful hearing
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3900	Consistency	Warning	A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3972	Skip	Fatal	If B0100=[1], then all active fields from B0200 through D0700 must equal [^].
-4024	Fatal	Fatal	If B0100=[0], then the following fields, when active, must not equal [^]: B0200, B1000, B1300, BB0700, BB0800, C0100, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150B1, D0700.
-4025	Fatal	Fatal	If B0100=[-], then the following fields, when active, must equal [-]: B0200, B1000, BB0700, BB0800, C0100, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150B1.

Data Submission Specifications for the LTCH - CARE Data Set (V4.02.1)
Detailed Data Specifications Report
Section: B

Changes for Version

Type	ID	Description
Format	-1009	[V4.02.0]-Removed mappings to deleted items GG0130A2, GG0130B2, GG0130C2, GG0130D2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, GG0130D1, GG0130D3. Added mapping to new item O0350.
Consistency	-3900	[V4.02.0]-Removed mappings to GG0130D1 and GG0130D3. Added mapping to O0350.

Data Submission Specifications for the LTCH - CARE Data Set (V4.02.1)

Detailed Data Specifications Report

Section: B

Item ID: B1000

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Vision	Asmt		Code	1	1092-1092

Item Subsets

Active: LA
Inactive: LP,LU,LE,XX

Item Values

Value	LOINC Code	Value Text
0		Adequate - sees fine detail, such as regular print in newspapers/books
1		Impaired - sees large print, but not regular print in newspapers/books
2		Moderately impaired - limited vision; not able to see newspaper headlines but can identify objects
3		Highly impaired - object identification in question, but eyes appear to follow objects
4		Severely impaired - no vision or sees only light, colors or shapes; eyes do not appear to follow objects.
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3900	Consistency	Warning	A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3972	Skip	Fatal	If B0100=[1], then all active fields from B0200 through D0700 must equal [^].
-4024	Fatal	Fatal	If B0100=[0], then the following fields, when active, must not equal [^]: B0200, B1000, B1300, BB0700, BB0800, C0100, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150B1, D0700.
-4025	Fatal	Fatal	If B0100=[-], then the following fields, when active, must equal [-]: B0200, B1000, BB0700, BB0800, C0100, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150B1.

Data Submission Specifications for the LTCH - CARE Data Set (V4.02.1)
Detailed Data Specifications Report
Section: B

Changes for Version

Type	ID	Description
Format	-1009	[V4.02.0]-Removed mappings to deleted items GG0130A2, GG0130B2, GG0130C2, GG0130D2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, GG0130D1, GG0130D3. Added mapping to new item O0350.
Consistency	-3900	[V4.02.0]-Removed mappings to GG0130D1 and GG0130D3. Added mapping to O0350.

Data Submission Specifications for the LTCH - CARE Data Set (V4.02.1)

Detailed Data Specifications Report

Section: B

Item ID: B1300

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Health Literacy	Asmt		Code	1	1093-1093

Item Subsets

Active: LA,LP
Inactive: LU,LE,XX

Item Values

Value	LOINC Code	Value Text
0		Never
1		Rarely
2		Sometimes
3		Often
4		Always
7		Patient declines to respond
8		Patient unable to respond
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3972	Skip	Fatal	If B0100=[1], then all active fields from B0200 through D0700 must equal [^].
-4024	Fatal	Fatal	If B0100=[0], then the following fields, when active, must not equal [^]: B0200, B1000, B1300, BB0700, BB0800, C0100, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150B1, D0700.

Changes for Version

Type	ID	Description
Format	-1009	[V4.02.0]-Removed mappings to deleted items GG0130A2, GG0130B2, GG0130C2, GG0130D2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2,

Data Submission Specifications for the LTCH - CARE Data Set (V4.02.1)

Detailed Data Specifications Report

Section: B

GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, GG0130D1, GG0130D3.

Added mapping to new item O0350.

Data Submission Specifications for the LTCH - CARE Data Set (V4.02.1)

Detailed Data Specifications Report

Section: B

Item ID: BB0700

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Expression of Ideas and Wants (3-day asmt period)	Asmt		Code	1	772-772

Item Subsets

Active: LA,LP
Inactive: LU,LE,XX

Item Values

Value	LOINC Code	Value Text
4		Expresses complex messages without difficulty and with speech that is clear and easy to understand
3		Exhibits some difficulty with expressing needs and ideas (e.g., some words or finishing thoughts) or speech is not
2		Frequently exhibits difficulty with expressing needs and ideas
1		Rarely/never expresses self or speech is very difficult to understand
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3900	Consistency	Warning	A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3972	Skip	Fatal	If B0100=[1], then all active fields from B0200 through D0700 must equal [^].
-4024	Fatal	Fatal	If B0100=[0], then the following fields, when active, must not equal [^]: B0200, B1000, B1300, BB0700, BB0800, C0100, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150B1, D0700.
-4025	Fatal	Fatal	If B0100=[-], then the following fields, when active, must equal [-]: B0200, B1000, BB0700, BB0800, C0100, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150B1.

Data Submission Specifications for the LTCH - CARE Data Set (V4.02.1)
Detailed Data Specifications Report
Section: B

Changes for Version

Type	ID	Description
Format	-1009	[V4.02.0]-Removed mappings to deleted items GG0130A2, GG0130B2, GG0130C2, GG0130D2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, GG0130D1, GG0130D3. Added mapping to new item O0350.
Consistency	-3900	[V4.02.0]-Removed mappings to GG0130D1 and GG0130D3. Added mapping to O0350.

Data Submission Specifications for the LTCH - CARE Data Set (V4.02.1)

Detailed Data Specifications Report

Section: B

Item ID: BB0800

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Understand Verbal/Non-Verbal Content (3-day asmt)	Asmt		Code	1	773-773

Item Subsets

Active: LA,LP
Inactive: LU,LE,XX

Item Values

Value	LOINC Code	Value Text
4		Understands: Clear comprehension without cues or repetitions
3		Usually Understands: Understands most conversations, but misses some part/intent of message. Requires cues at times to understand
2		Sometimes Understands: Understands only basic conversations or simple, direct phases. Frequently requires cues to understand
1		Rarely/Never Understands
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3900	Consistency	Warning	A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3972	Skip	Fatal	If B0100=[1], then all active fields from B0200 through D0700 must equal [^].
-4024	Fatal	Fatal	If B0100=[0], then the following fields, when active, must not equal [^]: B0200, B1000, B1300, BB0700, BB0800, C0100, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150B1, D0700.
-4025	Fatal	Fatal	If B0100=[-], then the following fields, when active, must equal [-]: B0200, B1000, BB0700, BB0800, C0100, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150B1.

Data Submission Specifications for the LTCH - CARE Data Set (V4.02.1)
Detailed Data Specifications Report
Section: B

Changes for Version

Type	ID	Description
Format	-1009	[V4.02.0]-Removed mappings to deleted items GG0130A2, GG0130B2, GG0130C2, GG0130D2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, GG0130D1, GG0130D3. Added mapping to new item O0350.
Consistency	-3900	[V4.02.0]-Removed mappings to GG0130D1 and GG0130D3. Added mapping to O0350.