

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

Item ID: D0150A1	2
Item ID: D0150A2	5
Item ID: D0150B1	8
Item ID: D0150B2	11
Item ID: D0150C1	14
Item ID: D0150C2	16
Item ID: D0150D1	18
Item ID: D0150D2	20
Item ID: D0150E1	22
Item ID: D0150E2	24
Item ID: D0150F1	26
Item ID: D0150F2	28
Item ID: D0150G1	30
Item ID: D0150G2	32
Item ID: D0150H1	34
Item ID: D0150H2	36
Item ID: D0150I1	38
Item ID: D0150I2	40
Item ID: D0160	42
Item ID: D0700	45

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

Item ID: D0150A1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Mood: Little interest/pleasure doing things: Pres	Asmt		Code	1	1894-1894

Item Subsets

Active:	01,03,09
Inactive:	04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		No Response
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5810	Consistency	Fatal	(a) If D0150A1=[0], then D0150A2 must equal [0]. (b) If D0150A1=[1], then D0150A2 must equal [0,1,2,3]. (c) If D0150A1=[9,-], then D0150A2 must equal [^].
-5900	Consistency	Fatal	(a) If D0150A2 = [0,1] and D0150B2 = [0,1], then the following active items must equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (b) If D0150A1 = [-] or D0150B1 = [-], then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (c) If D0150A1 = [9] and D0150B1 = [9], then the following active items must equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (d) If (D0150A2 = [^] and D0150B2 = [0,1]) OR (D0150A2 = [0,1] and D0150B2 = [^]), then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (e) If D0150A2 = [2,3] or D0150B2 = [2,3], then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1.

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

-5910	Consistency	Fatal	<p>Total Severity Score Calculation:</p> <p>(a) If D0150A1 = [9] and D0150B1 = [9], then D0160 must equal [^].</p> <p>(b) If D0150A2 = [0,1] and D0150B2 = [0,1], then D0160 must equal the sum of the values from D0150A2 and D0150B2. Otherwise, the PHQ-9 must be completed, and D0160 must equal the sum of the values of the following nine items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 and Format Integer Items to nearest integer. These are referred to as the "items in Column 2", below.</p> <p>The following rules explain how to compute the score that is placed in item D0160. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are skipped.</p> <p>(c) If the following items D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 equal [0,1,2,3], then D0160 must equal the sum of these items.</p> <p>(d) If one of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^], then D0160 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer.</p> <p>(e) If two of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^], then D0160 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer.</p> <p>(f) If three or more items between D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2 and D0150I2 = [^], then D0160 must equal [99].</p>
-------	-------------	-------	--

Changes for Version

Type	ID	Description
Item	D0150A1	[V3.00.0] - New item.
Format	-3060	[V3.00.0] - Removed mappings to the following items: M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVTY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT.

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

Added mappings to the following items: A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C.

[V3.00.1] - Added mapping to O0110H4C and new items A1005Y, A1010Y, A1010Z, A1250Y. Removed mapping to M2016_DRUG_EDCTN_INTRVTN, since this item was deleted.

Consistency -5810

[V3.00.0] - New edit.

[V3.00.1] - Removed subedit d and revised subedit c.

Consistency -5900

[V3.00.0] - New edit.

[V3.00.1] - Revised previous subedit b to be valid if D0150A2 or D0150B2 = [2,3]; removed previous subedit a and renamed previous subedit b to subedit e; added new subedit a-d; added mappings to items D0150A1 and D0150B1.

Consistency -5910

[V3.00.0] - New edit.

[V3.00.1] - Updated edit language defining the Total Severity Score. Renamed previous subedit a-d to subedit c-f and removed the dash [-] as a possible value for the Column 2 items; added new subedit a and b; added mappings to items D0150A1 and D0150B1.

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

Item ID: D0150A2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Mood: Little interest/pleasure doing things: Freq	Asmt		Code	1	1895-1895

Item Subsets

Active:	01,03,09
Inactive:	04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		Never or 1 day
1		2-6 days (several days)
2		7-11 days (half or more of the days)
3		12-14 days (nearly every day)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5810	Consistency	Fatal	(a) If D0150A1=[0], then D0150A2 must equal [0]. (b) If D0150A1=[1], then D0150A2 must equal [0,1,2,3]. (c) If D0150A1=[9,-], then D0150A2 must equal [^].
-5900	Consistency	Fatal	(a) If D0150A2 = [0,1] and D0150B2 = [0,1], then the following active items must equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (b) If D0150A1 = [-] or D0150B1 = [-], then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (c) If D0150A1 = [9] and D0150B1 = [9], then the following active items must equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (d) If (D0150A2 = [^] and D0150B2 = [0,1]) OR (D0150A2 = [0,1] and D0150B2 = [^]), then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (e) If D0150A2 = [2,3] or D0150B2 = [2,3], then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1.

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

-5910	Consistency	Fatal	<p>Total Severity Score Calculation:</p> <p>(a) If D0150A1 = [9] and D0150B1 = [9], then D0160 must equal [^].</p> <p>(b) If D0150A2 = [0,1] and D0150B2 = [0,1], then D0160 must equal the sum of the values from D0150A2 and D0150B2. Otherwise, the PHQ-9 must be completed, and D0160 must equal the sum of the values of the following nine items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 and Format Integer Items to nearest integer. These are referred to as the "items in Column 2", below.</p> <p>The following rules explain how to compute the score that is placed in item D0160. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are skipped.</p> <p>(c) If the following items D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 equal [0,1,2,3], then D0160 must equal the sum of these items.</p> <p>(d) If one of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^], then D0160 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer.</p> <p>(e) If two of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^], then D0160 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer.</p> <p>(f) If three or more items between D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2 and D0150I2 = [^], then D0160 must equal [99].</p>
-------	-------------	-------	--

Changes for Version

Type	ID	Description
Item	D0150A2	[V3.00.0] - New item. [V3.00.1] - Removed the dash [-] as a valid item value.
Format	-3060	[V3.00.0] - Removed mappings to the following items: M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVTY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT.

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

Added mappings to the following items: A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C.

[V3.00.1] - Added mapping to O0110H4C and new items A1005Y, A1010Y, A1010Z, A1250Y. Removed mapping to M2016_DRUG_EDCTN_INTRVTN, since this item was deleted.

Consistency -5810

[V3.00.0] - New edit.

[V3.00.1] - Removed subedit d and revised subedit c.

Consistency -5900

[V3.00.0] - New edit.

[V3.00.1] - Revised previous subedit b to be valid if D0150A2 or D0150B2 = [2,3]; removed previous subedit a and renamed previous subedit b to subedit e; added new subedit a-d; added mappings to items D0150A1 and D0150B1.

Consistency -5910

[V3.00.0] - New edit.

[V3.00.1] - Updated edit language defining the Total Severity Score. Renamed previous subedit a-d to subedit c-f and removed the dash [-] as a possible value for the Column 2 items; added new subedit a and b; added mappings to items D0150A1 and D0150B1.

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

Item ID: D0150B1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Mood: Feeling down, depressed, or hopeless: Pres	Asmt		Code	1	1896-1896

Item Subsets

Active:	01,03,09
Inactive:	04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		No response
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5820	Consistency	Fatal	(a) If D0150B1=[0], then D0150B2 must equal [0]. (b) If D0150B1=[1], then D0150B2 must equal [0,1,2,3]. (c) If D0150B1=[9,-], then D0150B2 must equal [^].
-5900	Consistency	Fatal	(a) If D0150A2 = [0,1] and D0150B2 = [0,1], then the following active items must equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (b) If D0150A1 = [-] or D0150B1 = [-], then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (c) If D0150A1 = [9] and D0150B1 = [9], then the following active items must equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (d) If (D0150A2 = [^] and D0150B2 = [0,1]) OR (D0150A2 = [0,1] and D0150B2 = [^]), then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (e) If D0150A2 = [2,3] or D0150B2 = [2,3], then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1.

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

-5910	Consistency	Fatal	<p>Total Severity Score Calculation:</p> <p>(a) If D0150A1 = [9] and D0150B1 = [9], then D0160 must equal [^].</p> <p>(b) If D0150A2 = [0,1] and D0150B2 = [0,1], then D0160 must equal the sum of the values from D0150A2 and D0150B2. Otherwise, the PHQ-9 must be completed, and D0160 must equal the sum of the values of the following nine items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 and Format Integer Items to nearest integer. These are referred to as the "items in Column 2", below.</p> <p>The following rules explain how to compute the score that is placed in item D0160. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are skipped.</p> <p>(c) If the following items D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 equal [0,1,2,3], then D0160 must equal the sum of these items.</p> <p>(d) If one of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^], then D0160 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer.</p> <p>(e) If two of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^], then D0160 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer.</p> <p>(f) If three or more items between D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2 and D0150I2 = [^], then D0160 must equal [99].</p>
-------	-------------	-------	--

Changes for Version

Type	ID	Description
Item	D0150B1	<p>[V3.00.0] - New item.</p> <p>Format -3060 [V3.00.0] - Removed mappings to the following items: M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVTY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT.</p>

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

Added mappings to the following items: A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C.

[V3.00.1] - Added mapping to O0110H4C and new items A1005Y, A1010Y, A1010Z, A1250Y. Removed mapping to M2016_DRUG_EDCTN_INTRVTN, since this item was deleted.

Consistency -5820

[V3.00.0] - New edit.

[V3.00.1] - Removed subedit d and revised subedit c.

Consistency -5900

[V3.00.0] - New edit.

[V3.00.1] - Revised previous subedit b to be valid if D0150A2 or D0150B2 = [2,3]; removed previous subedit a and renamed previous subedit b to subedit e; added new subedit a-d; added mappings to items D0150A1 and D0150B1.

Consistency -5910

[V3.00.0] - New edit.

[V3.00.1] - Updated edit language defining the Total Severity Score. Renamed previous subedit a-d to subedit c-f and removed the dash [-] as a possible value for the Column 2 items; added new subedit a and b; added mappings to items D0150A1 and D0150B1.

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

Item ID: D0150B2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Mood: Feeling down, depressed, or hopeless: Freq	Asmt		Code	1	1897-1897

Item Subsets

Active:	01,03,09
Inactive:	04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		Never or 1 day
1		2-6 days (several days)
2		7-11 days (half or more of the days)
3		12-14 days (nearly every day)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5820	Consistency	Fatal	(a) If D0150B1=[0], then D0150B2 must equal [0]. (b) If D0150B1=[1], then D0150B2 must equal [0,1,2,3]. (c) If D0150B1=[9,-], then D0150B2 must equal [^].
-5900	Consistency	Fatal	(a) If D0150A2 = [0,1] and D0150B2 = [0,1], then the following active items must equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (b) If D0150A1 = [-] or D0150B1 = [-], then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (c) If D0150A1 = [9] and D0150B1 = [9], then the following active items must equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (d) If (D0150A2 = [^] and D0150B2 = [0,1]) OR (D0150A2 = [0,1] and D0150B2 = [^]), then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (e) If D0150A2 = [2,3] or D0150B2 = [2,3], then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1.

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

-5910	Consistency	Fatal	<p>Total Severity Score Calculation:</p> <p>(a) If D0150A1 = [9] and D0150B1 = [9], then D0160 must equal [^].</p> <p>(b) If D0150A2 = [0,1] and D0150B2 = [0,1], then D0160 must equal the sum of the values from D0150A2 and D0150B2. Otherwise, the PHQ-9 must be completed, and D0160 must equal the sum of the values of the following nine items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 and Format Integer Items to nearest integer. These are referred to as the "items in Column 2", below.</p> <p>The following rules explain how to compute the score that is placed in item D0160. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are skipped.</p> <p>(c) If the following items D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 equal [0,1,2,3], then D0160 must equal the sum of these items.</p> <p>(d) If one of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^], then D0160 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer.</p> <p>(e) If two of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^], then D0160 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer.</p> <p>(f) If three or more items between D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2 and D0150I2 = [^], then D0160 must equal [99].</p>
-------	-------------	-------	--

Changes for Version

Type	ID	Description
Item	D0150B2	<p>[V3.00.0] - New item.</p> <p>[V3.00.1] - Removed the dash [-] as a valid item value.</p>
Format	-3060	<p>[V3.00.0] - Removed mappings to the following items: M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVTY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT.</p>

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

Added mappings to the following items: A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C.

[V3.00.1] - Added mapping to O0110H4C and new items A1005Y, A1010Y, A1010Z, A1250Y. Removed mapping to M2016_DRUG_EDCTN_INTRVTN, since this item was deleted.

Consistency -5820

[V3.00.0] - New edit.

[V3.00.1] - Removed subedit d and revised subedit c.

Consistency -5900

[V3.00.0] - New edit.

[V3.00.1] - Revised previous subedit b to be valid if D0150A2 or D0150B2 = [2,3]; removed previous subedit a and renamed previous subedit b to subedit e; added new subedits a-d; added mappings to items D0150A1 and D0150B1.

Consistency -5910

[V3.00.0] - New edit.

[V3.00.1] - Updated edit language defining the Total Severity Score. Renamed previous subedits a-d to subedits c-f and removed the dash [-] as a possible value for the Column 2 items; added new subedits a and b; added mappings to items D0150A1 and D0150B1.

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

Item ID: D0150C1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Mood: Trouble falling or staying asleep: Pres	Asmt		Code	1	1898-1898

Item Subsets

Active: 01,03,09
Inactive: 04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		No response
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5830	Consistency	Fatal	(a) If D0150C1=[0], then D0150C2 must equal [0]. (b) If D0150C1=[1], then D0150C2 must equal [0,1,2,3]. (c) If D0150C1=[9,^,-], then D0150C2 must equal [^].
-5900	Consistency	Fatal	(a) If D0150A2 = [0,1] and D0150B2 = [0,1], then the following active items must equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (b) If D0150A1 = [-] or D0150B1 = [-], then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (c) If D0150A1 = [9] and D0150B1 = [9], then the following active items must equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (d) If (D0150A2 = [^] and D0150B2 = [0,1]) OR (D0150A2 = [0,1] and D0150B2 = [^]), then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (e) If D0150A2 = [2,3] or D0150B2 = [2,3], then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1.

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

Changes for Version

Type	ID	Description
Item	D0150C1	[V3.00.0] - New item.
Format	-3060	<p>[V3.00.0] - Removed mappings to the following items: M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVTY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT.</p> <p>Added mappings to the following items: A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C.</p> <p>[V3.00.1] - Added mapping to O0110H4C and new items A1005Y, A1010Y, A1010Z, A1250Y. Removed mapping to M2016_DRUG_EDCTN_INTRVTN, since this item was deleted.</p>
Consistency	-5830	<p>[V3.00.0] - New edit.</p> <p>[V3.00.1] - Removed subedit d and revised subedit c.</p>
Consistency	-5900	<p>[V3.00.0] - New edit.</p> <p>[V3.00.1] - Revised previous subedit b to be valid if D0150A2 or D0150B2 = [2,3]; removed previous subedit a and renamed previous subedit b to subedit e; added new subedit a-d; added mappings to items D0150A1 and D0150B1.</p>

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

Item ID: D0150C2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Mood: Trouble falling or staying asleep: Freq	Asmt		Code	1	1899-1899

Item Subsets

Active:	01,03,09
Inactive:	04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		Never or 1 day
1		2-6 days (several days)
2		7-11 days (more than half the days)
3		12-14 days (nearly every day)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5830	Consistency	Fatal	(a) If D0150C1=[0], then D0150C2 must equal [0]. (b) If D0150C1=[1], then D0150C2 must equal [0,1,2,3]. (c) If D0150C1=[9,^,-], then D0150C2 must equal [^].
-5910	Consistency	Fatal	Total Severity Score Calculation: (a) If D0150A1 = [9] and D0150B1 = [9], then D0160 must equal [^]. (b) If D0150A2 = [0,1] and D0150B2 = [0,1], then D0160 must equal the sum of the values from D0150A2 and D0150B2. Otherwise, the PHQ-9 must be completed, and D0160 must equal the sum of the values of the following nine items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 and Format Integer Items to nearest integer. These are referred to as the "items in Column 2", below. The following rules explain how to compute the score that is placed in item D0160. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are skipped. (c) If the following items D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 equal [0,1,2,3], then D0160 must equal the sum of these items. (d) If one of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^], then D0160 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer.

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

(e) If two of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^], then D0160 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer.

(f) If three or more items between D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2 and D0150I2 = [^], then D0160 must equal [99].

Changes for Version

Type	ID	Description
Item	D0150C2	[V3.00.0] - New item. [V3.00.1] - Removed the dash [-] as a valid item value.
Format	-3060	[V3.00.0] - Removed mappings to the following items: M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVTY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Added mappings to the following items: A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. [V3.00.1] - Added mapping to O0110H4C and new items A1005Y, A1010Y, A1010Z, A1250Y. Removed mapping to M2016_DRUG_EDCTN_INTRVTN, since this item was deleted.
Consistency	-5830	[V3.00.0] - New edit. [V3.00.1] - Removed subedit d and revised subedit c.
Consistency	-5910	[V3.00.0] - New edit. [V3.00.1] - Updated edit language defining the Total Severity Score. Renamed previous subedit a-d to subedit c-f and removed the dash [-] as a possible value for the Column 2 items; added new subedit a and b; added mappings to items D0150A1 and D0150B1.

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

Item ID: D0150D1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Mood: Feeling tired or having little energy: Pres	Asmt		Code	1	1900-1900

Item Subsets

Active: 01,03,09
Inactive: 04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		No response
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5840	Consistency	Fatal	(a) If D0150D1=[0], then D0150D2 must equal [0]. (b) If D0150D1=[1], then D0150D2 must equal [0,1,2,3]. (c) If D0150D1=[9,^,-], then D0150D2 must equal [^].
-5900	Consistency	Fatal	(a) If D0150A2 = [0,1] and D0150B2 = [0,1], then the following active items must equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (b) If D0150A1 = [-] or D0150B1 = [-], then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (c) If D0150A1 = [9] and D0150B1 = [9], then the following active items must equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (d) If (D0150A2 = [^] and D0150B2 = [0,1]) OR (D0150A2 = [0,1] and D0150B2 = [^]), then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (e) If D0150A2 = [2,3] or D0150B2 = [2,3], then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1.

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

Changes for Version

Type	ID	Description
Item	D0150D1	[V3.00.0] - New item.
Format	-3060	<p>[V3.00.0] - Removed mappings to the following items: M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVTY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT.</p> <p>Added mappings to the following items: A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C.</p> <p>[V3.00.1] - Added mapping to O0110H4C and new items A1005Y, A1010Y, A1010Z, A1250Y. Removed mapping to M2016_DRUG_EDCTN_INTRVTN, since this item was deleted.</p>
Consistency	-5840	<p>[V3.00.0] - New edit.</p> <p>[V3.00.1] - Removed subedit d and revised subedit c.</p>
Consistency	-5900	<p>[V3.00.0] - New edit.</p> <p>[V3.00.1] - Revised previous subedit b to be valid if D0150A2 or D0150B2 = [2,3]; removed previous subedit a and renamed previous subedit b to subedit e; added new subedit a-d; added mappings to items D0150A1 and D0150B1.</p>

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

Item ID: D0150D2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Mood: Feeling tired or having little energy: Freq	Asmt		Code	1	1901-1901

Item Subsets

Active:	01,03,09
Inactive:	04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		Never or 1 day
1		2-6 days (several days)
2		7-11 days (half or more of the days)
3		12-14 days (nearly every day)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5840	Consistency	Fatal	(a) If D0150D1=[0], then D0150D2 must equal [0]. (b) If D0150D1=[1], then D0150D2 must equal [0,1,2,3]. (c) If D0150D1=[9,^,-], then D0150D2 must equal [^].
-5910	Consistency	Fatal	Total Severity Score Calculation: (a) If D0150A1 = [9] and D0150B1 = [9], then D0160 must equal [^]. (b) If D0150A2 = [0,1] and D0150B2 = [0,1], then D0160 must equal the sum of the values from D0150A2 and D0150B2. Otherwise, the PHQ-9 must be completed, and D0160 must equal the sum of the values of the following nine items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 and Format Integer Items to nearest integer. These are referred to as the "items in Column 2", below. The following rules explain how to compute the score that is placed in item D0160. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are skipped. (c) If the following items D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 equal [0,1,2,3], then D0160 must equal the sum of these items. (d) If one of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^], then D0160 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer.

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

(e) If two of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^], then D0160 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer.

(f) If three or more items between D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2 and D0150I2 = [^], then D0160 must equal [99].

Changes for Version

Type	ID	Description
Item	D0150D2	[V3.00.0] - New item. [V3.00.1] - Removed the dash [-] as a valid item value.
Format	-3060	[V3.00.0] - Removed mappings to the following items: M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVTY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Added mappings to the following items: A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. [V3.00.1] - Added mapping to O0110H4C and new items A1005Y, A1010Y, A1010Z, A1250Y. Removed mapping to M2016_DRUG_EDCTN_INTRVTN, since this item was deleted.
Consistency	-5840	[V3.00.0] - New edit. [V3.00.1] - Removed subedit d and revised subedit c.
Consistency	-5910	[V3.00.0] - New edit. [V3.00.1] - Updated edit language defining the Total Severity Score. Renamed previous subedit a-d to subedit c-f and removed the dash [-] as a possible value for the Column 2 items; added new subedit a and b; added mappings to items D0150A1 and D0150B1.

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

Item ID: D0150E1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Mood: Poor appetite or overeating: Pres	Asmt		Code	1	1902-1902

Item Subsets

Active:	01,03,09
Inactive:	04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		No response
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5850	Consistency	Fatal	(a) If D0150E1=[0], then D0150E2 must equal [0]. (b) If D0150E1=[1], then D0150E2 must equal [0,1,2,3]. (c) If D0150E1=[9,^,-], then D0150E2 must equal [^].
-5900	Consistency	Fatal	(a) If D0150A2 = [0,1] and D0150B2 = [0,1], then the following active items must equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (b) If D0150A1 = [-] or D0150B1 = [-], then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (c) If D0150A1 = [9] and D0150B1 = [9], then the following active items must equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (d) If (D0150A2 = [^] and D0150B2 = [0,1]) OR (D0150A2 = [0,1] and D0150B2 = [^]), then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (e) If D0150A2 = [2,3] or D0150B2 = [2,3], then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1.

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

Changes for Version

Type	ID	Description
Item	D0150E1	[V3.00.0] - New item.
Format	-3060	<p>[V3.00.0] - Removed mappings to the following items: M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVTY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT.</p> <p>Added mappings to the following items: A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C.</p> <p>[V3.00.1] - Added mapping to O0110H4C and new items A1005Y, A1010Y, A1010Z, A1250Y. Removed mapping to M2016_DRUG_EDCTN_INTRVTN, since this item was deleted.</p>
Consistency	-5850	<p>[V3.00.0] - New edit.</p> <p>[V3.00.1] - Removed subedit d and revised subedit c.</p>
Consistency	-5900	<p>[V3.00.0] - New edit.</p> <p>[V3.00.1] - Revised previous subedit b to be valid if D0150A2 or D0150B2 = [2,3]; removed previous subedit a and renamed previous subedit b to subedit e; added new subedit a-d; added mappings to items D0150A1 and D0150B1.</p>

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

Item ID: D0150E2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Mood: Poor appetite or overeating: Freq	Asmt		Code	1	1903-1903

Item Subsets

Active:	01,03,09
Inactive:	04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		Never or 1 day
1		2-6 days (several days)
2		7-11 days (half or more of the days)
3		12-14 days (nearly every day)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5850	Consistency	Fatal	(a) If D0150E1=[0], then D0150E2 must equal [0]. (b) If D0150E1=[1], then D0150E2 must equal [0,1,2,3]. (c) If D0150E1=[9,^,-], then D0150E2 must equal [^].
-5910	Consistency	Fatal	Total Severity Score Calculation: (a) If D0150A1 = [9] and D0150B1 = [9], then D0160 must equal [^]. (b) If D0150A2 = [0,1] and D0150B2 = [0,1], then D0160 must equal the sum of the values from D0150A2 and D0150B2. Otherwise, the PHQ-9 must be completed, and D0160 must equal the sum of the values of the following nine items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 and Format Integer Items to nearest integer. These are referred to as the "items in Column 2", below. The following rules explain how to compute the score that is placed in item D0160. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are skipped. (c) If the following items D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 equal [0,1,2,3], then D0160 must equal the sum of these items. (d) If one of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^], then D0160 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer.

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

- (e) If two of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^], then D0160 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer.
- (f) If three or more items between D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2 and D0150I2 = [^], then D0160 must equal [99].

Changes for Version

Type	ID	Description
Item	D0150E2	[V3.00.0] - New item. [V3.00.1] - Removed the dash [-] as a valid item value.
Format	-3060	[V3.00.0] - Removed mappings to the following items: M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVTY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Added mappings to the following items: A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. [V3.00.1] - Added mapping to O0110H4C and new items A1005Y, A1010Y, A1010Z, A1250Y. Removed mapping to M2016_DRUG_EDCTN_INTRVTN, since this item was deleted.
Consistency	-5850	[V3.00.0] - New edit. [V3.00.1] - Removed subedit d and revised subedit c.
Consistency	-5910	[V3.00.0] - New edit. [V3.00.1] - Updated edit language defining the Total Severity Score. Renamed previous subedit a-d to subedit c-f and removed the dash [-] as a possible value for the Column 2 items; added new subedit a and b; added mappings to items D0150A1 and D0150B1.

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

Item ID: D0150F1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Mood: Feeling bad about yourself: Pres	Asmt		Code	1	1904-1904

Item Subsets

Active:	01,03,09
Inactive:	04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		No response
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5860	Consistency	Fatal	(a) If D0150F1=[0], then D0150F2 must equal [0]. (b) If D0150F1=[1], then D0150F2 must equal [0,1,2,3]. (c) If D0150F1=[9,^,-], then D0150F2 must equal [^].
-5900	Consistency	Fatal	(a) If D0150A2 = [0,1] and D0150B2 = [0,1], then the following active items must equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (b) If D0150A1 = [-] or D0150B1 = [-], then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (c) If D0150A1 = [9] and D0150B1 = [9], then the following active items must equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (d) If (D0150A2 = [^] and D0150B2 = [0,1]) OR (D0150A2 = [0,1] and D0150B2 = [^]), then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (e) If D0150A2 = [2,3] or D0150B2 = [2,3], then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1.

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

Changes for Version

Type	ID	Description
Item	D0150F1	[V3.00.0] - New item.
Format	-3060	<p>[V3.00.0] - Removed mappings to the following items: M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVTY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT.</p> <p>Added mappings to the following items: A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C.</p> <p>[V3.00.1] - Added mapping to O0110H4C and new items A1005Y, A1010Y, A1010Z, A1250Y. Removed mapping to M2016_DRUG_EDCTN_INTRVTN, since this item was deleted.</p>
Consistency	-5860	<p>[V3.00.0] - New edit.</p> <p>[V3.00.1] - Removed subedit d and revised subedit c.</p>
Consistency	-5900	<p>[V3.00.0] - New edit.</p> <p>[V3.00.1] - Revised previous subedit b to be valid if D0150A2 or D0150B2 = [2,3]; removed previous subedit a and renamed previous subedit b to subedit e; added new subedit a-d; added mappings to items D0150A1 and D0150B1.</p>

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

Item ID: D0150F2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Mood: Feeling bad about yourself: Freq	Asmt		Code	1	1905-1905

Item Subsets

Active:	01,03,09
Inactive:	04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		Never or 1 day
1		2-6 days (several days)
2		7-11 days (half or more of the days)
3		12-14 days (nearly every day)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5860	Consistency	Fatal	(a) If D0150F1=[0], then D0150F2 must equal [0]. (b) If D0150F1=[1], then D0150F2 must equal [0,1,2,3]. (c) If D0150F1=[9,^,-], then D0150F2 must equal [^].
-5910	Consistency	Fatal	Total Severity Score Calculation: (a) If D0150A1 = [9] and D0150B1 = [9], then D0160 must equal [^]. (b) If D0150A2 = [0,1] and D0150B2 = [0,1], then D0160 must equal the sum of the values from D0150A2 and D0150B2. Otherwise, the PHQ-9 must be completed, and D0160 must equal the sum of the values of the following nine items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 and Format Integer Items to nearest integer. These are referred to as the "items in Column 2", below. The following rules explain how to compute the score that is placed in item D0160. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are skipped. (c) If the following items D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 equal [0,1,2,3], then D0160 must equal the sum of these items. (d) If one of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^], then D0160 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer.

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

- (e) If two of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^], then D0160 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer.
- (f) If three or more items between D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2 and D0150I2 = [^], then D0160 must equal [99].

Changes for Version

Type	ID	Description
Item	D0150F2	[V3.00.0] - New item. [V3.00.1] - Removed the dash [-] as a valid item value.
Format	-3060	[V3.00.0] - Removed mappings to the following items: M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVTY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Added mappings to the following items: A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. [V3.00.1] - Added mapping to O0110H4C and new items A1005Y, A1010Y, A1010Z, A1250Y. Removed mapping to M2016_DRUG_EDCTN_INTRVTN, since this item was deleted.
Consistency	-5860	[V3.00.0] - New edit. [V3.00.1] - Removed subedit d and revised subedit c.
Consistency	-5910	[V3.00.0] - New edit. [V3.00.1] - Updated edit language defining the Total Severity Score. Renamed previous subedit a-d to subedit c-f and removed the dash [-] as a possible value for the Column 2 items; added new subedit a and b; added mappings to items D0150A1 and D0150B1.

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

Item ID: D0150G1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Mood: Trouble concentrating on things: Pres	Asmt		Code	1	1906-1906

Item Subsets

Active: 01,03,09
Inactive: 04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		No response
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5870	Consistency	Fatal	(a) If D0150G1=[0], then D0150G2 must equal [0]. (b) If D0150G1=[1], then D0150G2 must equal [0,1,2,3]. (c) If D0150G1=[9,^,-], then D0150G2 must equal [^].
-5900	Consistency	Fatal	(a) If D0150A2 = [0,1] and D0150B2 = [0,1], then the following active items must equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (b) If D0150A1 = [-] or D0150B1 = [-], then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (c) If D0150A1 = [9] and D0150B1 = [9], then the following active items must equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (d) If (D0150A2 = [^] and D0150B2 = [0,1]) OR (D0150A2 = [0,1] and D0150B2 = [^]), then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (e) If D0150A2 = [2,3] or D0150B2 = [2,3], then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1.

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

Changes for Version

Type	ID	Description
Item	D0150G1	[V3.00.0] - New item.
Format	-3060	<p>[V3.00.0] - Removed mappings to the following items: M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVTY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT.</p> <p>Added mappings to the following items: A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C.</p> <p>[V3.00.1] - Added mapping to O0110H4C and new items A1005Y, A1010Y, A1010Z, A1250Y. Removed mapping to M2016_DRUG_EDCTN_INTRVTN, since this item was deleted.</p>
Consistency	-5870	<p>[V3.00.0] - New edit.</p> <p>[V3.00.1] - Removed subedit d and revised subedit c.</p>
Consistency	-5900	<p>[V3.00.0] - New edit.</p> <p>[V3.00.1] - Revised previous subedit b to be valid if D0150A2 or D0150B2 = [2,3]; removed previous subedit a and renamed previous subedit b to subedit e; added new subedit a-d; added mappings to items D0150A1 and D0150B1.</p>

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

Item ID: D0150G2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Mood: Trouble concentrating on things: Freq	Asmt		Code	1	1907-1907

Item Subsets

Active:	01,03,09
Inactive:	04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		Never or 1 day
1		2-6 days (several days)
2		7-11 days (half or more of the days)
3		12-14 days (nearly every day)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5870	Consistency	Fatal	(a) If D0150G1=[0], then D0150G2 must equal [0]. (b) If D0150G1=[1], then D0150G2 must equal [0,1,2,3]. (c) If D0150G1=[9,^,-], then D0150G2 must equal [^].
-5910	Consistency	Fatal	Total Severity Score Calculation: (a) If D0150A1 = [9] and D0150B1 = [9], then D0160 must equal [^]. (b) If D0150A2 = [0,1] and D0150B2 = [0,1], then D0160 must equal the sum of the values from D0150A2 and D0150B2. Otherwise, the PHQ-9 must be completed, and D0160 must equal the sum of the values of the following nine items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 and Format Integer Items to nearest integer. These are referred to as the "items in Column 2", below. The following rules explain how to compute the score that is placed in item D0160. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are skipped. (c) If the following items D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 equal [0,1,2,3], then D0160 must equal the sum of these items. (d) If one of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^], then D0160 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer.

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

- (e) If two of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^], then D0160 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer.
- (f) If three or more items between D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2 and D0150I2 = [^], then D0160 must equal [99].

Changes for Version

Type	ID	Description
Item	D0150G2	[V3.00.0] - New item. [V3.00.1] - Removed the dash [-] as a valid item value.
Format	-3060	[V3.00.0] - Removed mappings to the following items: M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVTY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Added mappings to the following items: A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. [V3.00.1] - Added mapping to O0110H4C and new items A1005Y, A1010Y, A1010Z, A1250Y. Removed mapping to M2016_DRUG_EDCTN_INTRVTN, since this item was deleted.
Consistency	-5870	[V3.00.0] - New edit. [V3.00.1] - Removed subedit d and revised subedit c.
Consistency	-5910	[V3.00.0] - New edit. [V3.00.1] - Updated edit language defining the Total Severity Score. Renamed previous subedit a-d to subedit c-f and removed the dash [-] as a possible value for the Column 2 items; added new subedit a and b; added mappings to items D0150A1 and D0150B1.

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

Item ID: D0150H1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Mood: Moving or speaking so slowly: Pres	Asmt		Code	1	1908-1908

Item Subsets

Active: 01,03,09
Inactive: 04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		No response
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5880	Consistency	Fatal	(a) If D0150H1=[0], then D0150H2 must equal [0]. (b) If D0150H1=[1], then D0150H2 must equal [0,1,2,3]. (c) If D0150H1=[9,^,-], then D0150H2 must equal [^].
-5900	Consistency	Fatal	(a) If D0150A2 = [0,1] and D0150B2 = [0,1], then the following active items must equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (b) If D0150A1 = [-] or D0150B1 = [-], then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (c) If D0150A1 = [9] and D0150B1 = [9], then the following active items must equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (d) If (D0150A2 = [^] and D0150B2 = [0,1]) OR (D0150A2 = [0,1] and D0150B2 = [^]), then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (e) If D0150A2 = [2,3] or D0150B2 = [2,3], then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1.

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

Changes for Version

Type	ID	Description
Item	D0150H1	[V3.00.0] - New item.
Format	-3060	<p>[V3.00.0] - Removed mappings to the following items: M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVTY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT.</p> <p>Added mappings to the following items: A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C.</p> <p>[V3.00.1] - Added mapping to O0110H4C and new items A1005Y, A1010Y, A1010Z, A1250Y. Removed mapping to M2016_DRUG_EDCTN_INTRVTN, since this item was deleted.</p>
Consistency	-5880	<p>[V3.00.0] - New edit.</p> <p>[V3.00.1] - Removed subedit d and revised subedit c.</p>
Consistency	-5900	<p>[V3.00.0] - New edit.</p> <p>[V3.00.1] - Revised previous subedit b to be valid if D0150A2 or D0150B2 = [2,3]; removed previous subedit a and renamed previous subedit b to subedit e; added new subedit a-d; added mappings to items D0150A1 and D0150B1.</p>

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

Item ID: D0150H2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Mood: Moving or speaking so slowly: Freq	Asmt		Code	1	1909-1909

Item Subsets

Active:	01,03,09
Inactive:	04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		Never or 1 day
1		2-6 days (several days)
2		7-11 days (half or more of the days)
3		12-14 days (nearly every day)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5880	Consistency	Fatal	(a) If D0150H1=[0], then D0150H2 must equal [0]. (b) If D0150H1=[1], then D0150H2 must equal [0,1,2,3]. (c) If D0150H1=[9,^,-], then D0150H2 must equal [^].
-5910	Consistency	Fatal	Total Severity Score Calculation: (a) If D0150A1 = [9] and D0150B1 = [9], then D0160 must equal [^]. (b) If D0150A2 = [0,1] and D0150B2 = [0,1], then D0160 must equal the sum of the values from D0150A2 and D0150B2. Otherwise, the PHQ-9 must be completed, and D0160 must equal the sum of the values of the following nine items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 and Format Integer Items to nearest integer. These are referred to as the "items in Column 2", below. The following rules explain how to compute the score that is placed in item D0160. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are skipped. (c) If the following items D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 equal [0,1,2,3], then D0160 must equal the sum of these items. (d) If one of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^], then D0160 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer.

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

- (e) If two of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^], then D0160 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer.
- (f) If three or more items between D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2 and D0150I2 = [^], then D0160 must equal [99].

Changes for Version

Type	ID	Description
Item	D0150H2	[V3.00.0] - New item. [V3.00.1] - Removed the dash [-] as a valid item value.
Format	-3060	[V3.00.0] - Removed mappings to the following items: M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVTY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Added mappings to the following items: A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. [V3.00.1] - Added mapping to O0110H4C and new items A1005Y, A1010Y, A1010Z, A1250Y. Removed mapping to M2016_DRUG_EDCTN_INTRVTN, since this item was deleted.
Consistency	-5880	[V3.00.0] - New edit. [V3.00.1] - Removed subedit d and revised subedit c.
Consistency	-5910	[V3.00.0] - New edit. [V3.00.1] - Updated edit language defining the Total Severity Score. Renamed previous subedit a-d to subedit c-f and removed the dash [-] as a possible value for the Column 2 items; added new subedit a and b; added mappings to items D0150A1 and D0150B1.

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

Item ID: D0150I1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Mood: Thoughts of better off dead: Pres	Asmt		Code	1	1910-1910

Item Subsets

Active: 01,03,09
Inactive: 04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		No response
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5890	Consistency	Fatal	(a) If D0150I1=[0], then D0150I2 must equal [0]. (b) If D0150I1=[1], then D0150I2 must equal [0,1,2,3]. (c) If D0150I1=[9,^,-], then D0150I2 must equal [^].
-5900	Consistency	Fatal	(a) If D0150A2 = [0,1] and D0150B2 = [0,1], then the following active items must equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (b) If D0150A1 = [-] or D0150B1 = [-], then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (c) If D0150A1 = [9] and D0150B1 = [9], then the following active items must equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (d) If (D0150A2 = [^] and D0150B2 = [0,1]) OR (D0150A2 = [0,1] and D0150B2 = [^]), then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (e) If D0150A2 = [2,3] or D0150B2 = [2,3], then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1.

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

Changes for Version

Type	ID	Description
Item	D0150I1	[V3.00.0] - New item.
Format	-3060	<p>[V3.00.0] - Removed mappings to the following items: M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVTY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT.</p> <p>Added mappings to the following items: A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C.</p> <p>[V3.00.1] - Added mapping to O0110H4C and new items A1005Y, A1010Y, A1010Z, A1250Y. Removed mapping to M2016_DRUG_EDCTN_INTRVTN, since this item was deleted.</p>
Consistency	-5890	<p>[V3.00.0] - New edit.</p> <p>[V3.00.1] - Removed subedit d and revised subedit c.</p>
Consistency	-5900	<p>[V3.00.0] - New edit.</p> <p>[V3.00.1] - Revised previous subedit b to be valid if D0150A2 or D0150B2 = [2,3]; removed previous subedit a and renamed previous subedit b to subedit e; added new subedit a-d; added mappings to items D0150A1 and D0150B1.</p>

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

Item ID: D0150I2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Mood: Thoughts of better off dead: Freq	Asmt		Code	1	1911-1911

Item Subsets

Active:	01,03,09
Inactive:	04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		Never or 1 day
1		2-6 days (several days)
2		7-11 days (half or more of the days)
3		12-14 days (nearly every day)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5890	Consistency	Fatal	(a) If D0150I1=[0], then D0150I2 must equal [0]. (b) If D0150I1=[1], then D0150I2 must equal [0,1,2,3]. (c) If D0150I1=[9,^,-], then D0150I2 must equal [^].
-5910	Consistency	Fatal	Total Severity Score Calculation: (a) If D0150A1 = [9] and D0150B1 = [9], then D0160 must equal [^]. (b) If D0150A2 = [0,1] and D0150B2 = [0,1], then D0160 must equal the sum of the values from D0150A2 and D0150B2. Otherwise, the PHQ-9 must be completed, and D0160 must equal the sum of the values of the following nine items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 and Format Integer Items to nearest integer. These are referred to as the "items in Column 2", below. The following rules explain how to compute the score that is placed in item D0160. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are skipped. (c) If the following items D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 equal [0,1,2,3], then D0160 must equal the sum of these items. (d) If one of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^], then D0160 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer.

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

- (e) If two of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^], then D0160 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer.
- (f) If three or more items between D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2 and D0150I2 = [^], then D0160 must equal [99].

Changes for Version

Type	ID	Description
Item	D0150I2	[V3.00.0] - New item. [V3.00.1] - Removed the dash [-] as a valid item value.
Format	-3060	[V3.00.0] - Removed mappings to the following items: M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVTY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Added mappings to the following items: A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. [V3.00.1] - Added mapping to O0110H4C and new items A1005Y, A1010Y, A1010Z, A1250Y. Removed mapping to M2016_DRUG_EDCTN_INTRVTN, since this item was deleted.
Consistency	-5890	[V3.00.0] - New edit. [V3.00.1] - Removed subedit d and revised subedit c.
Consistency	-5910	[V3.00.0] - New edit. [V3.00.1] - Updated edit language defining the Total Severity Score. Renamed previous subedit a-d to subedit c-f and removed the dash [-] as a possible value for the Column 2 items; added new subedit a and b; added mappings to items D0150A1 and D0150B1.

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

Item ID: D0160

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Total severity score	Asmt		Number	2	1912-1913

Item Subsets

Active: 01,03,09
Inactive: 04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
00		Minimum value
27		Maximum value
99		Unable to complete interview
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3100	Format	Fatal	FORMATTING OF POSITIVE INTEGER NUMERIC ITEMS Only positive integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed. A sign will not be accepted. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [+1], [-2], [+1.3], [-4.5].
-5910	Consistency	Fatal	Total Severity Score Calculation: (a) If D0150A1 = [9] and D0150B1 = [9], then D0160 must equal [^]. (b) If D0150A2 = [0,1] and D0150B2 = [0,1], then D0160 must equal the sum of the values from D0150A2 and D0150B2. Otherwise, the PHQ-9 must be completed, and D0160 must equal the sum of the values of the following nine items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 and Format Integer Items to nearest integer. These are referred to as the "items in Column 2", below. The following rules explain how to compute the score that is placed in item D0160. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are skipped.

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

- (c) If the following items D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 equal [0,1,2,3], then D0160 must equal the sum of these items.
- (d) If one of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^], then D0160 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer.
- (e) If two of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^], then D0160 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer.
- (f) If three or more items between D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2 and D0150I2 = [^], then D0160 must equal [99].

Changes for Version

Type	ID	Description
Item	D0160	[V3.00.0] - New item. [V3.00.1] - Modified the minimum value from 02 to 00. Added [^] as a valid item value.
Format	-3060	[V3.00.0] - Removed mappings to the following items: M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVTY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT. Added mappings to the following items: A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. [V3.00.1] - Added mapping to O0110H4C and new items A1005Y, A1010Y, A1010Z, A1250Y. Removed mapping to M2016_DRUG_EDCTN_INTRVTN, since this item was deleted.
Format	-3100	[V3.00.1] - Added mappings to new items C0500 and D0160.

Data Submission Specifications for the OASIS Item Set (V3.00.1)
Detailed Data Specifications Report
Section: D

Consistency	-5910	[V3.00.0] - New edit. [V3.00.1] - Updated edit language defining the Total Severity Score. Renamed previous subedits a-d to subedits c-f and removed the dash [-] as a possible value for the Column 2 items; added new subedits a and b; added mappings to items D0150A1 and D0150B1.
-------------	-------	---

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: D

Item ID: D0700

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Social Isolation	Asmt		Code	1	1914-1914

Item Subsets

Active: 01,03,09
Inactive: 04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		Never
1		Rarely
2		Sometimes
3		Often
4		Always
7		Patient declines to respond
8		Patient unable to respond

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	D0700	[V3.00.0] - New item. [V3.00.1] - Added new response item [7].
Format	-3060	[V3.00.0] - Removed mappings to the following items: M0140_ETHNIC_AI_AN, M0140_ETHNIC_ASIAN, M0140_ETHNIC_BLACK, M0140_ETHNIC_HISP, M0140_ETHNIC_NH_PI, M0140_ETHNIC_WHITE, M1030_THH_ENT_NUTRITION, M1030_THH_IV_INFUSION, M1030_THH_NONE_ABOVE, M1030_THH_PAR_NUTRITION, M1051_PVX_RCVD_AGENCY, M1056_PVX_RSN_NOT_RCVD_AGENCY, M1200_VISION, M1242_PAIN_FREQ_ACTVTY_MVMT, M1730_PHQ2_DPRSN, M1730_PHQ2_LACK_INTRST, M1730_STDZ_DPRSN_SCRNG, M1910_MLT_FCTR_FALL_RISK_ASMT, M2401_INTRVTN_SMRY_DBTS_FT.

Data Submission Specifications for the OASIS Item Set (V3.00.1)
Detailed Data Specifications Report
Section: D

Added mappings to the following items: A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, B0200, B1000, A1110B, A1250A, A1250B, A1250C, A1250X, A2121, A2120, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, K0520A5, K0520B5, K0520C5, K0520D5, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C.

[V3.00.1] - Added mapping to O0110H4C and new items A1005Y, A1010Y, A1010Z, A1250Y. Removed mapping to M2016_DRUG_EDCTN_INTRVTN, since this item was deleted.