

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

Table of Contents

-3010	Format Fatal	5
-3020	Format Fatal	5
-3030	Format Fatal	5
-3060	Format Fatal	5
-3070	Format Fatal	15
-3080	Format Fatal	15
-3090	Format Fatal	16
-3100	Format Fatal	16
-3110	Format Fatal	17
-3120	Format Fatal	17
-3130	Format Fatal	17
-3140	Format Fatal	18
-3150	Format Fatal	18
-3160	Consistency Fatal	19
-3162	Consistency Fatal	19
-3170	Consistency Warning.....	19
-3180	Format Fatal	19
-3190	Consistency Fatal	19
-3200	Consistency Fatal	20
-3210	Format Fatal	20
-3220	Consistency Fatal	20
-3230	Consistency Fatal	20
-3240	Consistency Fatal	21
-3250	Format Fatal	21
-3261	Consistency Fatal	21
-3271	Consistency Fatal	22
-3280	Consistency Warning.....	22
-3290	Consistency Warning.....	22
-3300	Consistency Warning.....	23
-3310	Consistency Warning.....	23
-3320	Consistency Warning.....	23
-3330	Consistency Warning.....	23
-3340	Consistency Fatal	23
-3341	Consistency Fatal	23
-3390	Consistency Fatal	23
-3410	Consistency Fatal	24
-3420	Consistency Fatal	24
-3430	Format Fatal	24
-3450	Consistency Fatal	24
-3460	Consistency Fatal	24
-3470	Consistency Fatal	24
-3480	Consistency Fatal	25
-3490	Consistency Fatal	25
-3500	Consistency Fatal	25
-3510	Consistency Fatal	25
-3520	Consistency Fatal	25
-3530	Consistency Fatal	25
-3540	Consistency Fatal	25
-3550	Consistency Fatal	25
-3560	Consistency Fatal	25
-3570	Consistency Fatal	26
-3580	Consistency Fatal	26
-3590	Consistency Fatal	26
-3600	Consistency Fatal	26
-3630	Consistency Fatal	26
-3640	Consistency Fatal	26

Data Submission Specifications for the OASIS Item Set (V3.00.1)
Unduplicated Edits Report by Edit ID

-3650	Consistency Fatal	26
-3660	Consistency Fatal	27
-4030	Skip pattern Fatal.....	27
-4040	Skip pattern Fatal.....	27
-4171	Consistency Fatal	27
-4182	Consistency Fatal	27
-4192	Consistency Fatal	27
-4202	Consistency Fatal	28
-4221	Skip pattern Fatal.....	28
-4231	Skip pattern Fatal.....	28
-4241	Skip pattern Fatal.....	28
-4251	Skip pattern Fatal.....	28
-4320	Consistency Fatal	28
-4351	Consistency Fatal	28
-4361	Consistency Fatal	29
-4371	Consistency Fatal	29
-4400	Consistency Fatal	29
-4410	Consistency Fatal	29
-4421	Skip pattern Fatal.....	29
-4431	Skip pattern Fatal.....	29
-4441	Skip pattern Fatal.....	30
-4480	Consistency Fatal	30
-4511	Skip pattern Fatal.....	30
-4521	Skip pattern Fatal.....	30
-4531	Skip pattern Fatal.....	30
-4541	Skip pattern Fatal.....	30
-4550	Consistency Fatal	31
-4560	Consistency Fatal	31
-4570	Consistency Fatal	31
-4580	Consistency Fatal	31
-4690	Consistency Fatal	31
-4700	Consistency Fatal	31
-4710	Consistency Fatal	31
-4730	Consistency Fatal	32
-4740	Consistency Fatal	32
-4850	Consistency Fatal	32
-4860	Consistency Fatal	32
-4870	Consistency Fatal	32
-4880	Consistency Fatal	32
-4885	Format Fatal	32
-4900	Format Fatal	33
-4921	Skip pattern Fatal.....	33
-4991	Consistency Warning.....	33
-5001	Consistency Fatal	33
-5050	Consistency Fatal	33
-5060	Consistency Fatal	34
-5070	Skip pattern Fatal.....	34
-5080	Skip pattern Fatal.....	34
-5112	Skip pattern Fatal.....	34
-5123	Skip pattern Fatal.....	35
-5132	Consistency Fatal	35
-5201	Consistency Fatal	35
-5211	Consistency Fatal	36
-5221	Consistency Fatal	36
-5280	Format Fatal	37
-5290	Consistency Fatal	37
-5300	Consistency Fatal	37

Data Submission Specifications for the OASIS Item Set (V3.00.1)
Unduplicated Edits Report by Edit ID

-5320	Consistency Fatal	37
-5340	Consistency Fatal	37
-5350	Consistency Fatal	37
-5360	Format Warning	37
-5371	Skip pattern Fatal.....	38
-5372	Consistency Fatal	38
-5373	Consistency Fatal	38
-5381	Skip pattern Fatal.....	38
-5382	Consistency Fatal	38
-5383	Consistency Fatal	38
-5391	Skip pattern Fatal.....	38
-5392	Consistency Fatal	39
-5393	Consistency Fatal	39
-5401	Skip pattern Fatal.....	39
-5402	Consistency Fatal	39
-5403	Consistency Fatal	39
-5411	Skip pattern Fatal.....	39
-5412	Consistency Fatal	39
-5413	Consistency Fatal	40
-5421	Skip pattern Fatal.....	40
-5422	Consistency Fatal	40
-5423	Consistency Fatal	40
-5460	Consistency Fatal	40
-5470	Consistency Fatal	40
-5490	Skip pattern Fatal.....	40
-5500	Consistency Fatal	41
-5510	Consistency Fatal	41
-5520	Skip pattern Fatal.....	41
-5530	Skip pattern Fatal.....	41
-5540	Skip pattern Fatal.....	42
-5550	Skip pattern Fatal.....	42
-5560	Skip pattern Fatal.....	42
-5570	Skip pattern Fatal.....	42
-5580	Skip pattern Fatal.....	42
-5590	Skip pattern Fatal.....	43
-5600	Skip pattern Fatal.....	43
-5610	Skip pattern Fatal.....	43
-5620	Skip pattern Fatal.....	43
-5630	Skip pattern Fatal.....	43
-5661	Consistency Fatal	44
-5670	Consistency Fatal	44
-5681	Consistency Fatal	44
-5690	Format Fatal	44
-5700	Format Fatal	45
-5710	Format Fatal	45
-5720	Consistency Fatal	46
-5730	Consistency Fatal	46
-5740	Consistency Fatal	47
-5750	Skip pattern Fatal.....	47
-5760	Skip pattern Fatal.....	47
-5770	Skip pattern Fatal.....	47
-5780	Consistency Fatal	48
-5790	Skip pattern Fatal.....	48
-5800	Consistency Fatal	48
-5810	Consistency Fatal	49
-5820	Consistency Fatal	49
-5830	Consistency Fatal	49

Data Submission Specifications for the OASIS Item Set (V3.00.1)
Unduplicated Edits Report by Edit ID

-5840	Consistency Fatal	49
-5850	Consistency Fatal	49
-5860	Consistency Fatal	50
-5870	Consistency Fatal	50
-5880	Consistency Fatal	50
-5890	Consistency Fatal	50
-5900	Consistency Fatal	50
-5910	Consistency Fatal	51
-5920	Consistency Fatal	51
-5930	Consistency Fatal	52
-5940	Consistency Fatal	52
-5950	Consistency Fatal	52
-5960	Skip pattern Fatal.....	52
-5970	Skip pattern Fatal.....	53
-5980	Skip pattern Fatal.....	53
-5990	Skip pattern Fatal.....	53
-6000	Skip pattern Fatal.....	53
-6010	Skip pattern Fatal.....	53
-6020	None of above Fatal	53
-6030	Consistency Fatal	54
-6040	Consistency Fatal	54
-6050	Consistency Fatal	54
-6060	Consistency Fatal	54
-6070	Consistency Fatal	54
-6080	Consistency Fatal	55
-6090	Consistency Fatal	55
-6100	Consistency Fatal	55
-6110	Consistency Fatal	56
-6120	Consistency Fatal	56
-6130	Consistency Fatal	56
-6140	Consistency Fatal	56
-6150	Consistency Fatal	56
-6160	Consistency Fatal	57
-6170	Consistency Fatal	57
-6180	Consistency Fatal	57
-6190	Skip pattern Fatal.....	58
-7000	Skip pattern Fatal.....	58
-7010	Skip pattern Fatal.....	58
-9010	Information None	58
-9020	Information None	58
-9030	Information None	58
-9040	Information None	58
-9050	Information None	58
-9060	Information None	59
-9080	Information None	59
-9090	Information None	60
-9100	Information None	60
-9110	Information None	60
-9130	Information None	60
-9140	Information None	60
-9150	Information None	60
-9160	Information None	61
-9170	Information None	61
-9180	Information None	62
-9190	Information None	62

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3010	Format	Fatal	<p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then the length of the submitted value must match exactly the maximum length that is listed for the item.</p> <p>Items: NATL_PRVDR_ID Agency National Provider ID (NPI) SFW_ID Software vendor federal employer tax ID M0018_PHYSICIAN_ID Attending physician National Provider ID (NPI) M0064_SSN Patient's Social Security number</p>
-3020	Format	Fatal	<p>If the value is not equal to [^], the first three characters must not be equal to [000].</p> <p>Items: M0064_SSN Patient's Social Security number</p>
-3030	Format	Fatal	<p>The value must not be equal to any of the following: [111111111, 333333333, 123456789, 999999999].</p> <p>Items: M0064_SSN Patient's Social Security number</p>
-3060	Format	Fatal	<p>VALUES OF CODE AND CHECKLIST ITEMS</p> <p>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.</p> <p>Items: ASMT_SYS_CD Assessment system code TRANS_TYPE_CD Transaction type code ITM_SBST_CD Item subset code STATE_CD Agency's state postal code M0018_PHYSICIAN_UK Attending physician NPI: Unknown M0014_BRANCH_STATE Branch state M0032_ROC_DT_NA No resumption of care date M0050_PAT_ST Patient state of residence M0064_SSN_UK No Social Security number M0063_MEDICARE_NA No Medicare number M0065_MEDICAID_NA No Medicaid number M0069_PAT_GENDER Gender M0150_CPAY_NONE Payment sources: no charge for current services M0150_CPAY_MCARE_FFS Payment sources: Medicare fee-for-service M0150_CPAY_MCARE_HMO Payment sources: Medicare HMO/managed care M0150_CPAY_MCAID_FFS Payment sources: Medicaid fee-for-service M0150_CPAY_MCAID_HMO Payment sources: Medicaid HMO/managed care M0150_CPAY_WRKCOMP Payment sources: worker's compensation M0150_CPAY_TITLEPGMS Payment sources: title programs M0150_CPAY_OTH_GOV'T Payment sources: other government M0150_CPAY_PRIV_INS Payment sources: private insurance M0150_CPAY_PRIV_HMO Payment sources: private HMO/managed care M0150_CPAY_SELFPAY Payment sources: self-pay</p>

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	<div> <div>M0150_CPAY_OTHER</div> <div>M0150_CPAY_UK</div> <div>M0080_ASSESSOR_DISCIPLINE</div> <div>M0100_ASSMT_REASON</div> <div>M0102_PHYSN_ORDRD_SOCROC_DT_NA</div> <div>M0110_EPISODE_TIMING</div> <div>M1000_DC_LTC_14_DA</div> <div>M1000_DC_SNF_14_DA</div> <div>M1000_DC_IPPS_14_DA</div> <div>M1000_DC_LTCH_14_DA</div> <div>M1000_DC_IRF_14_DA</div> <div>M1000_DC_PSYCH_14_DA</div> <div>M1000_DC_OTH_14_DA</div> <div>M1000_DC_NONE_14_DA</div> <div>M1005_INP_DSCHG_UNKNOWN</div> <div>A1005A</div> <div>A1005B</div> <div>A1005C</div> <div>A1005D</div> <div>A1005E</div> <div>A1005X</div> <div>A1005Y</div> <div>A1010A</div> <div>A1010B</div> <div>A1010C</div> <div>A1010D</div> <div>A1010E</div> <div>A1010F</div> <div>A1010G</div> <div>A1010H</div> <div>A1010I</div> <div>A1010J</div> <div>A1010K</div> <div>A1010L</div> <div>A1010M</div> <div>A1010N</div> <div>A1010X</div> <div>A1010Y</div> <div>A1010Z</div> <div>A1110B</div> </div> <div> <div>Payment sources: other</div> <div>Payment sources: unknown</div> <div>Discipline of person completing assessment</div> <div>Reason for assessment</div> <div>Physician ordered SOC/ROC date - NA</div> <div>Episode timing</div> <div>Past 14 days: disch from LTC NH</div> <div>Past 14 days: disch from skilled nursing facility</div> <div>Past 14 days: disch from short stay acute hospital</div> <div>Past 14 days: disch from long term care hospital</div> <div>Past 14 days: disch from inpatient rehab facility</div> <div>Past 14 days: disch from psych hospital or unit</div> <div>Past 14 days: disch from other</div> <div>Past 14 days: not disch from inpatient facility</div> <div>Inpatient discharge date unknown</div> <div>Ethnicity: No, Not Hispanic, Latino/a, Spanish</div> <div>Ethnicity: Yes, Mex, Mex Amer, Chicano/a</div> <div>Ethnicity: Yes, Puerto Rican</div> <div>Ethnicity: Yes, Cuban</div> <div>Ethnicity: Yes, Another Hispanic/Latino/Spanish</div> <div>Ethnicity: Patient unable to respond</div> <div>Ethnicity: Patient declines to respond</div> <div>Race: White</div> <div>Race: Black or African American</div> <div>Race: American Indian or Alaska Native</div> <div>Race: Asian Indian</div> <div>Race: Chinese</div> <div>Race: Filipino</div> <div>Race: Japanese</div> <div>Race: Korean</div> <div>Race: Vietnamese</div> <div>Race: Other Asian</div> <div>Race: Native Hawaiian</div> <div>Race: Guamanian or Chamorro</div> <div>Race: Samoan</div> <div>Race: Other Pacific Islander</div> <div>Race: Patient unable to respond</div> <div>Race: Patient declines to respond</div> <div>Race: None of the above</div> <div>Do you need or want an interpreter</div> </div>

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: A1250A Transportation: Yes, medical A1250B Transportation: Yes, non-medical A1250C Transportation: No A1250X Transportation: Patient unable to respond A1250Y Transportation: Patient declines to respond M2301_EMER_USE_AFTR_LAST_ASMT Emergent care: use since most recent SOC/ROC M2310_ECR_MEDICATION Emergent care reason: medication M2310_ECR_HYPOGLYC Emergent care reason: hypoglycemia/hyperglycemia M2310_ECR_OTHER Emergent care reason: other than above M2310_ECR_UNKNOWN Emergent care reason: unknown M2410_INPAT_FACILITY Inpatient facility M2420_DSCHRG_DISP Discharge disposition A2121 Current Reconciled Medication List - Prvdr (Dis) A2120 Current Reconciled Medication List - Prvdr (Tra) A2122A Provider Trans - Electronic Health Record A2122B Provider Trans - Health Info Exchange A2122C Provider Trans - Verbal A2122D Provider Trans - Paper-based A2122E Provider Trans - Other Methods A2123 Current Reconciled Medication List - Ptnt (Dis) A2124A Patient Trans - Electronic Health Record A2124B Patient Trans - Health Info Exchange A2124C Patient Trans - Verbal A2124D Patient Trans - Paper-based A2124E Patient Trans - Other Methods B0200 Hearing B1000 Vision B1300 Health Literacy C0100 Brief Interview for Mental Status C0200 Repetition of three words C0300A Temporal Orientation: Able to report correct year C0300B Temporal Orientation: Able to report correct month C0300C Temporal Orientation: Able to report correct day C0400A Recall: Able to recall "sock" C0400B Recall: Able to recall "blue" C0400C Recall: Able to recall "bed" C0500 BIMS Summary Score C1310A Delirium: Acute Onset Mental Status Change C1310B Delirium: Inattention C1310C Delirium: Disorganized thinking

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<div>Items:</div> <div> <div>C1310D</div> <div>Delirium: Altered level of consciousness</div> </div> <div> <div>M1700_COG_FUNCTION</div> <div>Cognitive functioning</div> </div> <div> <div>M1710_WHEN_CONFUSED</div> <div>When confused (reported or observed)</div> </div> <div> <div>M1720_WHEN_ANXIOUS</div> <div>When anxious (reported or observed)</div> </div> <div> <div>D0150A1</div> <div>Mood: Little interest/pleasure doing things: Pres</div> </div> <div> <div>D0150A2</div> <div>Mood: Little interest/pleasure doing things: Freq</div> </div> <div> <div>D0150B1</div> <div>Mood: Feeling down, depressed, or hopeless: Pres</div> </div> <div> <div>D0150B2</div> <div>Mood: Feeling down, depressed, or hopeless: Freq</div> </div> <div> <div>D0150C1</div> <div>Mood: Trouble falling or staying asleep: Pres</div> </div> <div> <div>D0150C2</div> <div>Mood: Trouble falling or staying asleep: Freq</div> </div> <div> <div>D0150D1</div> <div>Mood: Feeling tired or having little energy: Pres</div> </div> <div> <div>D0150D2</div> <div>Mood: Feeling tired or having little energy: Freq</div> </div> <div> <div>D0150E1</div> <div>Mood: Poor appetite or overeating: Pres</div> </div> <div> <div>D0150E2</div> <div>Mood: Poor appetite or overeating: Freq</div> </div> <div> <div>D0150F1</div> <div>Mood: Feeling bad about yourself: Pres</div> </div> <div> <div>D0150F2</div> <div>Mood: Feeling bad about yourself: Freq</div> </div> <div> <div>D0150G1</div> <div>Mood: Trouble concentrating on things: Pres</div> </div> <div> <div>D0150G2</div> <div>Mood: Trouble concentrating on things: Freq</div> </div> <div> <div>D0150H1</div> <div>Mood: Moving or speaking so slowly: Pres</div> </div> <div> <div>D0150H2</div> <div>Mood: Moving or speaking so slowly: Freq</div> </div> <div> <div>D0150I1</div> <div>Mood: Thoughts of better off dead: Pres</div> </div> <div> <div>D0150I2</div> <div>Mood: Thoughts of better off dead: Freq</div> </div> <div> <div>D0160</div> <div>Total severity score</div> </div> <div> <div>D0700</div> <div>Social Isolation</div> </div> <div> <div>M1740_BD_MEM_DEFICIT</div> <div>Behavior demonstrated: memory deficit</div> </div> <div> <div>M1740_BD_IMP_DECISN</div> <div>Behavior demonstrated: impaired decision-making</div> </div> <div> <div>M1740_BD_VERBAL</div> <div>Behavior demonstrated: verbal disruption</div> </div> <div> <div>M1740_BD_PHYSICAL</div> <div>Behavior demonstrated: physical aggression</div> </div> <div> <div>M1740_BD_SOC_INAPPRO</div> <div>Behavior demonstrated: socially inappropriate</div> </div> <div> <div>M1740_BD_DELUSIONS</div> <div>Behavior demonstrated: delusions</div> </div> <div> <div>M1740_BD_NONE</div> <div>Behavior demonstrated: none of the above</div> </div> <div> <div>M1745_BEH_PROB_FREQ</div> <div>Frequency of behavior problems</div> </div> <div> <div>M1100_PTNT_LVG_STUTN</div> <div>Patient living situation</div> </div> <div> <div>M2102_CARE_TYPE_SRC_ADL</div> <div>Care mgmt, types/sources: ADL</div> </div> <div> <div>M2102_CARE_TYPE_SRC_MDCTN</div> <div>Care mgmt, types/sources: med admin</div> </div> <div> <div>M2102_CARE_TYPE_SRC_PRCDR</div> <div>Care mgmt, types/sources: med procs tx</div> </div> <div> <div>M2102_CARE_TYPE_SRC_SPRVSN</div> <div>Care mgmt, types/sources: supervision and safety</div> </div> <div> <div>M1800_CRNT_GROOMING</div> <div>Current: grooming</div> </div> <div> <div>M1810_CRNT_DRESS_UPPER</div> <div>Current: dress upper body</div> </div> <div> <div>M1820_CRNT_DRESS_LOWER</div> <div>Current: dress lower body</div> </div>

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	<div> <div>M1830_CRNT_BATHG</div> <div>Current: bathing</div> </div> <div> <div>M1840_CRNT_TOILTG</div> <div>Current: toileting</div> </div> <div> <div>M1845_CRNT_TOILTG_HYGN</div> <div>Current: toileting hygiene</div> </div> <div> <div>M1850_CRNT_TRNSFRNG</div> <div>Current: transferring</div> </div> <div> <div>M1860_CRNT_AMBLTN</div> <div>Current: ambulation</div> </div> <div> <div>GG0100A</div> <div>Prior Function - Self Care</div> </div> <div> <div>GG0100B</div> <div>Prior Function - Indoor Mobility (Ambulation)</div> </div> <div> <div>GG0100C</div> <div>Prior Function - Stairs</div> </div> <div> <div>GG0100D</div> <div>Prior Function - Functional Cognition</div> </div> <div> <div>GG0110A</div> <div>Prior Device - Manual wheelchair</div> </div> <div> <div>GG0110B</div> <div>Prior Device - Motorized wheelchair and/or scooter</div> </div> <div> <div>GG0110C</div> <div>Prior Device - Mechanical lift</div> </div> <div> <div>GG0110D</div> <div>Prior Device - Walker</div> </div> <div> <div>GG0110E</div> <div>Prior Device - Orthotics/Prosthetics</div> </div> <div> <div>GG0110Z</div> <div>Prior Device - None of the above</div> </div> <div> <div>GG0130A1</div> <div>Eating (SOC/ROC Perf)</div> </div> <div> <div>GG0130A2</div> <div>Eating (Dschg Goal)</div> </div> <div> <div>GG0130A3</div> <div>Eating (Dschg Perf)</div> </div> <div> <div>GG0130A4</div> <div>Eating (Follow-Up Perf)</div> </div> <div> <div>GG0130B1</div> <div>Oral Hygiene (SOC/ROC Perf)</div> </div> <div> <div>GG0130B2</div> <div>Oral Hygiene (DschrG Goal)</div> </div> <div> <div>GG0130B3</div> <div>Oral Hygiene (DschrG Perf)</div> </div> <div> <div>GG0130B4</div> <div>Oral Hygiene (Follow-Up Perf)</div> </div> <div> <div>GG0130C1</div> <div>Toileting hygiene (SOC/ROC Perf)</div> </div> <div> <div>GG0130C2</div> <div>Toileting hygiene (DschrG Goal)</div> </div> <div> <div>GG0130C3</div> <div>Toileting hygiene (DschrG Perf)</div> </div> <div> <div>GG0130C4</div> <div>Toileting hygiene (Follow-Up Perf)</div> </div> <div> <div>GG0130E1</div> <div>Shower/bathe self (SOC/ROC Perf)</div> </div> <div> <div>GG0130E2</div> <div>Shower/bathe self (DschrG Goal)</div> </div> <div> <div>GG0130E3</div> <div>Shower/bathe self (DschrG Perf)</div> </div> <div> <div>GG0130F1</div> <div>Upper body dressing (SOC/ROC Perf)</div> </div> <div> <div>GG0130F2</div> <div>Upper body dressing (DschrG Goal)</div> </div> <div> <div>GG0130F3</div> <div>Upper body dressing (DschrG Perf)</div> </div> <div> <div>GG0130G1</div> <div>Lower body dressing (SOC/ROC Perf)</div> </div> <div> <div>GG0130G2</div> <div>Lower body dressing (DschrG Goal)</div> </div> <div> <div>GG0130G3</div> <div>Lower body dressing (DschrG Perf)</div> </div> <div> <div>GG0130H1</div> <div>Put on/take off footwear (SOC/ROC Perf)</div> </div> <div> <div>GG0130H2</div> <div>Put on/take off footwear (DschrG Goal)</div> </div> <div> <div>GG0130H3</div> <div>Put on/take off footwear (DschrG Perf)</div> </div> <div> <div>GG0170A1</div> <div>Roll left and right (SOC/ROC Perf)</div> </div>

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items:
			GG0170A2 Roll left and right (DschrG Goal)
			GG0170A3 Roll left and right (DschrG Perf)
			GG0170A4 Roll left and right (Follow-Up Perf)
			GG0170B1 Sit to lying (SOC/ROC Perf)
			GG0170B2 Sit to lying (DschrG Goal)
			GG0170B3 Sit to lying (DschrG Perf)
			GG0170B4 Sit to lying (Follow-Up Perf)
			GG0170C_MOBILITY_SOCROC_PERF Lying to sitting on bed side (SOC/ROC Perf)
			GG0170C_MOBILITY_DSCHG_GOAL Lying to sitting on bed side (DschrG Goal)
			GG0170C3 Lying to sitting on bed side (DschrG Perf)
			GG0170C4 Lying to sitting on bed side (Follow-Up Perf)
			GG0170D1 Sit to stand (SOC/ROC Perf)
			GG0170D2 Sit to stand (DschrG Goal)
			GG0170D3 Sit to stand (DschrG Perf)
			GG0170D4 Sit to stand (Follow-Up Perf)
			GG0170E1 Chair/bed-to-chair transfer (SOC/ROC Perf)
			GG0170E2 Chair/bed-to-chair transfer (DschrG Goal)
			GG0170E3 Chair/bed-to-chair transfer (DschrG Perf)
			GG0170E4 Chair/bed-to-chair transfer (Follow-Up Perf)
			GG0170F1 Toilet transfer (SOC/ROC Perf)
			GG0170F2 Toilet transfer (DschrG Goal)
			GG0170F3 Toilet transfer (DschrG Perf)
			GG0170F4 Toilet transfer (Follow-Up Perf)
			GG0170G1 Car transfer (SOC/ROC Perf)
			GG0170G2 Car transfer (DschrG Goal)
			GG0170G3 Car transfer (DschrG Perf)
			GG0170I1 Walk 10 feet (SOC/ROC Perf)
			GG0170I2 Walk 10 feet (DschrG Goal)
			GG0170I3 Walk 10 feet (DschrG Perf)
			GG0170I4 Walk 10 feet (Follow-Up Perf)
			GG0170J1 Walk 50 feet with two turns (SOC/ROC Perf)
			GG0170J2 Walk 50 feet with two turns (DschrG Goal)
			GG0170J3 Walk 50 feet with two turns (DschrG Perf)
			GG0170J4 Walk 50 feet with two turns (Follow-Up Perf)
			GG0170K1 Walk 150 feet (SOC/ROC Perf)
			GG0170K2 Walk 150 feet (DschrG Goal)
			GG0170K3 Walk 150 feet (DschrG Perf)
			GG0170L1 Walking 10 feet uneven surf (SOC/ROC Perf)
			GG0170L2 Walking 10 feet uneven surf (DschrG Goal)
			GG0170L3 Walking 10 feet uneven surf (DschrG Perf)

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items:
			GG0170L4 Walking 10 feet uneven surf (Follow-Up Perf)
			GG0170M1 1 step (curb) (SOC/ROC Perf)
			GG0170M2 1 step (curb) (DschrG Goal)
			GG0170M3 1 step (curb) (DschrG Perf)
			GG0170M4 1 step (curb) (Follow-Up Perf)
			GG0170N1 4 steps (SOC/ROC Perf)
			GG0170N2 4 steps (DschrG Goal)
			GG0170N3 4 steps (DschrG Perf)
			GG0170N4 4 steps (Follow-Up Perf)
			GG0170O1 12 steps (SOC/ROC Perf)
			GG0170O2 12 steps (DschrG Goal)
			GG0170O3 12 steps (DschrG Perf)
			GG0170P1 Picking up object (SOC/ROC Perf)
			GG0170P2 Picking up object (DschrG Goal)
			GG0170P3 Picking up object (DschrG Perf)
			GG0170Q1 Use wheelchair and/or scooter (SOC/ROC Perf)
			GG0170Q3 Use wheelchair and/or scooter (DschrG Perf)
			GG0170Q4 Use wheelchair and/or scooter (Follow-Up Perf)
			GG0170R1 Wheel 50 feet with two turns (SOC/ROC Perf)
			GG0170R2 Wheel 50 feet with two turns (DschrG Goal)
			GG0170R3 Wheel 50 feet with two turns (DschrG Perf)
			GG0170R4 Wheel 50 feet with two turns (Follow-Up Perf)
			GG0170RR1 Type of wheelchair or scooter (SOC/ROC Perf)
			GG0170RR3 Type of wheelchair or scooter (DschrG Perf)
			GG0170S1 Wheel 150 feet (SOC/ROC Perf)
			GG0170S2 Wheel 150 feet (DschrG Goal)
			GG0170S3 Wheel 150 feet (DschrG Perf)
			GG0170SS1 Type of wheelchair or scooter (SOC/ROC Perf)
			GG0170SS3 Type of wheelchair or scooter (DschrG Perf)
			M1600_UTI Treated for urinary tract infection past 14 days
			M1610_UR_INCONT Urinary incontinence or urinary catheter present
			M1620_BWL_INCONT Bowel incontinence frequency
			M1630_OSTOMY Ostomy for bowel elimination
			M1028_ACTV_DIAG_PVD_PAD Active Diagnoses - PVD or PAD
			M1028_ACTV_DIAG_DM Active Diagnoses - Diabetes Mellitus
			M1028_ACTV_DIAG_NOA Active Diagnoses - None of the above
			M1021_PRIMARY_DIAG_SEVERITY Primary diagnosis severity rating
			M1023_OTH_DIAG1_SEVERITY Other diagnosis 1: severity rating
			M1023_OTH_DIAG2_SEVERITY Other diagnosis 2: severity rating
			M1023_OTH_DIAG3_SEVERITY Other diagnosis 3: severity rating

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<div>Items:</div> <div> M1023_OTH_DIAG4_SEVERITY M1023_OTH_DIAG5_SEVERITY M1033_HOSP_RISK_HSTRY_FALLS M1033_HOSP_RISK_WEIGHT_LOSS M1033_HOSP_RISK_MLTPL_HOSPZTN M1033_HOSP_RISK_MLTPL_ED_VISIT M1033_HOSP_RISK_MNTL_BHV_DCLN M1033_HOSP_RISK_COMPLIANCE M1033_HOSP_RISK_5PLUS_MDCTN M1033_HOSP_RISK_CRNT_EXHSTN M1033_HOSP_RISK_OTHR_RISK M1033_HOSP_RISK_NONE_ABOVE J0510 J0520 J0530 J1800 J1900A J1900B J1900C M1400_WHEN_DYSPNEIC K0520A1 K0520A4 K0520A5 K0520B1 K0520B4 K0520B5 K0520C1 K0520C4 K0520C5 K0520D1 K0520D4 K0520D5 K0520Z1 K0520Z4 K0520Z5 M1870_CRNT_FEEDING M1306_UNHLD_STG2_PRSR_ULCR M1307_OLDST_STG2_AT_DSCHRG M1322_NBR_PRSULC_STG1 M1324_STG_PRBLM_ULCER </div>

Other diagnosis 4: severity rating
Other diagnosis 5: severity rating
Hosp risk: 2+ falls or injury fall in past year
Hosp risk: unintentional weight loss
Hosp risk: 2+ hospitalizations in past 6 months
Hosp risk: 2+ emergcy dept visits in past 6 months
Hosp risk: decline mental/emotional/behav status
Hosp risk: difficulty with medical instructions
Hosp risk: taking five or more medications
Hosp risk: current exhaustion
Hosp risk: other risk(s) not listed
Hosp risk: none of the above
Pain effect on sleep
Pain interference with therapy activities
Pain interference with day-to-day activities
Falls since SOC/ROC: any falls
Num falls since SOC/ROC: no injury
Num falls since SOC/ROC: injury (except major)
Num falls since SOC/ROC: major injury
When dyspneic
Nutritional Approaches (Admission): Parenteral
Nutritional Approaches (7 days): Parenteral
Nutritional Approaches (Discharge): Parenteral
Nutritional Approaches (Admission): Feeding tube
Nutritional Approaches (7 days): Feeding tube
Nutritional Approaches (Discharge): Feeding Tube
Nutritional Approaches (Admission) : Mech Alt Diet
Nutritional Approaches (7 days): Mech Alt Diet
Nutritional Approaches (Discharge): Mech Alt Diet
Nutritional Approaches (Admission) : Therapeutic
Nutritional Approaches (7 day): Therapeutic
Nutritional Approaches (Discharge): Therapeutic
Nutritional Approaches (Admission) : None
Nutritional Approaches (7 days): None
Nutritional Approaches (Discharge): None
Current: feeding
Patient has 1+ unhealed PU/injury at stage 2+
Status of oldest stage 2 pressure ulcer at disch
Number of stage 1 pressure injuries
Stage of most problematic pressure ulcer/injury

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	<div> <div>M1330_STAS_ULCR_PRSNT</div> <div>Does this patient have a stasis ulcer</div> </div> <div> <div>M1332_NBR_STAS_ULCR</div> <div>Number of stasis ulcers</div> </div> <div> <div>M1334_STUS_PRBLM_STAS_ULCR</div> <div>Status of most problematic stasis ulcer</div> </div> <div> <div>M1340_SRGL_WND_PRSNT</div> <div>Does this patient have a surgical wound</div> </div> <div> <div>M1342_STUS_PRBLM_SRGL_WND</div> <div>Status of most problematic surgical wound</div> </div> <div> <div>N0415A1</div> <div>High-Risk Drug (Is Taking): Antipsychotic</div> </div> <div> <div>N0415A2</div> <div>High-Risk Drug (Indication) : Antipsychotic</div> </div> <div> <div>N0415E1</div> <div>High-Risk Drug (Is taking): Anticoagulant</div> </div> <div> <div>N0415E2</div> <div>High-Risk Drug (Indication): Anticoagulant</div> </div> <div> <div>N0415F1</div> <div>High-Risk Drug (Is taking): Antibiotic</div> </div> <div> <div>N0415F2</div> <div>High-Risk Drug (Indication): Antibiotic</div> </div> <div> <div>N0415H1</div> <div>High-Risk Drug (Is taking): Opioid</div> </div> <div> <div>N0415H2</div> <div>High-Drug Risk (Indication): Opioid</div> </div> <div> <div>N0415I1</div> <div>High-Risk Drug (Is taking): Antiplatelet</div> </div> <div> <div>N0415I2</div> <div>High-Risk Drug (Indication): Antiplatelet</div> </div> <div> <div>N0415J1</div> <div>High-Risk Drug (Is taking): Hypoglycemic</div> </div> <div> <div>N0415J2</div> <div>High-Risk Drug (Indication): Hypoglycemic</div> </div> <div> <div>N0415Z1</div> <div>High-Risk Drug (Is taking): None of the above</div> </div> <div> <div>M2001_DRUG_RGMN_RVW</div> <div>Drug regimen review</div> </div> <div> <div>M2003_MDCTN_FLWP</div> <div>Medication follow-up</div> </div> <div> <div>M2005_MDCTN_INTRVTN</div> <div>Medication intervention</div> </div> <div> <div>M2010_HIGH_RISK_DRUG_EDCTN</div> <div>Patient/caregiver high risk drug education</div> </div> <div> <div>M2020_CRNT_MGMT_ORAL_MDCTN</div> <div>Current: management of oral medications</div> </div> <div> <div>M2030_CRNT_MGMT_INJCTN_MDCTN</div> <div>Current: management of injectable medications</div> </div> <div> <div>O0110A1A</div> <div>Treatment: Chemotherapy (Admission)</div> </div> <div> <div>O0110A1C</div> <div>Treatment: Chemotherapy (Discharge)</div> </div> <div> <div>O0110A2A</div> <div>Treatment: Chemo - IV (Admission)</div> </div> <div> <div>O0110A2C</div> <div>Treatment: Chemo - IV (Discharge)</div> </div> <div> <div>O0110A3A</div> <div>Treatment: Chemo - Oral (Admission)</div> </div> <div> <div>O0110A3C</div> <div>Treatment: Chemo - Oral (Discharge)</div> </div> <div> <div>O0110A10A</div> <div>Treatment: Chemo - Other (Admission)</div> </div> <div> <div>O0110A10C</div> <div>Treatment: Chemo - Other (Discharge)</div> </div> <div> <div>O0110B1A</div> <div>Treatment: Radiation (Admission)</div> </div> <div> <div>O0110B1C</div> <div>Treatment: Radiation (Discharge)</div> </div> <div> <div>O0110C1A</div> <div>Therapies: Oxygen Therapy (Admission)</div> </div> <div> <div>O0110C1C</div> <div>Therapies: Oxygen Therapy (Discharge)</div> </div> <div> <div>O0110C2A</div> <div>Therapies: Oxygen - Continuous (Admission)</div> </div> <div> <div>O0110C2C</div> <div>Therapies: Oxygen - Continuous (Discharge)</div> </div> <div> <div>O0110C3A</div> <div>Therapies: Oxygen - Intermittent (Admission)</div> </div> <div> <div>O0110C3C</div> <div>Therapies: Oxygen - Intermittent (Discharge)</div> </div>

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items:
			O0110C4A Therapies: Oxygen - High-concentration (Admission)
			O0110C4C Therapies: Oxygen - High-concentration (Discharge)
			O0110D1A Therapies: Suctioning (Admission)
			O0110D1C Therapies: Suctioning (Discharge)
			O0110D2A Therapies: Suctioning - Scheduled (Admission)
			O0110D2C Therapies: Suctioning - Scheduled (Discharge)
			O0110D3A Therapies: Suctioning - As Needed (Admission)
			O0110D3C Therapies: Suctioning - As Needed (Discharge)
			O0110E1A Therapies: Tracheostomy Care (Admission)
			O0110E1C Therapies: Tracheostomy Care (Discharge)
			O0110F1A Therapies: Invasive Mechanical Ventilator (Admis)
			O0110F1C Therapies: Invasive Mechanical Ventilator (Disch)
			O0110G1A Therapies: Non-Invas Mechanical Ventilator (Admis)
			O0110G1C Therapies: Non-Invas Mechanical Ventilator (Disch)
			O0110G2A Therapies: BiPAP (Admission)
			O0110G2C Therapies: BiPAP (Discharge)
			O0110G3A Therapies: CPAP (Admission)
			O0110G3C Therapies: CPAP (Discharge)
			O0110H1A Other: IV Medications (Admission)
			O0110H1C Other: IV Medications (Discharge)
			O0110H2A Other: IV - Vasoactive medications (Admission)
			O0110H2C Other: IV - Vasoactive medications (Discharge)
			O0110H3A Other: IV - Antibiotics (Admission)
			O0110H3C Other: IV - Antibiotics (Discharge)
			O0110H4A Other: IV - Anticoagulation (Admission)
			O0110H4C Other: IV - Anticoagulation (Discharge)
			O0110H10A Other: IV - Other (Admission)
			O0110H10C Other: IV - Other (Discharge)
			O0110I1A Other: Transfusions (Admission)
			O0110I1C Other: Transfusions (Discharge)
			O0110J1A Other: Dialysis (Admission)
			O0110J1C Other: Dialysis (Discharge)
			O0110J2A Other: Hemodialysis (Admission)
			O0110J2C Other: Hemodialysis (Discharge)
			O0110J3A Other: Peritoneal dialysis (Admission)
			O0110J3C Other: Peritoneal dialysis (Discharge)
			O0110O1A Other: IV Access (Admission)
			O0110O1C Other: IV Access (Discharge)
			O0110O2A Other: IV Access - Peripheral (Admission)
			O0110O2C Other: IV Access - Peripheral (Discharge)

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<p>Items: O011003A Other: IV Access - Mid-line (Admission)</p> <p>O011003C Other: IV Access - Mid-line (Discharge)</p> <p>O011004A Other: IV Access - Central (Admission)</p> <p>O011004C Other: IV Access - Central (Discharge)</p> <p>O0110Z1A Other: None of the above (Admission)</p> <p>O0110Z1C Other: None of the above (Discharge)</p> <p>M1041_IN_INFLNZ_SEASON Does episode include Oct 1 thru Mar 31</p> <p>M1046_INFLNZ_RECD_CRNT_SEASON Did patient receive influenza vaccine</p> <p>M2200_THER_NEED_NA Therapy need: not applicable</p> <p>M2401_INTRVTN_SMRY_FALL_PRVNT Intervention synopsis: falls prevention</p> <p>M2401_INTRVTN_SMRY_DPRSN Intervention synopsis: depression intervention</p> <p>M2401_INTRVTN_SMRY_PAIN_MNTR Intervention synopsis: monitor and mitigate pain</p> <p>M2401_INTRVTN_SMRY_PRSULC_PRVN Intervention synopsis: prevent pressure ulcers</p> <p>M2401_INTRVTN_SMRY_PRSULC_WET Intervention synopsis: PU moist wound treatment</p>
-3070	Format	Fatal	<p>VALUES OF DATE ITEMS</p> <p>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2014 must be submitted as "20140101".</p> <p>Items: M0030_START_CARE_DT Start of care date</p> <p>M0032_ROC_DT Resumption of care date</p> <p>M0090_INFO_COMPLETED_DT Date assessment completed</p> <p>M0102_PHYSN_ORDRD_SOCROC_DT Physician ordered SOC/ROC date</p> <p>M0104_PHYSN_RFRL_DT Physician date of referral</p> <p>M1005_INP_DISCHARGE_DT Most recent inpatient discharge date</p> <p>M0906_DC_TRAN_DTH_DT Discharge, transfer, death date</p> <p>M1307_OLDST_STG2_ONST_DT Date of onset of oldest stage 2 pressure ulcer</p>
-3080	Format	Fatal	<p>FORMATTING OF BIRTHDATE</p> <p>This item must contain either (a) a valid date in YYYYMMDD, YYYYMM, or YYYY format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 1909 must be submitted as "19090101".</p> <p>If a date is submitted in YYYYMM format, it must be 6 characters in length and each of the 6 characters must contain the digits 0 (zero) through 9. YYYY and MM must be zero filled, where necessary. For example, January, 1909 must be submitted as "190901".</p> <p>If a date is submitted in YYYY format, it must be 4 characters in length and each of the 4 characters must contain the digits 0 (zero) through 9. YYYY must be zero filled, where necessary. For example, 1909 must be submitted as "1909".</p> <p>Items: M0066_PAT_BIRTH_DT Date of birth</p>

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																																
-3090	Format	Fatal	<p>VALUES OF NUMERIC ITEMS</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p> <p>Items:</p> <table><tr><td>CORRECTION_NUM</td><td>Correction number</td></tr><tr><td>M1060_HEIGHT_A</td><td>Height (in inches)</td></tr><tr><td>M1060_WEIGHT_B</td><td>Weight (in pounds)</td></tr><tr><td>M1311_NBR_PRSULC_STG2_A1</td><td>Number of Stage 2 Pressure Ulcers</td></tr><tr><td>M1311_NBR_ULC_SOCROC_STG2_A2</td><td>Number of Stage 2 pressure ulcers at SOC/ROC</td></tr><tr><td>M1311_NBR_PRSULC_STG3_B1</td><td>Number of Stage 3 Pressure Ulcers</td></tr><tr><td>M1311_NBR_ULC_SOCROC_STG3_B2</td><td>Number of Stage 3 pressure ulcers at SOC/ROC</td></tr><tr><td>M1311_NBR_PRSULC_STG4_C1</td><td>Number of Stage 4 Pressure Ulcers</td></tr><tr><td>M1311_NBR_ULC_SOCROC_STG4_C2</td><td>Number of Stage 4 pressure ulcers at SOC/ROC</td></tr><tr><td>M1311_NSTG_DRSG_D1</td><td>Num unstage pressure ulcer non-remov dress</td></tr><tr><td>M1311_NSTG_DRSG_SOCROC_D2</td><td>Num unstage pressure ulcer non-remov dress</td></tr><tr><td>M1311_NSTG_CVRG_E1</td><td>Unstageable: coverage by slough or eschar</td></tr><tr><td>M1311_NSTG_CVRG_SOCROC_E2</td><td>Unstageable: coverage by slough or eschar SOC/ROC</td></tr><tr><td>M1311_NSTG_DEEP_TSUE_F1</td><td>Unstageable: deep tissue injury</td></tr><tr><td>M1311_NSTG_DEEP_TSUE_SOCROC_F2</td><td>Unstageable: deep tissue injury SOC/ROC</td></tr><tr><td>M2200_THER_NEED_NBR</td><td>Therapy need: number of visits indicated</td></tr></table>	CORRECTION_NUM	Correction number	M1060_HEIGHT_A	Height (in inches)	M1060_WEIGHT_B	Weight (in pounds)	M1311_NBR_PRSULC_STG2_A1	Number of Stage 2 Pressure Ulcers	M1311_NBR_ULC_SOCROC_STG2_A2	Number of Stage 2 pressure ulcers at SOC/ROC	M1311_NBR_PRSULC_STG3_B1	Number of Stage 3 Pressure Ulcers	M1311_NBR_ULC_SOCROC_STG3_B2	Number of Stage 3 pressure ulcers at SOC/ROC	M1311_NBR_PRSULC_STG4_C1	Number of Stage 4 Pressure Ulcers	M1311_NBR_ULC_SOCROC_STG4_C2	Number of Stage 4 pressure ulcers at SOC/ROC	M1311_NSTG_DRSG_D1	Num unstage pressure ulcer non-remov dress	M1311_NSTG_DRSG_SOCROC_D2	Num unstage pressure ulcer non-remov dress	M1311_NSTG_CVRG_E1	Unstageable: coverage by slough or eschar	M1311_NSTG_CVRG_SOCROC_E2	Unstageable: coverage by slough or eschar SOC/ROC	M1311_NSTG_DEEP_TSUE_F1	Unstageable: deep tissue injury	M1311_NSTG_DEEP_TSUE_SOCROC_F2	Unstageable: deep tissue injury SOC/ROC	M2200_THER_NEED_NBR	Therapy need: number of visits indicated
CORRECTION_NUM	Correction number																																		
M1060_HEIGHT_A	Height (in inches)																																		
M1060_WEIGHT_B	Weight (in pounds)																																		
M1311_NBR_PRSULC_STG2_A1	Number of Stage 2 Pressure Ulcers																																		
M1311_NBR_ULC_SOCROC_STG2_A2	Number of Stage 2 pressure ulcers at SOC/ROC																																		
M1311_NBR_PRSULC_STG3_B1	Number of Stage 3 Pressure Ulcers																																		
M1311_NBR_ULC_SOCROC_STG3_B2	Number of Stage 3 pressure ulcers at SOC/ROC																																		
M1311_NBR_PRSULC_STG4_C1	Number of Stage 4 Pressure Ulcers																																		
M1311_NBR_ULC_SOCROC_STG4_C2	Number of Stage 4 pressure ulcers at SOC/ROC																																		
M1311_NSTG_DRSG_D1	Num unstage pressure ulcer non-remov dress																																		
M1311_NSTG_DRSG_SOCROC_D2	Num unstage pressure ulcer non-remov dress																																		
M1311_NSTG_CVRG_E1	Unstageable: coverage by slough or eschar																																		
M1311_NSTG_CVRG_SOCROC_E2	Unstageable: coverage by slough or eschar SOC/ROC																																		
M1311_NSTG_DEEP_TSUE_F1	Unstageable: deep tissue injury																																		
M1311_NSTG_DEEP_TSUE_SOCROC_F2	Unstageable: deep tissue injury SOC/ROC																																		
M2200_THER_NEED_NBR	Therapy need: number of visits indicated																																		
-3100	Format	Fatal	<p>FORMATTING OF POSITIVE INTEGER NUMERIC ITEMS</p> <p>Only positive integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed. A sign will not be accepted. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [+1], [-2], [+1.3], [-4.5].</p> <p>Items:</p> <table><tr><td>CORRECTION_NUM</td><td>Correction number</td></tr><tr><td>C0500</td><td>BIMS Summary Score</td></tr><tr><td>D0160</td><td>Total severity score</td></tr><tr><td>M1060_HEIGHT_A</td><td>Height (in inches)</td></tr><tr><td>M1060_WEIGHT_B</td><td>Weight (in pounds)</td></tr><tr><td>M1311_NBR_PRSULC_STG2_A1</td><td>Number of Stage 2 Pressure Ulcers</td></tr><tr><td>M1311_NBR_ULC_SOCROC_STG2_A2</td><td>Number of Stage 2 pressure ulcers at SOC/ROC</td></tr><tr><td>M1311_NBR_PRSULC_STG3_B1</td><td>Number of Stage 3 Pressure Ulcers</td></tr><tr><td>M1311_NBR_ULC_SOCROC_STG3_B2</td><td>Number of Stage 3 pressure ulcers at SOC/ROC</td></tr><tr><td>M1311_NBR_PRSULC_STG4_C1</td><td>Number of Stage 4 Pressure Ulcers</td></tr><tr><td>M1311_NBR_ULC_SOCROC_STG4_C2</td><td>Number of Stage 4 pressure ulcers at SOC/ROC</td></tr></table>	CORRECTION_NUM	Correction number	C0500	BIMS Summary Score	D0160	Total severity score	M1060_HEIGHT_A	Height (in inches)	M1060_WEIGHT_B	Weight (in pounds)	M1311_NBR_PRSULC_STG2_A1	Number of Stage 2 Pressure Ulcers	M1311_NBR_ULC_SOCROC_STG2_A2	Number of Stage 2 pressure ulcers at SOC/ROC	M1311_NBR_PRSULC_STG3_B1	Number of Stage 3 Pressure Ulcers	M1311_NBR_ULC_SOCROC_STG3_B2	Number of Stage 3 pressure ulcers at SOC/ROC	M1311_NBR_PRSULC_STG4_C1	Number of Stage 4 Pressure Ulcers	M1311_NBR_ULC_SOCROC_STG4_C2	Number of Stage 4 pressure ulcers at SOC/ROC										
CORRECTION_NUM	Correction number																																		
C0500	BIMS Summary Score																																		
D0160	Total severity score																																		
M1060_HEIGHT_A	Height (in inches)																																		
M1060_WEIGHT_B	Weight (in pounds)																																		
M1311_NBR_PRSULC_STG2_A1	Number of Stage 2 Pressure Ulcers																																		
M1311_NBR_ULC_SOCROC_STG2_A2	Number of Stage 2 pressure ulcers at SOC/ROC																																		
M1311_NBR_PRSULC_STG3_B1	Number of Stage 3 Pressure Ulcers																																		
M1311_NBR_ULC_SOCROC_STG3_B2	Number of Stage 3 pressure ulcers at SOC/ROC																																		
M1311_NBR_PRSULC_STG4_C1	Number of Stage 4 Pressure Ulcers																																		
M1311_NBR_ULC_SOCROC_STG4_C2	Number of Stage 4 pressure ulcers at SOC/ROC																																		

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: M1311_NSTG_DRSG_D1 Num unstage pressure ulcer non-remov dress M1311_NSTG_DRSG_SOCROC_D2 Num unstage pressure ulcer non-remov dress M1311_NSTG_CVRG_E1 Unstageable: coverage by slough or eschar M1311_NSTG_CVRG_SOCROC_E2 Unstageable: coverage by slough or eschar SOC/ROC M1311_NSTG_DEEP_TSUE_F1 Unstageable: deep tissue injury M1311_NSTG_DEEP_TSUE_SOCROC_F2 Unstageable: deep tissue injury SOC/ROC M2200_THER_NEED_NBR Therapy need: number of visits indicated
-3110	Format	Fatal	<p>FORMATTING OF NUMERIC TEXT ITEMS</p> <p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only numeric characters: [0] through [9].</p> Items: NATL_PRVDR_ID Agency National Provider ID (NPI) SFW_ID Software vendor federal employer tax ID M0018_PHYSICIAN_ID Attending physician National Provider ID (NPI) M0060_PAT_ZIP Patient zip code M0064_SSN Patient's Social Security number
-3120	Format	Fatal	<p>FORMATTING OF ALPHANUMERIC TEXT ITEMS</p> <p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>(a) The numeric characters: [0] through [9].</p> <p>(b) The letters [A] through [Z] and [a] through [z].</p> Items: M0010_CCN Facility CMS certification number (CCN) M0063_MEDICARE_NUM Medicare number, including suffix M0065_MEDICAID_NUM Medicaid number
-3130	Format	Fatal	<p>FORMATTING OF ALPHANUMERIC TEXT ITEMS THAT CAN CONTAIN DASHES, SPACES, AND SPECIAL CHARACTERS</p> <p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>(a) The numeric characters: [0] through [9].</p> <p>(b) The letters [A] through [Z] and [a] through [z].</p> <p>(c) The character [-].</p> <p>d) The following special characters:</p> <p>[@] (at sign)</p> <p>['] (single quote)</p> <p>[/] (forward slash)</p> <p>[+] (plus sign)</p> <p>[,] (comma)</p>

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<p>[.] (period)</p> <p>[_] (underscore)</p> <p>e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] would be allowed.</p> <p>Items: SFW_PROD_VRSN_CD Software product version code</p> <p> M0040_PAT_FNAME Patient's first name</p> <p> M0040_PAT_LNAME Patient's last name</p> <p> M0040_PAT_SUFFIX Patient's suffix</p>
-3140	Format	Fatal	<p>FORMATTING OF ALPHANUMERIC TEXT ITEMS THAT CAN CONTAIN SPECIAL CHARACTERS</p> <p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>(a) The numeric characters: [0] through [9].</p> <p>(b) The letters [A] through [Z] and [a] through [z].</p> <p>(c) The following special characters:</p> <p> [@] (at sign)</p> <p> ['] (single quote)</p> <p> [/] (forward slash)</p> <p> [+] (plus sign)</p> <p> [,] (comma)</p> <p> [.] (period)</p> <p> [_] (underscore)</p> <p>Items: M0040_PAT_MI Patient's middle initial</p>
-3150	Format	Fatal	<p>Formatting of email address.</p> <p>Any valid email address will be accepted. The text string may contain any printable characters except the following:</p> <p>' (single quote)</p> <p>" (double quote)</p> <p>, (comm(a)</p> <p>; (semi-colon)</p> <p>: (colon)</p> <p>\ (back slash)</p> <p>() (right and left parentheses)</p> <p>[] (right and left brackets)</p> <p>{ } (right and left braces)</p> <p>< (less than)</p> <p>> (greater than)</p> <p>space (embedded space)</p> <p>Items: SFW_EMAIL_ADR Software vendor email address</p>

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3160	Consistency	Fatal	<p>HHA_AGENCY_ID is the provider's submission ID. The value submitted for HHA_AGENCY_ID must match the HHA_AGENCY_ID in the National Database for the provider.</p> <p>Items: HHA_AGENCY_ID Assigned agency submission ID</p>
-3162	Consistency	Fatal	<p>A user submitting a file must be authorized to submit for the provider identified by the HHA_AGENCY_ID item in the file.</p> <p>Items: HHA_AGENCY_ID Assigned agency submission ID</p>
-3170	Consistency	Warning	<p>The value submitted for M0010_CCN (provider's CMS Certification Number -- CCN) will be compared with the value that is currently in the National Database. If the values do not match, a warning will be issued.</p> <p>Items: M0010_CCN Facility CMS certification number (CCN)</p>
-3180	Format	Fatal	<p>This is a required text item. A valid non-blank value must be submitted.</p> <p>Items: HHA_AGENCY_ID Assigned agency submission ID</p>
-3190	Consistency	Fatal	<p>In order to modify or inactivate a record that has previously been accepted by the system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items:</p> <p>M0030_START_CARE_DT M0032_ROC_DT M0032_ROC_DT_NA M0040_PAT_FNAME M0040_PAT_LNAME M0064_SSN M0064_SSN_UK M0066_PAT_BIRTH_DT M0069_PAT_GENDER M0090_INFO_COMPLETED_DT M0100_ASSMT_REASON M0906_DC_TRAN_DTH_DT</p> <p>If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.</p> <p>Items: M0030_START_CARE_DT Start of care date M0032_ROC_DT Resumption of care date M0032_ROC_DT_NA No resumption of care date M0040_PAT_FNAME Patient's first name M0040_PAT_LNAME Patient's last name M0064_SSN Patient's Social Security number M0064_SSN_UK No Social Security number M0069_PAT_GENDER Gender</p>

Data Submission Specifications for the OASIS Item Set (V3.00.1)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items	
			Items: M0066_PAT_BIRTH_DT M0090_INFO_COMPLETED_DT M0100_ASSMT_REASON M0906_DC_TRAN_DTH_DT	Date of birth Date assessment completed Reason for assessment Discharge, transfer, death date
-3200	Consistency	Fatal	<p>The first record that is submitted to correct or inactivate an existing record must have a value of "01" in CORRECTION_NUM (correction number). If that correction/inactivation is accepted and if a subsequent correction/inactivation is required, it must have a value of "02", and so on. In other words, the correction number in CORRECTION_NUM on the first correction/inactivation must be "01", and the value on each subsequent correction/inactivation must be incremented by 1. If the value submitted in CORRECTION_NUM is incorrect, a fatal error will result and the submitted record will be rejected.</p> Items: CORRECTION_NUM Correction number	
-3210	Format	Fatal	<p>The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item.</p> Items: HHA_AGENCY_ID Assigned agency submission ID SFW_NAME Software vendor company name SFW_EMAIL_ADR Software vendor email address SFW_PROD_NAME Software product name SFW_PROD_VRSN_CD Software product version code ACY_DOC_CD Document ID code (agency use) M0016_BRANCH_ID Branch ID M0020_PAT_ID Patient ID number M0040_PAT_FNAME Patient's first name M0040_PAT_MI Patient's middle initial M0040_PAT_LNAME Patient's last name M0040_PAT_SUFFIX Patient's suffix M0063_MEDICARE_NUM Medicare number, including suffix M0065_MEDICAID_NUM Medicaid number A1110A Preferred language	
-3220	Consistency	Fatal	<p>If SFW_PROD_NAME is equal to [^], then SFW_PROD_VRSN_CD must be equal to [^].</p> Items: SFW_PROD_NAME Software product name SFW_PROD_VRSN_CD Software product version code	
-3230	Consistency	Fatal	<p>If SFW_PROD_NAME is not equal to [^], then SFW_PROD_VRSN_CD must not be equal to [^].</p> Items: SFW_PROD_NAME Software product name SFW_PROD_VRSN_CD Software product version code	

Unduplicated Edits Report by Edit ID

Page 21 of 62

Data Submission Specifications for the OASIS Item Set (V3.00.1)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: M0090_INFO_COMPLETED_DT Date assessment completed M0102_PHYSN_ORDRD_SOCROC_DT Physician ordered SOC/ROC date M1005_INP_DISCHARGE_DT Most recent inpatient discharge date M0906_DC_TRAN_DTH_DT Discharge, transfer, death date M1307_OLDST_STG2_ONST_DT Date of onset of oldest stage 2 pressure ulcer
-3271	Consistency	Fatal	<p>DATE ITEM CONSISTENCY: PATTERN 2</p> <p>Each active item in the list below that contains a valid date (not blank) must be in the specified order.</p> <p>If M0032_ROC_DT is NOT equal to [^], then the following rules apply:</p> <p>M0066_PAT_BIRTH_DT < M0030_START_CARE_DT <= M1005_INP_DISCHARGE_DT <= M0102_PHYSN_ORDRD_SOCROC_DT <= M0032_ROC_DT <= M1307_OLDST_STG2_ONST_DT <= M0906_DC_TRAN_DTH_DT <= M0090_INFO_COMPLETED_DT <= Current date</p> Items: M0030_START_CARE_DT Start of care date M0032_ROC_DT Resumption of care date M0066_PAT_BIRTH_DT Date of birth M0090_INFO_COMPLETED_DT Date assessment completed M0102_PHYSN_ORDRD_SOCROC_DT Physician ordered SOC/ROC date M1005_INP_DISCHARGE_DT Most recent inpatient discharge date M0906_DC_TRAN_DTH_DT Discharge, transfer, death date M1307_OLDST_STG2_ONST_DT Date of onset of oldest stage 2 pressure ulcer
-3280	Consistency	Warning	<p>If M0100_ASSMT_REASON=[01] and if M0030_START_CARE_DT and M1005_INP_DISCHARGE_DT are both active and contain valid dates (not [^]), then M0030_START_CARE_DT minus M1005_INP_DISCHARGE_DT should be greater than or equal to zero and less than or equal to 14 days.</p> Items: M0030_START_CARE_DT Start of care date M0100_ASSMT_REASON Reason for assessment M1005_INP_DISCHARGE_DT Most recent inpatient discharge date
-3290	Consistency	Warning	<p>If M0100_ASSMT_REASON=[03] and if M0032_ROC_DT and M1005_INP_DISCHARGE_DT are both active and contain valid dates (not [^]), then M0032_ROC_DT minus M1005_INP_DISCHARGE_DT should be greater than or equal to zero and less than or equal to 14.</p> Items: M0032_ROC_DT Resumption of care date M0100_ASSMT_REASON Reason for assessment M1005_INP_DISCHARGE_DT Most recent inpatient discharge date

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3300	Consistency	Warning	<p>If M0100_ASSMT_REASON=[01] and if M0090_INFO_COMPLETED_DT and M0030_START_CARE_DT are both active and contain valid dates (not [^]), then M0090_INFO_COMPLETED_DT minus M0030_START_CARE_DT should be greater than or equal to zero and less than or equal to 5.</p> <p>Items: M0030_START_CARE_DT Start of care date M0090_INFO_COMPLETED_DT Date assessment completed M0100_ASSMT_REASON Reason for assessment</p>
-3310	Consistency	Warning	<p>If M0100_ASSMT_REASON=[03] and if M0090_INFO_COMPLETED_DT and M0032_ROC_DT are both active and contain valid dates (not [^]), then M0090_INFO_COMPLETED_DT minus M0032_ROC_DT should be greater than or equal to zero and less than or equal to 2.</p> <p>Items: M0032_ROC_DT Resumption of care date M0090_INFO_COMPLETED_DT Date assessment completed M0100_ASSMT_REASON Reason for assessment</p>
-3320	Consistency	Warning	<p>If M0100_ASSMT_REASON=[09] and if M0090_INFO_COMPLETED_DT and M0906_DC_TRAN_DTH_DT are both active and contain valid dates (not [^]), then M0090_INFO_COMPLETED_DT minus M0906_DC_TRAN_DTH_DT should be greater than or equal to zero and less than or equal to 2.</p> <p>Items: M0090_INFO_COMPLETED_DT Date assessment completed M0100_ASSMT_REASON Reason for assessment M0906_DC_TRAN_DTH_DT Discharge, transfer, death date</p>
-3330	Consistency	Warning	<p>If TRANS_TYPE_CD=[1] (new record), then submission date SUBMSN_DT minus M0090_INFO_COMPLETED_DT should be less than or equal to 30 days.</p> <p>Items: TRANS_TYPE_CD Transaction type code M0090_INFO_COMPLETED_DT Date assessment completed</p>
-3340	Consistency	Fatal	<p>If TRANS_TYPE_CD=[1], then CORRECTION_NUM must equal [00].</p> <p>Items: TRANS_TYPE_CD Transaction type code CORRECTION_NUM Correction number</p>
-3341	Consistency	Fatal	<p>If TRANS_TYPE_CD=[2,3], then CORRECTION_NUM must not equal [00].</p> <p>Items: TRANS_TYPE_CD Transaction type code CORRECTION_NUM Correction number</p>
-3390	Consistency	Fatal	<p>PATIENT AGE</p> <p>(a) Patient age at the time the assessment was completed cannot be more than 140 years.</p> <p>(b) Patient age at the time the assessment was completed cannot be less than 18 years.</p>

Data Submission Specifications for the OASIS Item Set (V3.00.1)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<p>(c) If M0066_PAT_BIRTH_DT is equal to [-----], then age cannot be computed and this edit does not apply.</p> <p>Patient age is computed as follows:</p> <p>1) If both the month and day in M0066_PAT_BIRTH_DT are unknown, replace the month with "07" and the day with "02" for the purpose of calculating age.</p> <p>2) If only the day in M0066_PAT_BIRTH_DT is unknown, replace the day with the "15" for the purpose of calculating age.</p> <p>3) Provisionally compute age (in years) by subtracting the year in M0066_PAT_BIRTH_DT from the year in M0090_INFO_COMPLETED_DT.</p> <p>4) If the month in M0090_INFO_COMPLETED_DT is less than the month in M0066_PAT_BIRTH_DT, then subtract 1 from the provisional age computed in (3) above.</p> <p>5) If the month in M0090_INFO_COMPLETED_DT is equal to the month in M0066_PAT_BIRTH_DT and if the day in M0090_INFO_COMPLETED_DT is less than the day in M0066_PAT_BIRTH_DT, then subtract 1 from the provisional age computed in (3) above.</p> <p>Items: M0066_PAT_BIRTH_DT Date of birth M0090_INFO_COMPLETED_DT Date assessment completed</p>
-3410	Consistency	Fatal	<p>If M0016_BRANCH_ID contains a standard branch ID (i.e., is not equal to [N,P]), then M0014_BRANCH_STATE must not equal [^].</p> <p>Items: M0014_BRANCH_STATE Branch state M0016_BRANCH_ID Branch ID</p>
-3420	Consistency	Fatal	<p>If M0016_BRANCH_ID is equal to [N,P], then M0014_BRANCH_STATE must equal [^].</p> <p>Items: M0014_BRANCH_STATE Branch state M0016_BRANCH_ID Branch ID</p>
-3430	Format	Fatal	<p>The patient ZIP code must be either 5 or 9 bytes in length. Do not include a dash if a ZIP+4 code is submitted.</p> <p>Items: M0060_PAT_ZIP Patient zip code</p>
-3450	Consistency	Fatal	<p>If M1005_INP_DSCHG_UNKNOWN=[0], then if M1005_INP_DISCHARGE_DT is active it must not equal [^].</p> <p>Items: M1005_INP_DISCHARGE_DT Most recent inpatient discharge date M1005_INP_DSCHG_UNKNOWN Inpatient discharge date unknown</p>
-3460	Consistency	Fatal	<p>If M1005_INP_DSCHG_UNKNOWN=[1], then if M1005_INP_DISCHARGE_DT is active it must equal [^].</p> <p>Items: M1005_INP_DISCHARGE_DT Most recent inpatient discharge date M1005_INP_DSCHG_UNKNOWN Inpatient discharge date unknown</p>
-3470	Consistency	Fatal	<p>If M0018_PHYSICIAN_UK=[0], then if M0018_PHYSICIAN_ID is active it cannot equal [^].</p> <p>Items: M0018_PHYSICIAN_ID Attending physician National Provider ID (NPI) M0018_PHYSICIAN_UK Attending physician NPI: Unknown</p>

Data Submission Specifications for the OASIS Item Set (V3.00.1)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3480	Consistency	Fatal	<p>If M0018_PHYSICIAN_UK=[1], then if M0018_PHYSICIAN_ID is active it must equal [^].</p> <p>Items: M0018_PHYSICIAN_ID Attending physician National Provider ID (NPI) M0018_PHYSICIAN_UK Attending physician NPI: Unknown</p>
-3490	Consistency	Fatal	<p>If M0032_ROC_DT_NA=[0], then if M0032_ROC_DT is active it must not equal [^].</p> <p>Items: M0032_ROC_DT Resumption of care date M0032_ROC_DT_NA No resumption of care date</p>
-3500	Consistency	Fatal	<p>If M0032_ROC_DT_NA=[1], then if M0032_ROC_DT is active it must equal [^].</p> <p>Items: M0032_ROC_DT Resumption of care date M0032_ROC_DT_NA No resumption of care date</p>
-3510	Consistency	Fatal	<p>If M0063_MEDICARE_NA=[0], then if M0063_MEDICARE_NUM is active it must not equal [^].</p> <p>Items: M0063_MEDICARE_NUM Medicare number, including suffix M0063_MEDICARE_NA No Medicare number</p>
-3520	Consistency	Fatal	<p>If M0063_MEDICARE_NA=[1], then if M0063_MEDICARE_NUM is active it must equal [^].</p> <p>Items: M0063_MEDICARE_NUM Medicare number, including suffix M0063_MEDICARE_NA No Medicare number</p>
-3530	Consistency	Fatal	<p>If M0064_SSN_UK=[0], then if M0064_SSN is active it must not equal [^].</p> <p>Items: M0064_SSN Patient's Social Security number M0064_SSN_UK No Social Security number</p>
-3540	Consistency	Fatal	<p>If M0064_SSN_UK=[1], then if M0064_SSN is active it must equal [^].</p> <p>Items: M0064_SSN Patient's Social Security number M0064_SSN_UK No Social Security number</p>
-3550	Consistency	Fatal	<p>If M0065_MEDICAID_NA=[0], then if M0065_MEDICAID_NUM is active it must not equal [^].</p> <p>Items: M0065_MEDICAID_NUM Medicaid number M0065_MEDICAID_NA No Medicaid number</p>
-3560	Consistency	Fatal	<p>If M0065_MEDICAID_NA=[1], then if M0065_MEDICAID_NUM is active it must equal [^].</p> <p>Items: M0065_MEDICAID_NUM Medicaid number</p>

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: M0065_MEDICAID_A No Medicaid number
-3570	Consistency	Fatal	<p>If M0102_PHYSN_ORDRD_SOCROC_DT is not equal to [^] (contains a valid date), then if M0102_PHYSN_ORDRD_SOCROC_DT_NA is active it must equal [0,^].</p> Items: M0102_PHYSN_ORDRD_SOCROC_DT Physician ordered SOC/ROC date M0102_PHYSN_ORDRD_SOCROC_DT_NA Physician ordered SOC/ROC date - NA
-3580	Consistency	Fatal	<p>If M0102_PHYSN_ORDRD_SOCROC_DT=[^], then if M0102_PHYSN_ORDRD_SOCROC_DT_NA is active it must equal [1].</p> Items: M0102_PHYSN_ORDRD_SOCROC_DT Physician ordered SOC/ROC date M0102_PHYSN_ORDRD_SOCROC_DT_NA Physician ordered SOC/ROC date - NA
-3590	Consistency	Fatal	<p>If M0102_PHYSN_ORDRD_SOCROC_DT is not equal to [^] (contains a valid date), then if M0104_PHYSN_RFRL_DT is active it must equal [^].</p> Items: M0102_PHYSN_ORDRD_SOCROC_DT Physician ordered SOC/ROC date M0104_PHYSN_RFRL_DT Physician date of referral
-3600	Consistency	Fatal	<p>If M0102_PHYSN_ORDRD_SOCROC_DT=[^] then if M0104_PHYSN_RFRL_DT is active it must not equal [^].</p> Items: M0102_PHYSN_ORDRD_SOCROC_DT Physician ordered SOC/ROC date M0104_PHYSN_RFRL_DT Physician date of referral
-3630	Consistency	Fatal	<p>At least one of the following items must equal [1]: M0150_CPAY_MCARE_FFS, M0150_CPAY_MCARE_HMO, M0150_CPAY_MCAID_FFS, or M0150_CPAY_MCAID_HMO. If all of these items are equal to [0], then the patient's care is not paid by Medicare or Medicaid and the assessment will be rejected if it is submitted.</p> Items: M0150_CPAY_MCARE_FFS Payment sources: Medicare fee-for-service M0150_CPAY_MCARE_HMO Payment sources: Medicare HMO/managed care M0150_CPAY_MCAID_FFS Payment sources: Medicaid fee-for-service M0150_CPAY_MCAID_HMO Payment sources: Medicaid HMO/managed care
-3640	Consistency	Fatal	<p>Both M0150_CPAY_NONE and M0150_CPAY_UK must equal [0].</p> Items: M0150_CPAY_NONE Payment sources: no charge for current services M0150_CPAY_UK Payment sources: unknown
-3650	Consistency	Fatal	<p>If M1000_DC_NONE_14_DA=[0], then at least one active item from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [1].</p> Items: M1000_DC_LTC_14_DA Past 14 days: disch from LTC NH M1000_DC_SNF_14_DA Past 14 days: disch from skilled nursing facility M1000_DC_IPPS_14_DA Past 14 days: disch from short stay acute hospital

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: M1000_DC_LTCH_14_DA Past 14 days: disch from long term care hospital M1000_DC_IRF_14_DA Past 14 days: disch from inpatient rehab facility M1000_DC_PSYCH_14_DA Past 14 days: disch from psych hospital or unit M1000_DC_OTH_14_DA Past 14 days: disch from other M1000_DC_NONE_14_DA Past 14 days: not disch from inpatient facility
-3660	Consistency	Fatal	<p>If M1000_DC_NONE_14_DA=[1], then all active items from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [0].</p> Items: M1000_DC_LTC_14_DA Past 14 days: disch from LTC NH M1000_DC_SNF_14_DA Past 14 days: disch from skilled nursing facility M1000_DC_IPPS_14_DA Past 14 days: disch from short stay acute hospital M1000_DC_LTCH_14_DA Past 14 days: disch from long term care hospital M1000_DC_IRF_14_DA Past 14 days: disch from inpatient rehab facility M1000_DC_PSYCH_14_DA Past 14 days: disch from psych hospital or unit M1000_DC_OTH_14_DA Past 14 days: disch from other M1000_DC_NONE_14_DA Past 14 days: not disch from inpatient facility
-4030	Skip pattern	Fatal	<p>If M1307_OLDST_STG2_AT_DSCHRG=[01,NA], then if M1307_OLDST_STG2_ONST_DT is active it must equal [^].</p> Items: M1307_OLDST_STG2_AT_DSCHRG Status of oldest stage 2 pressure ulcer at disch M1307_OLDST_STG2_ONST_DT Date of onset of oldest stage 2 pressure ulcer
-4040	Skip pattern	Fatal	<p>If M1307_OLDST_STG2_AT_DSCHRG=[02], then if M1307_OLDST_STG2_ONST_DT is active it must not equal [^].</p> Items: M1307_OLDST_STG2_AT_DSCHRG Status of oldest stage 2 pressure ulcer at disch M1307_OLDST_STG2_ONST_DT Date of onset of oldest stage 2 pressure ulcer
-4171	Consistency	Fatal	<p>If M0100_ASSMT_REASON =[01,03], AND M1324_STG_PRBLM_ULCER=[01], then if M1322_NBR_PRSULC_STG1 is active it must be > [00].</p> Items: M1322_NBR_PRSULC_STG1 Number of stage 1 pressure injuries M1324_STG_PRBLM_ULCER Stage of most problematic pressure ulcer/injury
-4182	Consistency	Fatal	<p>If M0100_ASSMT_REASON=[01,03,09] AND M1324_STG_PRBLM_ULCER=[02], then if M1311_NBR_PRSULC_STG2_A1 is active it must not equal [^] and it must be greater than [00].</p> Items: M1311_NBR_PRSULC_STG2_A1 Number of Stage 2 Pressure Ulcers M1324_STG_PRBLM_ULCER Stage of most problematic pressure ulcer/injury
-4192	Consistency	Fatal	<p>If M0100_ASSMT_REASON=[01,03,09] AND M1324_STG_PRBLM_ULCER=[03], then if M1311_NBR_PRSULC_STG3_B1 is active it must not equal [^] and it must be greater than [00].</p> Items: M1311_NBR_PRSULC_STG3_B1 Number of Stage 3 Pressure Ulcers

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: M1324_STG_PRBLM_ULCER Stage of most problematic pressure ulcer/injury
-4202	Consistency	Fatal	<p>If M0100_ASSMT_REASON = [01,03,09], AND M1324_STG_PRBLM_ULCER=[04], then if M1311_NBR_PRSULC_STG4_C1 is active it must not equal [^] and it must be greater than [00].</p> Items: M1311_NBR_PRSULC_STG4_C1 Number of Stage 4 Pressure Ulcers M1324_STG_PRBLM_ULCER Stage of most problematic pressure ulcer/injury
-4221	Skip pattern	Fatal	<p>If M0100_ASSMT_REASON = [01,03,09], and M1330_STAS_ULCR_PRSNT = [00,03], then all active items from M1332_NBR_STAS_ULCR through M1334_STUS_PRBLM_STAS_ULCR must equal [^].</p> Items: M1330_STAS_ULCR_PRSNT Does this patient have a stasis ulcer M1332_NBR_STAS_ULCR Number of stasis ulcers M1334_STUS_PRBLM_STAS_ULCR Status of most problematic stasis ulcer
-4231	Skip pattern	Fatal	<p>If M0100_ASSMT_REASON = [01,03,09] and M1330_STAS_ULCR_PRSNT = [01,02], then all active items from M1332_NBR_STAS_ULCR through M1334_STUS_PRBLM_STAS_ULCR must not equal [^].</p> Items: M1330_STAS_ULCR_PRSNT Does this patient have a stasis ulcer M1332_NBR_STAS_ULCR Number of stasis ulcers M1334_STUS_PRBLM_STAS_ULCR Status of most problematic stasis ulcer
-4241	Skip pattern	Fatal	<p>If M0100_ASSMT_REASON = [01,03,09] and M1340_SRGL_WND_PRSNT = [00,02], then if M1342_STUS_PRBLM_SRGL_WND is active it must equal [^].</p> Items: M1340_SRGL_WND_PRSNT Does this patient have a surgical wound M1342_STUS_PRBLM_SRGL_WND Status of most problematic surgical wound
-4251	Skip pattern	Fatal	<p>If M0100_ASSMT_REASON = [01,03,09], and M1340_SRGL_WND_PRSNT = [01], then if M1342_STUS_PRBLM_SRGL_WND is active it must not equal [^].</p> Items: M1340_SRGL_WND_PRSNT Does this patient have a surgical wound M1342_STUS_PRBLM_SRGL_WND Status of most problematic surgical wound
-4320	Consistency	Fatal	<p>If M0100_ASSMT_REASON=[09], then if M1600_UTI is active it cannot equal [UK].</p> Items: M0100_ASSMT_REASON Reason for assessment M1600_UTI Treated for urinary tract infection past 14 days
-4351	Consistency	Fatal	<p>If M0100_ASSMT_REASON=[09], then if M1620_BWL_INCONT is active it cannot equal [UK].</p> Items: M0100_ASSMT_REASON Reason for assessment M1620_BWL_INCONT Bowel incontinence frequency

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-4361	Consistency	Fatal	<p>If M0100_ASSMT_REASON = [01,03,09], and M1620_BWL_INCONT = [00,01,02,03,04,05,UK], then if M1630_OSTOMY is active it must equal [00].</p> <p>Items: M1620_BWL_INCONT Bowel incontinence frequency M1630_OSTOMY Ostomy for bowel elimination</p>
-4371	Consistency	Fatal	<p>If M0100_ASSMT_REASON = [01,03,09], and M1620_BWL_INCONT = [NA], then if M1630_OSTOMY is active it must equal [01,02].</p> <p>Items: M1620_BWL_INCONT Bowel incontinence frequency M1630_OSTOMY Ostomy for bowel elimination</p>
-4400	Consistency	Fatal	<p>If M1740_BD_NONE=[0], then at least one active item from M1740_BD_MEM_DEFICIT through M1740_BD_DELUSIONS must equal [1].</p> <p>Items: M1740_BD_MEM_DEFICIT Behavior demonstrated: memory deficit M1740_BD_IMP_DECISN Behavior demonstrated: impaired decision-making M1740_BD_VERBAL Behavior demonstrated: verbal disruption M1740_BD_PHYSICAL Behavior demonstrated: physical aggression M1740_BD_SOC_INAPPRO Behavior demonstrated: socially inappropriate M1740_BD_DELUSIONS Behavior demonstrated: delusions M1740_BD_NONE Behavior demonstrated: none of the above</p>
-4410	Consistency	Fatal	<p>If M1740_BD_NONE=[1], then all active items from M1740_BD_MEM_DEFICIT through M1740_BD_DELUSIONS must equal [0].</p> <p>Items: M1740_BD_MEM_DEFICIT Behavior demonstrated: memory deficit M1740_BD_IMP_DECISN Behavior demonstrated: impaired decision-making M1740_BD_VERBAL Behavior demonstrated: verbal disruption M1740_BD_PHYSICAL Behavior demonstrated: physical aggression M1740_BD_SOC_INAPPRO Behavior demonstrated: socially inappropriate M1740_BD_DELUSIONS Behavior demonstrated: delusions M1740_BD_NONE Behavior demonstrated: none of the above</p>
-4421	Skip pattern	Fatal	<p>If M2001_DRUG_RGMN_RVW=[0], then M2003_MDCTN_FLWP must equal [^].</p> <p>Items: M2001_DRUG_RGMN_RVW Drug regimen review M2003_MDCTN_FLWP Medication follow-up</p>
-4431	Skip pattern	Fatal	<p>If M2001_DRUG_RGMN_RVW=[1], then all active items from M2003_MDCTN_FLWP through M2030_CRNT_MGMT_INJCTN_MDCTN must not equal [^].</p> <p>Items: M2001_DRUG_RGMN_RVW Drug regimen review M2003_MDCTN_FLWP Medication follow-up M2010_HIGH_RISK_DRUG_EDCTN Patient/caregiver high risk drug education</p>

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: M2020_CRNT_MGMT_ORAL_MDCTN Current: management of oral medications M2030_CRNT_MGMT_INJCTN_MDCTN Current: management of injectable medications
-4441	Skip pattern	Fatal	<p>If M2001_DRUG_RGMN_RVW=[9], then all active items from M2003_MDCTN_FLWP through M2030_CRNT_MGMT_INJCTN_MDCTN must equal [^].</p> Items: M2001_DRUG_RGMN_RVW Drug regimen review M2003_MDCTN_FLWP Medication follow-up M2010_HIGH_RISK_DRUG_EDCTN Patient/caregiver high risk drug education M2020_CRNT_MGMT_ORAL_MDCTN Current: management of oral medications M2030_CRNT_MGMT_INJCTN_MDCTN Current: management of injectable medications
-4480	Consistency	Fatal	<p>If M0100_ASSMT_REASON=[09] then M2020_CRNT_MGMT_ORAL_MDCTN cannot equal [^].</p> Items: M0100_ASSMT_REASON Reason for assessment M2020_CRNT_MGMT_ORAL_MDCTN Current: management of oral medications
-4511	Skip pattern	Fatal	<p>If M0100_ASSMT_REASON = [01,03], and M2200_THER_NEED_NA = [0], then if M2200_THER_NEED_NBR is active it must not equal [^]</p> Items: M2200_THER_NEED_NBR Therapy need: number of visits indicated M2200_THER_NEED_NA Therapy need: not applicable
-4521	Skip pattern	Fatal	<p>If M0100_ASSMT_REASON = [01,03] and M2200_THER_NEED_NA = [1], then if M2200_THER_NEED_NBR is active it must equal [^].</p> Items: M2200_THER_NEED_NBR Therapy need: number of visits indicated M2200_THER_NEED_NA Therapy need: not applicable
-4531	Skip pattern	Fatal	<p>If M2301_EMER_USE_AFTR_LAST_ASMT=[00,UK], then all active items from M2310_ECR_MEDICATION through M2310_ECR_UNKNOWN must equal [^].</p> Items: M2301_EMER_USE_AFTR_LAST_ASMT Emergent care: use since most recent SOC/ROC M2310_ECR_MEDICATION Emergent care reason: medication M2310_ECR_HYPOGLYC Emergent care reason: hypoglycemia/hyperglycemia M2310_ECR_OTHER Emergent care reason: other than above M2310_ECR_UNKNOWN Emergent care reason: unknown
-4541	Skip pattern	Fatal	<p>If M2301_EMER_USE_AFTR_LAST_ASMT=[01,02], then all active items from M2310_ECR_MEDICATION through M2310_ECR_UNKNOWN must not equal [^].</p> Items: M2301_EMER_USE_AFTR_LAST_ASMT Emergent care: use since most recent SOC/ROC M2310_ECR_MEDICATION Emergent care reason: medication M2310_ECR_HYPOGLYC Emergent care reason: hypoglycemia/hyperglycemia

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: M2310_ECR_OTHER Emergent care reason: other than above M2310_ECR_UNKNOWN Emergent care reason: unknown
-4550	Consistency	Fatal	<p>If M2310_ECR_UNKNOWN=[0], then at least one active item from M2310_ECR_MEDICATION through M2310_ECR_OTHER must equal [1].</p> Items: M2310_ECR_MEDICATION Emergent care reason: medication M2310_ECR_HYPOGLYC Emergent care reason: hypoglycemia/hyperglycemia M2310_ECR_OTHER Emergent care reason: other than above M2310_ECR_UNKNOWN Emergent care reason: unknown
-4560	Consistency	Fatal	<p>If M2310_ECR_UNKNOWN=[1], then all active items from M2310_ECR_MEDICATION through M2310_ECR_OTHER must equal [0].</p> Items: M2310_ECR_MEDICATION Emergent care reason: medication M2310_ECR_HYPOGLYC Emergent care reason: hypoglycemia/hyperglycemia M2310_ECR_OTHER Emergent care reason: other than above M2310_ECR_UNKNOWN Emergent care reason: unknown
-4570	Consistency	Fatal	<p>If M0100_ASSMT_REASON=[09], then if M2410_INPAT_FACILITY is active it must equal [NA].</p> Items: M0100_ASSMT_REASON Reason for assessment M2410_INPAT_FACILITY Inpatient facility
-4580	Consistency	Fatal	<p>If M0100_ASSMT_REASON=[06,07], then if M2410_INPAT_FACILITY is active it must not equal [NA].</p> Items: M0100_ASSMT_REASON Reason for assessment M2410_INPAT_FACILITY Inpatient facility
-4690	Consistency	Fatal	<p>If the assessment was performed by an HHA which has no branches or by a subunit which has no branches, then M0016_BRANCH_ID must contain [N]. This indicates that the assessment was completed by an HHA or subunit which has no branches.</p> Items: M0016_BRANCH_ID Branch ID
-4700	Consistency	Fatal	<p>If the assessment was performed by the home office of an HHA which has branches or by the home office of a subunit which has branches, then M0016_BRANCH_ID must contain [P]. This indicates that the assessment was completed by the home office (an HHA parent or subunit -- not a branch).</p> Items: M0016_BRANCH_ID Branch ID
-4710	Consistency	Fatal	<p>If M0016_BRANCH_ID does not contain a standard branch ID, [N], or [P], a fatal error will result and the record will be rejected. If a standard branch ID (i.e., not [N,P]) is submitted, then it will be checked against the system table of the HHA's or subunit's current and past branch IDs.</p>

Data Submission Specifications for the OASIS Item Set (V3.00.1)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			If the submitted branch ID does not match a current or past branch ID, then the assessment record will be rejected (i.e., it will result in a fatal error).
			Items: M0016_BRANCH_ID Branch ID
-4730	Consistency	Fatal	If M0100_ASSMT_REASON=[01], then M0032_ROC_DT_NA must be [1].
			Items: M0032_ROC_DT_NA No resumption of care date M0100_ASSMT_REASON Reason for assessment
-4740	Consistency	Fatal	If M0100_ASSMT_REASON=[03], then M0032_ROC_DT_NA must be [0].
			Items: M0032_ROC_DT_NA No resumption of care date M0100_ASSMT_REASON Reason for assessment
-4850	Consistency	Fatal	If M0150_CPAY_MCARE_FFS=[1], then M0063_MEDICARE_NUM must not equal [^].
			Items: M0063_MEDICARE_NUM Medicare number, including suffix M0150_CPAY_MCARE_FFS Payment sources: Medicare fee-for-service
-4860	Consistency	Fatal	If M0150_CPAY_MCAID_FFS=[1], then M0065_MEDICAID_NUM must not equal [^].
			Items: M0065_MEDICAID_NUM Medicaid number M0150_CPAY_MCAID_FFS Payment sources: Medicaid fee-for-service
-4870	Consistency	Fatal	If the SFW_ID is not equal to [^], then SFW_NAME and SFW_EMAIL_ADR must not equal [^].
			Items: SFW_ID Software vendor federal employer tax ID SFW_NAME Software vendor company name SFW_EMAIL_ADR Software vendor email address
-4880	Consistency	Fatal	If the SFW_ID is equal to [^], then SFW_NAME and SFW_EMAIL_ADR must equal [^].
			Items: SFW_ID Software vendor federal employer tax ID SFW_NAME Software vendor company name SFW_EMAIL_ADR Software vendor email address
-4885	Format	Fatal	<p>FORMATTING OF ICD-10 DIAGNOSIS CODES</p> <p>ICD-10 diagnosis codes must conform with the following formatting rules:</p> <p>(a) Character 1 must be alphabetic [A-Z,a-z].</p> <p>(b) Character 2 must be numeric [0-9].</p> <p>(c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z].</p> <p>d) Character 4 must be a decimal point.</p>

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items												
			<p>e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^].</p> <p>f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].</p> <p>Note that additional formatting rules for particular items may further restrict the range of allowable values in character 1. Also note that an entirely blank ICD code must be submitted as a single caret:</p> <p>Items:</p> <table><tr><td>M1021_PRIMARY_DIAG_ICD</td><td>Primary diagnosis ICD code</td></tr><tr><td>M1023_OTH_DIAG1_ICD</td><td>Other diagnosis 1: ICD code</td></tr><tr><td>M1023_OTH_DIAG2_ICD</td><td>Other diagnosis 2: ICD code</td></tr><tr><td>M1023_OTH_DIAG3_ICD</td><td>Other diagnosis 3: ICD code</td></tr><tr><td>M1023_OTH_DIAG4_ICD</td><td>Other diagnosis 4: ICD code</td></tr><tr><td>M1023_OTH_DIAG5_ICD</td><td>Other diagnosis 5: ICD code</td></tr></table>	M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code	M1023_OTH_DIAG1_ICD	Other diagnosis 1: ICD code	M1023_OTH_DIAG2_ICD	Other diagnosis 2: ICD code	M1023_OTH_DIAG3_ICD	Other diagnosis 3: ICD code	M1023_OTH_DIAG4_ICD	Other diagnosis 4: ICD code	M1023_OTH_DIAG5_ICD	Other diagnosis 5: ICD code
M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code														
M1023_OTH_DIAG1_ICD	Other diagnosis 1: ICD code														
M1023_OTH_DIAG2_ICD	Other diagnosis 2: ICD code														
M1023_OTH_DIAG3_ICD	Other diagnosis 3: ICD code														
M1023_OTH_DIAG4_ICD	Other diagnosis 4: ICD code														
M1023_OTH_DIAG5_ICD	Other diagnosis 5: ICD code														
-4900	Format	Fatal	<p>RESTRICTIONS ON ICD-10 DIAGNOSIS CODES</p> <p>Character 1 of the ICD code must not equal [V,W,X,Y,v,w,x,y].</p> <p>Items:</p> <table><tr><td>M1021_PRIMARY_DIAG_ICD</td><td>Primary diagnosis ICD code</td></tr></table>	M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code										
M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code														
-4921	Skip pattern	Fatal	<p>If M1000_DC_NONE_14_DA=[1], then M1005_INP_DISCHARGE_DT and M1005_INP_DSCHG_UNKNOWN must equal [^].</p> <p>Items:</p> <table><tr><td>M1000_DC_NONE_14_DA</td><td>Past 14 days: not disch from inpatient facility</td></tr><tr><td>M1005_INP_DISCHARGE_DT</td><td>Most recent inpatient discharge date</td></tr><tr><td>M1005_INP_DSCHG_UNKNOWN</td><td>Inpatient discharge date unknown</td></tr></table>	M1000_DC_NONE_14_DA	Past 14 days: not disch from inpatient facility	M1005_INP_DISCHARGE_DT	Most recent inpatient discharge date	M1005_INP_DSCHG_UNKNOWN	Inpatient discharge date unknown						
M1000_DC_NONE_14_DA	Past 14 days: not disch from inpatient facility														
M1005_INP_DISCHARGE_DT	Most recent inpatient discharge date														
M1005_INP_DSCHG_UNKNOWN	Inpatient discharge date unknown														
-4991	Consistency	Warning	<p>If M0100_ASSMT_REASON=[01,03], then M1021_PRIMARY_DIAG_SEVERITY should equal [01,02,03,04,^].</p> <p>Items:</p> <table><tr><td>M1021_PRIMARY_DIAG_SEVERITY</td><td>Primary diagnosis severity rating</td></tr></table>	M1021_PRIMARY_DIAG_SEVERITY	Primary diagnosis severity rating										
M1021_PRIMARY_DIAG_SEVERITY	Primary diagnosis severity rating														
-5001	Consistency	Fatal	<p>If M0100_ASSMT_REASON=[01,03] and if a value submitted in items M1021_PRIMARY_DIAG_ICD, M1023_OTH_DIAG1_ICD, M1023_OTH_DIAG2_ICD, M1023_OTH_DIAG3_ICD, M1023_OTH_DIAG4_ICD, or M1023_OTH_DIAG5_ICD is not equal to [^], it must not equal (must not duplicate) any value submitted in the remaining items in this list.</p> <p>Items:</p> <table><tr><td>M1021_PRIMARY_DIAG_ICD</td><td>Primary diagnosis ICD code</td></tr><tr><td>M1023_OTH_DIAG1_ICD</td><td>Other diagnosis 1: ICD code</td></tr><tr><td>M1023_OTH_DIAG2_ICD</td><td>Other diagnosis 2: ICD code</td></tr><tr><td>M1023_OTH_DIAG3_ICD</td><td>Other diagnosis 3: ICD code</td></tr><tr><td>M1023_OTH_DIAG4_ICD</td><td>Other diagnosis 4: ICD code</td></tr><tr><td>M1023_OTH_DIAG5_ICD</td><td>Other diagnosis 5: ICD code</td></tr></table>	M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code	M1023_OTH_DIAG1_ICD	Other diagnosis 1: ICD code	M1023_OTH_DIAG2_ICD	Other diagnosis 2: ICD code	M1023_OTH_DIAG3_ICD	Other diagnosis 3: ICD code	M1023_OTH_DIAG4_ICD	Other diagnosis 4: ICD code	M1023_OTH_DIAG5_ICD	Other diagnosis 5: ICD code
M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code														
M1023_OTH_DIAG1_ICD	Other diagnosis 1: ICD code														
M1023_OTH_DIAG2_ICD	Other diagnosis 2: ICD code														
M1023_OTH_DIAG3_ICD	Other diagnosis 3: ICD code														
M1023_OTH_DIAG4_ICD	Other diagnosis 4: ICD code														
M1023_OTH_DIAG5_ICD	Other diagnosis 5: ICD code														
-5050	Consistency	Fatal	<p>If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].</p> <p>Items:</p> <table><tr><td>M1033_HOSP_RISK_HSTRY_FALLS</td><td>Hosp risk: 2+ falls or injury fall in past year</td></tr><tr><td>M1033_HOSP_RISK_WEIGHT_LOSS</td><td>Hosp risk: unintentional weight loss</td></tr></table>	M1033_HOSP_RISK_HSTRY_FALLS	Hosp risk: 2+ falls or injury fall in past year	M1033_HOSP_RISK_WEIGHT_LOSS	Hosp risk: unintentional weight loss								
M1033_HOSP_RISK_HSTRY_FALLS	Hosp risk: 2+ falls or injury fall in past year														
M1033_HOSP_RISK_WEIGHT_LOSS	Hosp risk: unintentional weight loss														

Data Submission Specifications for the OASIS Item Set (V3.00.1)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: M1033_HOSP_RISK_MLTPL_HOSPZTN Hosp risk: 2+ hospitalizations in past 6 months M1033_HOSP_RISK_MLTPL_ED_VISIT Hosp risk: 2+ emergcy dept visits in past 6 months M1033_HOSP_RISK_MNTL_BHV_DCLN Hosp risk: decline mental/emotional/behav status M1033_HOSP_RISK_COMPLIANCE Hosp risk: difficulty with medical instructions M1033_HOSP_RISK_5PLUS_MDCTN Hosp risk: taking five or more medications M1033_HOSP_RISK_CRNT_EXHSTN Hosp risk: current exhaustion M1033_HOSP_RISK_OTHR_RISK Hosp risk: other risk(s) not listed M1033_HOSP_RISK_NONE_ABOVE Hosp risk: none of the above
-5060	Consistency	Fatal	<p>If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].</p> Items: M1033_HOSP_RISK_HSTRY_FALLS Hosp risk: 2+ falls or injury fall in past year M1033_HOSP_RISK_WEIGHT_LOSS Hosp risk: unintentional weight loss M1033_HOSP_RISK_MLTPL_HOSPZTN Hosp risk: 2+ hospitalizations in past 6 months M1033_HOSP_RISK_MLTPL_ED_VISIT Hosp risk: 2+ emergcy dept visits in past 6 months M1033_HOSP_RISK_MNTL_BHV_DCLN Hosp risk: decline mental/emotional/behav status M1033_HOSP_RISK_COMPLIANCE Hosp risk: difficulty with medical instructions M1033_HOSP_RISK_5PLUS_MDCTN Hosp risk: taking five or more medications M1033_HOSP_RISK_CRNT_EXHSTN Hosp risk: current exhaustion M1033_HOSP_RISK_OTHR_RISK Hosp risk: other risk(s) not listed M1033_HOSP_RISK_NONE_ABOVE Hosp risk: none of the above
-5070	Skip pattern	Fatal	<p>If M1041_IN_INFLNZ_SEASON=[1], then if M1046_INFLNZ_RECD_CRNT_SEASON is active it must not equal [^].</p> Items: M1041_IN_INFLNZ_SEASON Does episode include Oct 1 thru Mar 31 M1046_INFLNZ_RECD_CRNT_SEASON Did patient receive influenza vaccine
-5080	Skip pattern	Fatal	<p>If M1041_IN_INFLNZ_SEASON=[0], then if M1046_INFLNZ_RECD_CRNT_SEASON is active it must equal [^].</p> Items: M1041_IN_INFLNZ_SEASON Does episode include Oct 1 thru Mar 31 M1046_INFLNZ_RECD_CRNT_SEASON Did patient receive influenza vaccine
-5112	Skip pattern	Fatal	<p>If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCR = [0], then all active items from M1307_OLDST_STG2_AT_DSCHRG through M1311_NSTG_DEEP_TSUE_SOCROC_F2 must equal [^].</p> Items: M1306_UNHLD_STG2_PRSR_ULCR Patient has 1+ unhealed PU/injury at stage 2+ M1307_OLDST_STG2_AT_DSCHRG Status of oldest stage 2 pressure ulcer at disch M1307_OLDST_STG2_ONST_DT Date of onset of oldest stage 2 pressure ulcer M1311_NBR_PRSULC_STG2_A1 Number of Stage 2 Pressure Ulcers M1311_NBR_ULC_SOCROC_STG2_A2 Number of Stage 2 pressure ulcers at SOC/ROC M1311_NBR_PRSULC_STG3_B1 Number of Stage 3 Pressure Ulcers

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: M1311_NBR_ULC_SOCROC_STG3_B2 Number of Stage 3 pressure ulcers at SOC/ROC M1311_NBR_PRSULC_STG4_C1 Number of Stage 4 Pressure Ulcers M1311_NBR_ULC_SOCROC_STG4_C2 Number of Stage 4 pressure ulcers at SOC/ROC M1311_NSTG_DRSG_D1 Num unstage pressure ulcer non-remov dress M1311_NSTG_DRSG_SOCROC_D2 Num unstage pressure ulcer non-remov dress M1311_NSTG_CVRG_E1 Unstageable: coverage by slough or eschar M1311_NSTG_CVRG_SOCROC_E2 Unstageable: coverage by slough or eschar SOC/ROC M1311_NSTG_DEEP_TSUE_F1 Unstageable: deep tissue injury M1311_NSTG_DEEP_TSUE_SOCROC_F2 Unstageable: deep tissue injury SOC/ROC
-5123	Skip pattern	Fatal	<p>If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCER = [1], then the following items must not equal [^]: M1307_OLDST_STG2_AT_DSCHRG, M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, M1311_NSTG_DEEP_TSUE_F1.</p> Items: M1306_UNHLD_STG2_PRSR_ULCR Patient has 1+ unhealed PU/injury at stage 2+ M1307_OLDST_STG2_AT_DSCHRG Status of oldest stage 2 pressure ulcer at disch M1311_NBR_PRSULC_STG2_A1 Number of Stage 2 Pressure Ulcers M1311_NBR_PRSULC_STG3_B1 Number of Stage 3 Pressure Ulcers M1311_NBR_PRSULC_STG4_C1 Number of Stage 4 Pressure Ulcers M1311_NSTG_DRSG_D1 Num unstage pressure ulcer non-remov dress M1311_NSTG_CVRG_E1 Unstageable: coverage by slough or eschar M1311_NSTG_DEEP_TSUE_F1 Unstageable: deep tissue injury
-5132	Consistency	Fatal	<p>If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCR = [1], then at least one of the following items must be greater than [00]: M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, and M1311_NSTG_DEEP_TSUE_F1.</p> Items: M1306_UNHLD_STG2_PRSR_ULCR Patient has 1+ unhealed PU/injury at stage 2+ M1311_NBR_PRSULC_STG2_A1 Number of Stage 2 Pressure Ulcers M1311_NBR_PRSULC_STG3_B1 Number of Stage 3 Pressure Ulcers M1311_NBR_PRSULC_STG4_C1 Number of Stage 4 Pressure Ulcers M1311_NSTG_DRSG_D1 Num unstage pressure ulcer non-remov dress M1311_NSTG_CVRG_E1 Unstageable: coverage by slough or eschar M1311_NSTG_DEEP_TSUE_F1 Unstageable: deep tissue injury
-5201	Consistency	Fatal	<p>If M0100_ASSMT_REASON=[01,03] and if character 1 of the Primary/Other ICD code in Column 2 is equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must equal [^].</p> Items: M1021_PRIMARY_DIAG_ICD Primary diagnosis ICD code M1021_PRIMARY_DIAG_SEVERITY Primary diagnosis severity rating M1023_OTH_DIAG1_ICD Other diagnosis 1: ICD code

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: M1023_OTH_DIAG1_SEVERITY Other diagnosis 1: severity rating M1023_OTH_DIAG2_ICD Other diagnosis 2: ICD code M1023_OTH_DIAG2_SEVERITY Other diagnosis 2: severity rating M1023_OTH_DIAG3_ICD Other diagnosis 3: ICD code M1023_OTH_DIAG3_SEVERITY Other diagnosis 3: severity rating M1023_OTH_DIAG4_ICD Other diagnosis 4: ICD code M1023_OTH_DIAG4_SEVERITY Other diagnosis 4: severity rating M1023_OTH_DIAG5_ICD Other diagnosis 5: ICD code M1023_OTH_DIAG5_SEVERITY Other diagnosis 5: severity rating
-5211	Consistency	Fatal	<p>If M0100_ASSMT_REASON=[01,03] and if the Primary/Other ICD code in Column 2 is NOT equal to [^] AND character 1 of the ICD code is NOT equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must not equal [^].</p> Items: M1021_PRIMARY_DIAG_ICD Primary diagnosis ICD code M1021_PRIMARY_DIAG_SEVERITY Primary diagnosis severity rating M1023_OTH_DIAG1_ICD Other diagnosis 1: ICD code M1023_OTH_DIAG1_SEVERITY Other diagnosis 1: severity rating M1023_OTH_DIAG2_ICD Other diagnosis 2: ICD code M1023_OTH_DIAG2_SEVERITY Other diagnosis 2: severity rating M1023_OTH_DIAG3_ICD Other diagnosis 3: ICD code M1023_OTH_DIAG3_SEVERITY Other diagnosis 3: severity rating M1023_OTH_DIAG4_ICD Other diagnosis 4: ICD code M1023_OTH_DIAG4_SEVERITY Other diagnosis 4: severity rating M1023_OTH_DIAG5_ICD Other diagnosis 5: ICD code M1023_OTH_DIAG5_SEVERITY Other diagnosis 5: severity rating
-5221	Consistency	Fatal	<p>If M0100_ASSMT_REASON =[01,03], and if the Primary/Other ICD code in Column 2 is equal to [^], then the corresponding severity code must equal [^].</p> Items: M1021_PRIMARY_DIAG_ICD Primary diagnosis ICD code M1021_PRIMARY_DIAG_SEVERITY Primary diagnosis severity rating M1023_OTH_DIAG1_ICD Other diagnosis 1: ICD code M1023_OTH_DIAG1_SEVERITY Other diagnosis 1: severity rating M1023_OTH_DIAG2_ICD Other diagnosis 2: ICD code M1023_OTH_DIAG2_SEVERITY Other diagnosis 2: severity rating M1023_OTH_DIAG3_ICD Other diagnosis 3: ICD code M1023_OTH_DIAG3_SEVERITY Other diagnosis 3: severity rating M1023_OTH_DIAG4_ICD Other diagnosis 4: ICD code M1023_OTH_DIAG4_SEVERITY Other diagnosis 4: severity rating M1023_OTH_DIAG5_ICD Other diagnosis 5: ICD code M1023_OTH_DIAG5_SEVERITY Other diagnosis 5: severity rating

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-5280	Format	Fatal	<p>The value submitted in M0010_CCN must either be equal to [^] or it must be exactly 6 characters in length.</p> <p>Items: M0010_CCN Facility CMS certification number (CCN)</p>
-5290	Consistency	Fatal	<p>If M0100_ASSMT_REASON=[06,07,08,09], then M0906_DC_TRAN_DTH_DT must not equal [^].</p> <p>Items: M0100_ASSMT_REASON Reason for assessment M0906_DC_TRAN_DTH_DT Discharge, transfer, death date</p>
-5300	Consistency	Fatal	<p>If TRANS_TYPE_CD=[3] (inactivate existing record) and M0100_ASSMT_REASON=[01,03,04,05], then M0906_DC_TRAN_DTH_DT must equal [^].</p> <p>Items: TRANS_TYPE_CD Transaction type code M0100_ASSMT_REASON Reason for assessment M0906_DC_TRAN_DTH_DT Discharge, transfer, death date</p>
-5320	Consistency	Fatal	<p>If M1000_DC_NONE_14_DA=[0], then if M1005_INP_DSCHG_UNKNOWN is active it must not equal [^].</p> <p>Items: M1000_DC_NONE_14_DA Past 14 days: not disch from inpatient facility M1005_INP_DSCHG_UNKNOWN Inpatient discharge date unknown</p>
-5340	Consistency	Fatal	<p>If M0104_PHYSN_RFRL_DT is not equal to [^] and if M0100_ASSMT_REASON=[01], then M0104_PHYSN_RFRL_DT must be less than or equal to M0030_START_CARE_DT and must be greater than M0066_PAT_BIRTH_DT.</p> <p>Items: M0030_START_CARE_DT Start of care date M0066_PAT_BIRTH_DT Date of birth M0100_ASSMT_REASON Reason for assessment M0104_PHYSN_RFRL_DT Physician date of referral</p>
-5350	Consistency	Fatal	<p>If M0104_PHYSN_RFRL_DT is not equal to [^] and if M0100_ASSMT_REASON=[03], then M0104_PHYSN_RFRL_DT must be less than or equal to M0032_ROC_DT and must be greater than M0066_PAT_BIRTH_DT.</p> <p>Items: M0032_ROC_DT Resumption of care date M0066_PAT_BIRTH_DT Date of birth M0100_ASSMT_REASON Reason for assessment M0104_PHYSN_RFRL_DT Physician date of referral</p>
-5360	Format	Warning	<p>Version Code Values: The version code submitted should match one of the values listed in the “Item Values” table of the Detailed Data Specifications Report.</p> <p>Items: ITM_SET_VRSN_CD Item set version code</p>

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-5371	Skip pattern	Fatal	<p>(a) If M1311_NBR_PRSULC_STG2_A1=[0], then if M1311_NBR_ULC_SOCROC_STG2_A2 is active, it must be equal to [^].</p> <p>(b) If M1311_NBR_PRSULC_STG2_A1>0, then if M1311_NBR_ULC_SOCROC_STG2_A2 is active, it must not be equal to [^].</p> <p>Items: M1311_NBR_PRSULC_STG2_A1 Number of Stage 2 Pressure Ulcers</p> <p> M1311_NBR_ULC_SOCROC_STG2_A2 Number of Stage 2 pressure ulcers at SOC/ROC</p>
-5372	Consistency	Fatal	<p>If M1311_NBR_PRSULC_STG2_A1 is greater than 0, and M1311_NBR_ULC_SOCROC_STG2_A2 is active, then M1311_NBR_ULC_SOCROC_STG2_A2 must be (a) less than or equal to M1311_NBR_PRSULC_STG2_A1, or (b) equal to dash [-].</p> <p>Items: M1311_NBR_PRSULC_STG2_A1 Number of Stage 2 Pressure Ulcers</p> <p> M1311_NBR_ULC_SOCROC_STG2_A2 Number of Stage 2 pressure ulcers at SOC/ROC</p>
-5373	Consistency	Fatal	<p>If M1311_NBR_PRSULC_STG2_A1=[-], then if M1311_NBR_ULC_SOCROC_STG2_A2 is active, it must be equal to [-].</p> <p>Items: M1311_NBR_PRSULC_STG2_A1 Number of Stage 2 Pressure Ulcers</p> <p> M1311_NBR_ULC_SOCROC_STG2_A2 Number of Stage 2 pressure ulcers at SOC/ROC</p>
-5381	Skip pattern	Fatal	<p>(a) If M1311_NBR_PRSULC_STG3_B1=[0], then if M1311_NBR_ULC_SOCROC_STG3_B2 is active, it must be equal to [^].</p> <p>(b) If M1311_NBR_PRSULC_STG3_B1>0, then if M1311_NBR_ULC_SOCROC_STG3_B2 is active, it must not be equal to [^].</p> <p>Items: M1311_NBR_PRSULC_STG3_B1 Number of Stage 3 Pressure Ulcers</p> <p> M1311_NBR_ULC_SOCROC_STG3_B2 Number of Stage 3 pressure ulcers at SOC/ROC</p>
-5382	Consistency	Fatal	<p>If M1311_NBR_PRSULC_STG3_B1 is greater than 0, and M1311_NBR_ULC_SOCROC_STG3_B2 is active, then M1311_NBR_ULC_SOCROC_STG3_B2 must be (a) less than or equal to M1311_NBR_PRSULC_STG3_B1, or (b) equal to dash [-].</p> <p>Items: M1311_NBR_PRSULC_STG3_B1 Number of Stage 3 Pressure Ulcers</p> <p> M1311_NBR_ULC_SOCROC_STG3_B2 Number of Stage 3 pressure ulcers at SOC/ROC</p>
-5383	Consistency	Fatal	<p>If M1311_NBR_PRSULC_STG3_B1=[-], then if M1311_NBR_ULC_SOCROC_STG3_B2 is active, it must be equal to [-].</p> <p>Items: M1311_NBR_PRSULC_STG3_B1 Number of Stage 3 Pressure Ulcers</p> <p> M1311_NBR_ULC_SOCROC_STG3_B2 Number of Stage 3 pressure ulcers at SOC/ROC</p>
-5391	Skip pattern	Fatal	<p>(a) If M1311_NBR_PRSULC_STG4_C1=[0], then if M1311_NBR_ULC_SOCROC_STG4_C2 is active, it must be equal to [^].</p> <p>(b) If M1311_NBR_PRSULC_STG4_C1>0, then if M1311_NBR_ULC_SOCROC_STG4_C2 is active, it must not be equal to [^].</p> <p>Items: M1311_NBR_PRSULC_STG4_C1 Number of Stage 4 Pressure Ulcers</p> <p> M1311_NBR_ULC_SOCROC_STG4_C2 Number of Stage 4 pressure ulcers at SOC/ROC</p>

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-5392	Consistency	Fatal	<p>If M1311_NBR_PRSULC_STG4_C1 is greater than 0, and M1311_NBR_ULC_SOCROC_STG4_C2 is active, then M1311_NBR_ULC_SOCROC_STG4_C2 must be (a) less than or equal to M1311_NBR_PRSULC_STG4_C1, or (b) equal to dash [-].</p> <p>Items: M1311_NBR_PRSULC_STG4_C1 Number of Stage 4 Pressure Ulcers M1311_NBR_ULC_SOCROC_STG4_C2 Number of Stage 4 pressure ulcers at SOC/ROC</p>
-5393	Consistency	Fatal	<p>If M1311_NBR_PRSULC_STG4_C1=[-], then if M1311_NBR_ULC_SOCROC_STG4_C2 is active, it must be equal to [-].</p> <p>Items: M1311_NBR_PRSULC_STG4_C1 Number of Stage 4 Pressure Ulcers M1311_NBR_ULC_SOCROC_STG4_C2 Number of Stage 4 pressure ulcers at SOC/ROC</p>
-5401	Skip pattern	Fatal	<p>(a) If M1311_NSTG_DRSG_D1=[0], then if M1311_NSTG_DRSG_SOCROC_D2 is active, it must be equal to [^]. (b) If M1311_NSTG_DRSG_D1>0, then if M1311_NSTG_DRSG_SOCROC_D2 is active, it must not be equal to [^].</p> <p>Items: M1311_NSTG_DRSG_D1 Num unstage pressure ulcer non-remov dress M1311_NSTG_DRSG_SOCROC_D2 Num unstage pressure ulcer non-remov dress</p>
-5402	Consistency	Fatal	<p>If M1311_NSTG_DRSG_D1 is greater than 0, and M1311_NSTG_DRSG_SOCROC_D2 is active, then M1311_NSTG_DRSG_SOCROC_D2 must be (a) less than or equal to M1311_NSTG_DRSG_D1, or (b) equal to dash [-].</p> <p>Items: M1311_NSTG_DRSG_D1 Num unstage pressure ulcer non-remov dress M1311_NSTG_DRSG_SOCROC_D2 Num unstage pressure ulcer non-remov dress</p>
-5403	Consistency	Fatal	<p>If M1311_NSTG_DRSG_D1=[-], then if M1311_NSTG_DRSG_SOCROC_D2 is active, it must be equal to [-].</p> <p>Items: M1311_NSTG_DRSG_D1 Num unstage pressure ulcer non-remov dress M1311_NSTG_DRSG_SOCROC_D2 Num unstage pressure ulcer non-remov dress</p>
-5411	Skip pattern	Fatal	<p>(a) If M1311_NSTG_CVRG_E1=[0], then if M1311_NSTG_CVRG_SOCROC_E2 is active, it must be equal to [^]. (b) If M1311_NSTG_CVRG_E1>0, then if M1311_NSTG_CVRG_SOCROC_E2 is active, it must not be equal to [^].</p> <p>Items: M1311_NSTG_CVRG_E1 Unstageable: coverage by slough or eschar M1311_NSTG_CVRG_SOCROC_E2 Unstageable: coverage by slough or eschar SOC/ROC</p>
-5412	Consistency	Fatal	<p>If M1311_NSTG_CVRG_E1 is greater than 0, and M1311_NSTG_CVRG_SOCROC_E2 is active, then M1311_NSTG_CVRG_SOCROC_E2 must (a) less than or equal to M1311_NSTG_CVRG_E1, or (b) equal to dash [-].</p> <p>Items: M1311_NSTG_CVRG_E1 Unstageable: coverage by slough or eschar M1311_NSTG_CVRG_SOCROC_E2 Unstageable: coverage by slough or eschar SOC/ROC</p>

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-5413	Consistency	Fatal	<p>If M1311_NSTG_CVRG_E1=[-], then if M1311_NSTG_CVRG_SOCROC_E2 is active, it must be equal to [-].</p> <p>Items: M1311_NSTG_CVRG_E1 Unstageable: coverage by slough or eschar M1311_NSTG_CVRG_SOCROC_E2 Unstageable: coverage by slough or eschar SOC/ROC</p>
-5421	Skip pattern	Fatal	<p>(a) If M1311_NSTG_DEEP_TSUE_F=[0], then if M1311_NSTG_DEEP_TSUE_SOCROC_F2 is active, it must be equal to [^]. (b) If M1311_NSTG_DEEP_TSUE_F1 > 0, then if M1311_NSTG_DEEP_TSUE_SOCROC_F2 is active, it must not be equal to [^].</p> <p>Items: M1311_NSTG_DEEP_TSUE_F1 Unstageable: deep tissue injury M1311_NSTG_DEEP_TSUE_SOCROC_F2 Unstageable: deep tissue injury SOC/ROC</p>
-5422	Consistency	Fatal	<p>If M1311_NSTG_DEEP_TSUE_F1 is greater than 0, and M1311_NSTG_DEEP_TSUE_SOCROC_F2 is active, then M1311_NSTG_DEEP_TSUE_SOCROC_F2 must be (a) less than or equal to M1311_NSTG_DEEP_TSUE_F1, or (b) equal to dash [-].</p> <p>Items: M1311_NSTG_DEEP_TSUE_F1 Unstageable: deep tissue injury M1311_NSTG_DEEP_TSUE_SOCROC_F2 Unstageable: deep tissue injury SOC/ROC</p>
-5423	Consistency	Fatal	<p>If M1311_NSTG_DEEP_TSUE_F1=[-], then if M1311_NSTG_DEEP_TSUE_SOCROC_F2 is active, it must be equal to [-].</p> <p>Items: M1311_NSTG_DEEP_TSUE_F1 Unstageable: deep tissue injury M1311_NSTG_DEEP_TSUE_SOCROC_F2 Unstageable: deep tissue injury SOC/ROC</p>
-5460	Consistency	Fatal	<p>The value for M0090_INFO_COMPLETED_DT must be within the allowable date range specified by the value for SPEC_VRSN_CD. The list of SPEC_VRSN_CD values and their corresponding date ranges are provided in the Overview document for the OASIS Data Specifications.</p> <p>Items: SPEC_VRSN_CD Specifications version code M0090_INFO_COMPLETED_DT Date assessment completed</p>
-5470	Consistency	Fatal	<p>If M2001_DRUG_RGMN_RVW=[-], then M2003_MDCTN_FLWP must equal [-].</p> <p>Items: M2001_DRUG_RGMN_RVW Drug regimen review M2003_MDCTN_FLWP Medication follow-up</p>
-5490	Skip pattern	Fatal	<p>If M2001_DRUG_RGMN_RVW=[0], then M2010_HIGH_RISK_DRUG_EDCTN must not equal [^].</p> <p>Items: M2001_DRUG_RGMN_RVW Drug regimen review M2010_HIGH_RISK_DRUG_EDCTN Patient/caregiver high risk drug education</p>

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																																				
-5500	Consistency	Fatal	<p>GG0110 Consistency:</p> <p>(a) If GG0110Z=[1], then all items from GG0110A through GG0110E must be equal to [0].</p> <p>(b) If GG0110Z=[0], then at least one of the items GG0110A through GG0110E must be equal to [1].</p> <p>(c) If GG0110Z=[-], then at least one item from GG0110A through GG0110E must equal [-], and all remaining items must equal [0,-].</p> <table><tr><td>Items:</td><td>GG0110A</td><td>Prior Device - Manual wheelchair</td></tr><tr><td></td><td>GG0110B</td><td>Prior Device - Motorized wheelchair and/or scooter</td></tr><tr><td></td><td>GG0110C</td><td>Prior Device - Mechanical lift</td></tr><tr><td></td><td>GG0110D</td><td>Prior Device - Walker</td></tr><tr><td></td><td>GG0110E</td><td>Prior Device - Orthotics/Prosthetics</td></tr><tr><td></td><td>GG0110Z</td><td>Prior Device - None of the above</td></tr></table>	Items:	GG0110A	Prior Device - Manual wheelchair		GG0110B	Prior Device - Motorized wheelchair and/or scooter		GG0110C	Prior Device - Mechanical lift		GG0110D	Prior Device - Walker		GG0110E	Prior Device - Orthotics/Prosthetics		GG0110Z	Prior Device - None of the above																		
Items:	GG0110A	Prior Device - Manual wheelchair																																					
	GG0110B	Prior Device - Motorized wheelchair and/or scooter																																					
	GG0110C	Prior Device - Mechanical lift																																					
	GG0110D	Prior Device - Walker																																					
	GG0110E	Prior Device - Orthotics/Prosthetics																																					
	GG0110Z	Prior Device - None of the above																																					
-5510	Consistency	Fatal	<p>Self-Care and Mobility Discharge Goals: At least one of the following Discharge Goal items (GG0130A2, GG0130B2, GG0130C2, GG0170B2, GG0170C_MOBILITY_DSCHG_GOAL, GG0170D2, GG0170E2, GG0170F2, GG0170J2, GG0170K2, GG0170R2, GG0170S2) should be equal to</p> <table><tr><td>Items:</td><td>GG0130A2</td><td>Eating (DschrG Goal)</td></tr><tr><td></td><td>GG0130B2</td><td>Oral Hygiene (DschrG Goal)</td></tr><tr><td></td><td>GG0130C2</td><td>Toileting hygiene (DschrG Goal)</td></tr><tr><td></td><td>GG0170B2</td><td>Sit to lying (DschrG Goal)</td></tr><tr><td></td><td>GG0170C_MOBILITY_DSCHG_GOAL</td><td>Lying to sitting on bed side (DschrG Goal)</td></tr><tr><td></td><td>GG0170D2</td><td>Sit to stand (DschrG Goal)</td></tr><tr><td></td><td>GG0170E2</td><td>Chair/bed-to-chair transfer (DschrG Goal)</td></tr><tr><td></td><td>GG0170F2</td><td>Toilet transfer (DschrG Goal)</td></tr><tr><td></td><td>GG0170J2</td><td>Walk 50 feet with two turns (DschrG Goal)</td></tr><tr><td></td><td>GG0170K2</td><td>Walk 150 feet (DschrG Goal)</td></tr><tr><td></td><td>GG0170R2</td><td>Wheel 50 feet with two turns (DschrG Goal)</td></tr><tr><td></td><td>GG0170S2</td><td>Wheel 150 feet (DschrG Goal)</td></tr></table>	Items:	GG0130A2	Eating (DschrG Goal)		GG0130B2	Oral Hygiene (DschrG Goal)		GG0130C2	Toileting hygiene (DschrG Goal)		GG0170B2	Sit to lying (DschrG Goal)		GG0170C_MOBILITY_DSCHG_GOAL	Lying to sitting on bed side (DschrG Goal)		GG0170D2	Sit to stand (DschrG Goal)		GG0170E2	Chair/bed-to-chair transfer (DschrG Goal)		GG0170F2	Toilet transfer (DschrG Goal)		GG0170J2	Walk 50 feet with two turns (DschrG Goal)		GG0170K2	Walk 150 feet (DschrG Goal)		GG0170R2	Wheel 50 feet with two turns (DschrG Goal)		GG0170S2	Wheel 150 feet (DschrG Goal)
Items:	GG0130A2	Eating (DschrG Goal)																																					
	GG0130B2	Oral Hygiene (DschrG Goal)																																					
	GG0130C2	Toileting hygiene (DschrG Goal)																																					
	GG0170B2	Sit to lying (DschrG Goal)																																					
	GG0170C_MOBILITY_DSCHG_GOAL	Lying to sitting on bed side (DschrG Goal)																																					
	GG0170D2	Sit to stand (DschrG Goal)																																					
	GG0170E2	Chair/bed-to-chair transfer (DschrG Goal)																																					
	GG0170F2	Toilet transfer (DschrG Goal)																																					
	GG0170J2	Walk 50 feet with two turns (DschrG Goal)																																					
	GG0170K2	Walk 150 feet (DschrG Goal)																																					
	GG0170R2	Wheel 50 feet with two turns (DschrG Goal)																																					
	GG0170S2	Wheel 150 feet (DschrG Goal)																																					
-5520	Skip pattern	Fatal	<p>(a) If GG0170I1=[07,09,10,88], then GG0170J1, GG0170K1, and GG0170L1 must equal [^].</p> <p>(b) If GG0170I1=[06,05,04,03,02,01], then GG0170J1, GG0170K1, and GG0170L1 must not equal [^].</p> <p>(c) If GG0170I1=[-], then GG0170J1, GG0170K1, and GG0170L1 must equal [-].</p> <table><tr><td>Items:</td><td>GG0170I1</td><td>Walk 10 feet (SOC/ROC Perf)</td></tr><tr><td></td><td>GG0170J1</td><td>Walk 50 feet with two turns (SOC/ROC Perf)</td></tr><tr><td></td><td>GG0170K1</td><td>Walk 150 feet (SOC/ROC Perf)</td></tr><tr><td></td><td>GG0170L1</td><td>Walking 10 feet uneven surf (SOC/ROC Perf)</td></tr></table>	Items:	GG0170I1	Walk 10 feet (SOC/ROC Perf)		GG0170J1	Walk 50 feet with two turns (SOC/ROC Perf)		GG0170K1	Walk 150 feet (SOC/ROC Perf)		GG0170L1	Walking 10 feet uneven surf (SOC/ROC Perf)																								
Items:	GG0170I1	Walk 10 feet (SOC/ROC Perf)																																					
	GG0170J1	Walk 50 feet with two turns (SOC/ROC Perf)																																					
	GG0170K1	Walk 150 feet (SOC/ROC Perf)																																					
	GG0170L1	Walking 10 feet uneven surf (SOC/ROC Perf)																																					
-5530	Skip pattern	Fatal	<p>(a) If GG0170I3=[07,09,10,88], then GG0170J3, GG0170K3, and GG0170L3 must equal [^].</p> <p>(b) If GG0170I3=[06,05,04,03,02,01], then GG0170J3, GG0170K3, and GG0170L3 must not equal [^].</p> <p>(c) If GG0170I3=[-], then GG0170J3, GG0170K3, and GG0170L3 must equal [-].</p>																																				

Data Submission Specifications for the OASIS Item Set (V3.00.1)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: GG0170I3 Walk 10 feet (Dschr Perf) GG0170J3 Walk 50 feet with two turns (Dschr Perf) GG0170K3 Walk 150 feet (Dschr Perf) GG0170L3 Walking 10 feet uneven surf (Dschr Perf)
-5540	Skip pattern	Fatal	<p>(a) If GG0170I4=[07,09,10,88], then GG0170J4 and GG0170L4 must equal [^]. (b) If GG0170I4=[06,05,04,03,02,01], then GG0170J4 and GG0170L4 must not equal [^]. (c) If GG0170I4=[-], then GG0170J4 and GG0170L4 must equal [-].</p> Items: GG0170I4 Walk 10 feet (Follow-Up Perf) GG0170J4 Walk 50 feet with two turns (Follow-Up Perf) GG0170L4 Walking 10 feet uneven surf (Follow-Up Perf)
-5550	Skip pattern	Fatal	<p>(a) If GG0170M1=[07,09,10,88], then GG0170N1 must equal [^]. (b) If GG0170M1=[06,05,04,03,02,01], then GG0170N1 must not equal [^]. (c) If GG0170M1=[-], then GG0170N1 must equal [-].</p> Items: GG0170M1 1 step (curb) (SOC/ROC Perf) GG0170N1 4 steps (SOC/ROC Perf)
-5560	Skip pattern	Fatal	<p>(a) If GG0170M3=[07,09,10,88], then GG0170N3 must equal [^]. (b) If GG0170M3=[06,05,04,03,02,01], then GG0170N3 must not equal [^]. (c) If GG0170M3=[-], then GG0170N3 must equal [-].</p> Items: GG0170M3 1 step (curb) (Dschr Perf) GG0170N3 4 steps (Dschr Perf)
-5570	Skip pattern	Fatal	<p>(a) If GG0170M4=[07,09,10,88], then GG0170N4 must equal [^]. (b) If GG0170M4=[06,05,04,03,02,01], then GG0170N4 must not equal [^]. (c) If GG0170M4=[-], then GG0170N4 must equal [-].</p> Items: GG0170M4 1 step (curb) (Follow-Up Perf) GG0170N4 4 steps (Follow-Up Perf)
-5580	Skip pattern	Fatal	<p>(a) If GG0170N1=[07,09,10,88,^], then GG0170O1 must equal [^]. (b) If GG0170N1=[06,05,04,03,02,01], then GG0170O1 must not equal [^]. (c) If GG0170N1=[-], then GG0170O1 must equal [-].</p> Items: GG0170N1 4 steps (SOC/ROC Perf) GG0170O1 12 steps (SOC/ROC Perf)

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-5590	Skip pattern	Fatal	<p>(a) If GG0170N3=[07,09,10,88,^], then GG0170O3 must equal [^].</p> <p>(b) If GG0170N3=[06,05,04,03,02,01], then GG0170O3 must not equal [^].</p> <p>(c) If GG0170N3=[-], then GG0170O3 must equal [-].</p> <p>Items: GG0170N3 4 steps (Dschrng Perf)</p> <p>GG0170O3 12 steps (Dschrng Perf)</p>
-5600	Skip pattern	Fatal	<p>(a) If GG0170Q1=[0], then the following items must be equal to [^]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1.</p> <p>(b) If GG0170Q1=[1], then the following items must not be equal to [^]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1.</p> <p>(c) If GG0170Q1=[-], then the following items must be equal to [-]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1.</p> <p>Items: GG0170Q1 Use wheelchair and/or scooter (SOC/ROC Perf)</p> <p>GG0170R1 Wheel 50 feet with two turns (SOC/ROC Perf)</p> <p>GG0170R2 Wheel 50 feet with two turns (Dschrng Goal)</p> <p>GG0170RR1 Type of wheelchair or scooter (SOC/ROC Perf)</p> <p>GG0170S1 Wheel 150 feet (SOC/ROC Perf)</p> <p>GG0170S2 Wheel 150 feet (Dschrng Goal)</p> <p>GG0170SS1 Type of wheelchair or scooter (SOC/ROC Perf)</p>
-5610	Skip pattern	Fatal	<p>(a) If GG0170Q3=[0], then the following items must be equal to [^]: GG0170R3, GG0170RR3, GG0170S3, GG0170SS3.</p> <p>(b) If GG0170Q3=[1], then the following items must not be equal to [^]: GG0170R3, GG0170RR3, GG0170S3, GG0170SS3.</p> <p>(c) If GG0170Q3=[-], then the following items must be equal to [-]: GG0170R3, GG0170RR3, GG0170S3, GG0170SS3.</p> <p>Items: GG0170Q3 Use wheelchair and/or scooter (Dschrng Perf)</p> <p>GG0170R3 Wheel 50 feet with two turns (Dschrng Perf)</p> <p>GG0170RR3 Type of wheelchair or scooter (Dschrng Perf)</p> <p>GG0170S3 Wheel 150 feet (Dschrng Perf)</p> <p>GG0170SS3 Type of wheelchair or scooter (Dschrng Perf)</p>
-5620	Skip pattern	Fatal	<p>(a) If GG0170Q4=[0], then GG0170R4 must be equal to [^].</p> <p>(b) If GG0170Q4=[1], then GG0170R4 must not be equal to [^].</p> <p>(c) If GG0170Q4=[-], then GG0170R4 must be equal to [-].</p> <p>Items: GG0170Q4 Use wheelchair and/or scooter (Follow-Up Perf)</p> <p>GG0170R4 Wheel 50 feet with two turns (Follow-Up Perf)</p>
-5630	Skip pattern	Fatal	<p>(a) If J1800=[0], then all active items from J1900A through J1900C must equal [^].</p> <p>(b) If J1800=[1], then all active items from J1900A through J1900C must not equal [^] and at least one of these items must equal [-,1,2].</p> <p>(c) If J1800=[-], then all active items from J1900A through J1900C must equal [-].</p> <p>Items: J1800 Falls since SOC/ROC: any falls</p> <p>J1900A Num falls since SOC/ROC: no injury</p>

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: J1900B Num falls since SOC/ROC: injury (except major) J1900C Num falls since SOC/ROC: major injury
-5661	Consistency	Fatal	<p>If M0100_ASSMT_REASON = [01,03], then none of the following items can be equal to [-]: M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, and M1311_NSTG_DEEP_TSUE_F1.</p> Items: M0100_ASSMT_REASON Reason for assessment M1311_NBR_PRSULC_STG2_A1 Number of Stage 2 Pressure Ulcers M1311_NBR_PRSULC_STG3_B1 Number of Stage 3 Pressure Ulcers M1311_NBR_PRSULC_STG4_C1 Number of Stage 4 Pressure Ulcers M1311_NSTG_DRSG_D1 Num unstage pressure ulcer non-remov dress M1311_NSTG_CVRG_E1 Unstageable: coverage by slough or eschar M1311_NSTG_DEEP_TSUE_F1 Unstageable: deep tissue injury
-5670	Consistency	Fatal	<p>(a) If M1028_ACTV_DIAG_NOA = [0], then at least one of M1028_ACTV_DIAG_PVD_PAD and M1028_ACTV_DIAG_DM must equal [1]. (b) If M1028_ACTV_DIAG_NOA = [1], then M1028_ACTV_DIAG_PVD_PAD and M1028_ACTV_DIAG_DM must equal [0]. (c) If M1028_ACTV_DIAG_NOA = [-], then at least one of M1028_ACTV_DIAG_PVD_PAD and M1028_ACTV_DIAG_DM must equal [-] and the other item must equal [0,-].</p> Items: M1028_ACTV_DIAG_PVD_PAD Active Diagnoses - PVD or PAD M1028_ACTV_DIAG_DM Active Diagnoses - Diabetes Mellitus M1028_ACTV_DIAG_NOA Active Diagnoses - None of the above
-5681	Consistency	Fatal	<p>(a) If M0100_ASSMT_REASON = [01,03], and M1322_NBR_PRSULC_STG1 and M1311_NBR_PRSULC_STG2_A1 and M1311_NBR_PRSULC_STG3_B1 and M1311_NBR_PRSULC_STG4_C1 are all equal to [00,^], then if M1324_STG_PRBLM_ULCER is active it must be equal to [NA]. (b) If M0100_ASSMT_REASON=[09], and if M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1 and M1311_NBR_PRSULC_STG4_C1 are all equal to [00,-,^], then M1324_STG_PRBLM_ULCER must be equal to [1, NA].</p> Items: M0100_ASSMT_REASON Reason for assessment M1311_NBR_PRSULC_STG2_A1 Number of Stage 2 Pressure Ulcers M1311_NBR_PRSULC_STG3_B1 Number of Stage 3 Pressure Ulcers M1311_NBR_PRSULC_STG4_C1 Number of Stage 4 Pressure Ulcers M1322_NBR_PRSULC_STG1 Number of stage 1 pressure injuries M1324_STG_PRBLM_ULCER Stage of most problematic pressure ulcer/injury
-5690	Format	Fatal	<p>***THIS EDIT DELETED IN V3.00.0***</p> Items: M1610_UR_INCONT Urinary incontinence or urinary catheter present M1630_OSTOMY Ostomy for bowel elimination M1021_PRIMARY_DIAG_ICD Primary diagnosis ICD code

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: M1021_PRIMARY_DIAG_SEVERITY Primary diagnosis severity rating M1023_OTH_DIAG1_ICD Other diagnosis 1: ICD code M1023_OTH_DIAG1_SEVERITY Other diagnosis 1: severity rating M1023_OTH_DIAG2_ICD Other diagnosis 2: ICD code M1023_OTH_DIAG2_SEVERITY Other diagnosis 2: severity rating M1023_OTH_DIAG3_ICD Other diagnosis 3: ICD code M1023_OTH_DIAG3_SEVERITY Other diagnosis 3: severity rating M1023_OTH_DIAG4_ICD Other diagnosis 4: ICD code M1023_OTH_DIAG4_SEVERITY Other diagnosis 4: severity rating M1023_OTH_DIAG5_ICD Other diagnosis 5: ICD code M1023_OTH_DIAG5_SEVERITY Other diagnosis 5: severity rating M1322_NBR_PRSULC_STG1 Number of stage 1 pressure injuries M1332_NBR_STAS_ULCR Number of stasis ulcers M2030_CRNT_MGMT_INJCTN_MDCTN Current: management of injectable medications M2200_THER_NEED_NBR Therapy need: number of visits indicated M2200_THER_NEED_NA Therapy need: not applicable
-5700	Format	Fatal	<p>***THIS EDIT DELETED IN V3.00.0***</p> Items: M1620_BWL_INCONT Bowel incontinence frequency M1400_WHEN_DYSPNEIC When dyspneic M1311_NBR_PRSULC_STG2_A1 Number of Stage 2 Pressure Ulcers M1311_NBR_PRSULC_STG3_B1 Number of Stage 3 Pressure Ulcers M1311_NBR_PRSULC_STG4_C1 Number of Stage 4 Pressure Ulcers M1311_NSTG_DRSG_D1 Num unstage pressure ulcer non-remov dress M1311_NSTG_CVRG_E1 Unstageable: coverage by slough or eschar M1311_NSTG_DEEP_TSUE_F1 Unstageable: deep tissue injury M1324_STG_PRBLM_ULCER Stage of most problematic pressure ulcer/injury M1330_STAS_ULCR_PRSNT Does this patient have a stasis ulcer M1334_STUS_PRBLM_STAS_ULCR Status of most problematic stasis ulcer M1340_SRGL_WND_PRSNT Does this patient have a surgical wound M1342_STUS_PRBLM_SRGL_WND Status of most problematic surgical wound
-5710	Format	Fatal	<p>Incorrect Medicare Number: This item must conform to the format defined below:</p> <ul style="list-style-type: none"> • The Medicare Number shall be eleven characters in length. • The first character must be numeric, excluding zero (0). • The second, fifth, eighth and ninth characters must be alphabetic, excluding the following letters: S, L, O, I, B, and Z. • The fourth, seventh, tenth and eleventh characters must be numeric. • The third and sixth characters must be alphabetic (excluding S, L, O, I, B, and Z) or numeric. Items: M0063_MEDICARE_NUM Medicare number, including suffix

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																																																			
-5720	Consistency	Fatal	<p>(a) At least one active item from A1005A to A1005Y must equal [1].</p> <p>(b) If A1005A=[1], then all active items from A1005B through A1005E must equal [0], and A1005Y must equal [0].</p> <p>(c) If A1005B=[1] or A1005C=[1] or A1005D=[1] or A1005E=[1], then A1005A must equal [0] and A1005Y must equal [0].</p> <p>(d) If A1005X=[1], then A1005Y must equal [0].</p> <p>(e) If A1005Y=[1], then all active items from A1005A to A1005X must equal [0].</p> <table><tr><td>Items:</td><td>A1005A</td><td>Ethnicity: No, Not Hispanic, Latino/a, Spanish</td></tr><tr><td></td><td>A1005B</td><td>Ethnicity: Yes, Mex, Mex Amer, Chicano/a</td></tr><tr><td></td><td>A1005C</td><td>Ethnicity: Yes, Puerto Rican</td></tr><tr><td></td><td>A1005D</td><td>Ethnicity: Yes, Cuban</td></tr><tr><td></td><td>A1005E</td><td>Ethnicity: Yes, Another Hispanic/Latino/Spanish</td></tr><tr><td></td><td>A1005X</td><td>Ethnicity: Patient unable to respond</td></tr><tr><td></td><td>A1005Y</td><td>Ethnicity: Patient declines to respond</td></tr></table>	Items:	A1005A	Ethnicity: No, Not Hispanic, Latino/a, Spanish		A1005B	Ethnicity: Yes, Mex, Mex Amer, Chicano/a		A1005C	Ethnicity: Yes, Puerto Rican		A1005D	Ethnicity: Yes, Cuban		A1005E	Ethnicity: Yes, Another Hispanic/Latino/Spanish		A1005X	Ethnicity: Patient unable to respond		A1005Y	Ethnicity: Patient declines to respond																														
Items:	A1005A	Ethnicity: No, Not Hispanic, Latino/a, Spanish																																																				
	A1005B	Ethnicity: Yes, Mex, Mex Amer, Chicano/a																																																				
	A1005C	Ethnicity: Yes, Puerto Rican																																																				
	A1005D	Ethnicity: Yes, Cuban																																																				
	A1005E	Ethnicity: Yes, Another Hispanic/Latino/Spanish																																																				
	A1005X	Ethnicity: Patient unable to respond																																																				
	A1005Y	Ethnicity: Patient declines to respond																																																				
-5730	Consistency	Fatal	<p>(a) At least one active item from A1010A through A1010Z must equal [1].</p> <p>(b) If any item from A1010A through A1010N=[1], then A1010Y must equal [0] and A1010Z must equal [0].</p> <p>(c) If A1010X=[1], then A1010Y must equal [0].</p> <p>(d) If A1010Y=[1], then all active items from A1010A to A1010X must equal [0], and A1010Z must equal [0].</p> <p>(e) If A1010Z=[1], then all active items from A1010A to A1010N must equal [0], and A1010Y must equal [0].</p> <table><tr><td>Items:</td><td>A1010A</td><td>Race: White</td></tr><tr><td></td><td>A1010B</td><td>Race: Black or African American</td></tr><tr><td></td><td>A1010C</td><td>Race: American Indian or Alaska Native</td></tr><tr><td></td><td>A1010D</td><td>Race: Asian Indian</td></tr><tr><td></td><td>A1010E</td><td>Race: Chinese</td></tr><tr><td></td><td>A1010F</td><td>Race: Filipino</td></tr><tr><td></td><td>A1010G</td><td>Race: Japanese</td></tr><tr><td></td><td>A1010H</td><td>Race: Korean</td></tr><tr><td></td><td>A1010I</td><td>Race: Vietnamese</td></tr><tr><td></td><td>A1010J</td><td>Race: Other Asian</td></tr><tr><td></td><td>A1010K</td><td>Race: Native Hawaiian</td></tr><tr><td></td><td>A1010L</td><td>Race: Guamanian or Chamorro</td></tr><tr><td></td><td>A1010M</td><td>Race: Samoan</td></tr><tr><td></td><td>A1010N</td><td>Race: Other Pacific Islander</td></tr><tr><td></td><td>A1010X</td><td>Race: Patient unable to respond</td></tr><tr><td></td><td>A1010Y</td><td>Race: Patient declines to respond</td></tr><tr><td></td><td>A1010Z</td><td>Race: None of the above</td></tr></table>	Items:	A1010A	Race: White		A1010B	Race: Black or African American		A1010C	Race: American Indian or Alaska Native		A1010D	Race: Asian Indian		A1010E	Race: Chinese		A1010F	Race: Filipino		A1010G	Race: Japanese		A1010H	Race: Korean		A1010I	Race: Vietnamese		A1010J	Race: Other Asian		A1010K	Race: Native Hawaiian		A1010L	Race: Guamanian or Chamorro		A1010M	Race: Samoan		A1010N	Race: Other Pacific Islander		A1010X	Race: Patient unable to respond		A1010Y	Race: Patient declines to respond		A1010Z	Race: None of the above
Items:	A1010A	Race: White																																																				
	A1010B	Race: Black or African American																																																				
	A1010C	Race: American Indian or Alaska Native																																																				
	A1010D	Race: Asian Indian																																																				
	A1010E	Race: Chinese																																																				
	A1010F	Race: Filipino																																																				
	A1010G	Race: Japanese																																																				
	A1010H	Race: Korean																																																				
	A1010I	Race: Vietnamese																																																				
	A1010J	Race: Other Asian																																																				
	A1010K	Race: Native Hawaiian																																																				
	A1010L	Race: Guamanian or Chamorro																																																				
	A1010M	Race: Samoan																																																				
	A1010N	Race: Other Pacific Islander																																																				
	A1010X	Race: Patient unable to respond																																																				
	A1010Y	Race: Patient declines to respond																																																				
	A1010Z	Race: None of the above																																																				

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																		
-5740	Consistency	Fatal	<p>(a) At least one active item from A1250A to A1250Y must equal [1].</p> <p>(b) If A1250A=[1] or A1250B=[1], then A1250C and A1250Y must equal [0].</p> <p>(c) If A1250C=[1], then A1250A and A1250B must equal [0].</p> <p>(d) If A1250X=[1], then A1250Y must equal [0].</p> <p>(e) If A1250Y=[1], then the following items must equal [0]: A1250A, A1250B, A1250C, A1250X.</p> <table><tr><td>Items:</td><td>A1250A</td><td>Transportation: Yes, medical</td></tr><tr><td></td><td>A1250B</td><td>Transportation: Yes, non-medical</td></tr><tr><td></td><td>A1250C</td><td>Transportation: No</td></tr><tr><td></td><td>A1250X</td><td>Transportation: Patient unable to respond</td></tr><tr><td></td><td>A1250Y</td><td>Transportation: Patient declines to respond</td></tr></table>	Items:	A1250A	Transportation: Yes, medical		A1250B	Transportation: Yes, non-medical		A1250C	Transportation: No		A1250X	Transportation: Patient unable to respond		A1250Y	Transportation: Patient declines to respond			
Items:	A1250A	Transportation: Yes, medical																			
	A1250B	Transportation: Yes, non-medical																			
	A1250C	Transportation: No																			
	A1250X	Transportation: Patient unable to respond																			
	A1250Y	Transportation: Patient declines to respond																			
-5750	Skip pattern	Fatal	<p>(a) If A2121=[0], then all active items from A2122A through A2122E must equal [^].</p> <p>(b) If A2121=[1], then all active items from A2122A through A2122E must not equal [^].</p> <p>(c) If A2121=[1], then at least one active item from A2122A through A2122E must equal [1].</p> <table><tr><td>Items:</td><td>A2121</td><td>Current Reconciled Medication List - Prvdr (Dis)</td></tr><tr><td></td><td>A2122A</td><td>Provider Trans - Electronic Health Record</td></tr><tr><td></td><td>A2122B</td><td>Provider Trans - Health Info Exchange</td></tr><tr><td></td><td>A2122C</td><td>Provider Trans - Verbal</td></tr><tr><td></td><td>A2122D</td><td>Provider Trans - Paper-based</td></tr><tr><td></td><td>A2122E</td><td>Provider Trans - Other Methods</td></tr></table>	Items:	A2121	Current Reconciled Medication List - Prvdr (Dis)		A2122A	Provider Trans - Electronic Health Record		A2122B	Provider Trans - Health Info Exchange		A2122C	Provider Trans - Verbal		A2122D	Provider Trans - Paper-based		A2122E	Provider Trans - Other Methods
Items:	A2121	Current Reconciled Medication List - Prvdr (Dis)																			
	A2122A	Provider Trans - Electronic Health Record																			
	A2122B	Provider Trans - Health Info Exchange																			
	A2122C	Provider Trans - Verbal																			
	A2122D	Provider Trans - Paper-based																			
	A2122E	Provider Trans - Other Methods																			
-5760	Skip pattern	Fatal	<p>(a) If A2120=[0,2], then all active items from A2122A through A2122E must equal [^].</p> <p>(b) If A2120=[1], then all active items from A2122A through A2122E must not equal [^].</p> <p>(c) If A2120=[1], then at least one active item from A2122A through A2122E must equal [1].</p> <table><tr><td>Items:</td><td>A2120</td><td>Current Reconciled Medication List - Prvdr (Tra)</td></tr><tr><td></td><td>A2122A</td><td>Provider Trans - Electronic Health Record</td></tr><tr><td></td><td>A2122B</td><td>Provider Trans - Health Info Exchange</td></tr><tr><td></td><td>A2122C</td><td>Provider Trans - Verbal</td></tr><tr><td></td><td>A2122D</td><td>Provider Trans - Paper-based</td></tr><tr><td></td><td>A2122E</td><td>Provider Trans - Other Methods</td></tr></table>	Items:	A2120	Current Reconciled Medication List - Prvdr (Tra)		A2122A	Provider Trans - Electronic Health Record		A2122B	Provider Trans - Health Info Exchange		A2122C	Provider Trans - Verbal		A2122D	Provider Trans - Paper-based		A2122E	Provider Trans - Other Methods
Items:	A2120	Current Reconciled Medication List - Prvdr (Tra)																			
	A2122A	Provider Trans - Electronic Health Record																			
	A2122B	Provider Trans - Health Info Exchange																			
	A2122C	Provider Trans - Verbal																			
	A2122D	Provider Trans - Paper-based																			
	A2122E	Provider Trans - Other Methods																			
-5770	Skip pattern	Fatal	<p>If M2420_DSCHRG_DISP=[1,4,UK], then all active items from A2121 through A2122E must equal [^].</p> <table><tr><td>Items:</td><td>M2420_DSCHRG_DISP</td><td>Discharge disposition</td></tr><tr><td></td><td>A2121</td><td>Current Reconciled Medication List - Prvdr (Dis)</td></tr><tr><td></td><td>A2122A</td><td>Provider Trans - Electronic Health Record</td></tr><tr><td></td><td>A2122B</td><td>Provider Trans - Health Info Exchange</td></tr><tr><td></td><td>A2122C</td><td>Provider Trans - Verbal</td></tr></table>	Items:	M2420_DSCHRG_DISP	Discharge disposition		A2121	Current Reconciled Medication List - Prvdr (Dis)		A2122A	Provider Trans - Electronic Health Record		A2122B	Provider Trans - Health Info Exchange		A2122C	Provider Trans - Verbal			
Items:	M2420_DSCHRG_DISP	Discharge disposition																			
	A2121	Current Reconciled Medication List - Prvdr (Dis)																			
	A2122A	Provider Trans - Electronic Health Record																			
	A2122B	Provider Trans - Health Info Exchange																			
	A2122C	Provider Trans - Verbal																			

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: A2122D Provider Trans - Paper-based A2122E Provider Trans - Other Methods
-5780	Consistency	Fatal	<p>(a) If A2123=[0], then all active items from A2124A through A2124E must equal [^].</p> <p>(b) If A2123=[1], then all active item from A2124A through A2124E must not equal [^].</p> <p>(c) If A2123=[1], then at least one active item from A2124A through A2124E must equal [1].</p> Items: A2123 Current Reconciled Medication List - Ptnt (Dis) A2124A Patient Trans - Electronic Health Record A2124B Patient Trans - Health Info Exchange A2124C Patient Trans - Verbal A2124D Patient Trans - Paper-based A2124E Patient Trans - Other Methods
-5790	Skip pattern	Fatal	<p>(a) If C0100=[0], then all active items from C0200 through C0500 must equal [^].</p> <p>(b) If C0100=[1], then all active items from C0200 through C0500 must not equal [^].</p> <p>(c) If C0100=[-], then all active items from C0200 through C0500 must equal [-].</p> Items: C0100 Brief Interview for Mental Status C0200 Repetition of three words C0300A Temporal Orientation: Able to report correct year C0300B Temporal Orientation: Able to report correct month C0300C Temporal Orientation: Able to report correct day C0400A Recall: Able to recall "sock" C0400B Recall: Able to recall "blue" C0400C Recall: Able to recall "bed" C0500 BIMS Summary Score
-5800	Consistency	Fatal	<p>The following rules refer to the "BIMS component items" which are C0200, C0300A, C0300B, C0300C, C0400A, C0400B and C0400C:</p> <p>(a) If all of the BIMS component items are active and have numeric values (not dash) and if three or fewer of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items.</p> <p>(b) If all of the BIMS component items are active and have numeric values (not dash) and if four or more of the BIMS component items are equal to [0] then C0500 must equal the sum of the values of the component items OR it must equal [99].</p> <p>(c) If some, but not all, of the BIMS component items have a value of [-], then C0500 must equal [99].</p> <p>(d) If all of the BIMS component items have a value of [-], then C0500 must equal [-].</p> Items: C0200 Repetition of three words C0300A Temporal Orientation: Able to report correct year C0300B Temporal Orientation: Able to report correct month C0300C Temporal Orientation: Able to report correct day C0400A Recall: Able to recall "sock"

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items	
			Items: C0400B C0400C C0500	Recall: Able to recall "blue" Recall: Able to recall "bed" BIMS Summary Score
-5810	Consistency	Fatal	(a) If D0150A1=[0], then D0150A2 must equal [0]. (b) If D0150A1=[1], then D0150A2 must equal [0,1,2,3]. (c) If D0150A1=[9,-], then D0150A2 must equal [^]. Items: D0150A1 D0150A2	Mood: Little interest/pleasure doing things: Pres Mood: Little interest/pleasure doing things: Freq
-5820	Consistency	Fatal	(a) If D0150B1=[0], then D0150B2 must equal [0]. (b) If D0150B1=[1], then D0150B2 must equal [0,1,2,3]. (c) If D0150B1=[9,-], then D0150B2 must equal [^]. Items: D0150B1 D0150B2	Mood: Feeling down, depressed, or hopeless: Pres Mood: Feeling down, depressed, or hopeless: Freq
-5830	Consistency	Fatal	(a) If D0150C1=[0], then D0150C2 must equal [0]. (b) If D0150C1=[1], then D0150C2 must equal [0,1,2,3]. (c) If D0150C1=[9,^,-], then D0150C2 must equal [^]. Items: D0150C1 D0150C2	Mood: Trouble falling or staying asleep: Pres Mood: Trouble falling or staying asleep: Freq
-5840	Consistency	Fatal	(a) If D0150D1=[0], then D0150D2 must equal [0]. (b) If D0150D1=[1], then D0150D2 must equal [0,1,2,3]. (c) If D0150D1=[9,^,-], then D0150D2 must equal [^]. Items: D0150D1 D0150D2	Mood: Feeling tired or having little energy: Pres Mood: Feeling tired or having little energy: Freq
-5850	Consistency	Fatal	(a) If D0150E1=[0], then D0150E2 must equal [0]. (b) If D0150E1=[1], then D0150E2 must equal [0,1,2,3]. (c) If D0150E1=[9,^,-], then D0150E2 must equal [^]. Items: D0150E1 D0150E2	Mood: Poor appetite or overeating: Pres Mood: Poor appetite or overeating: Freq

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-5860	Consistency	Fatal	<p>(a) If D0150F1=[0], then D0150F2 must equal [0]. (b) If D0150F1=[1], then D0150F2 must equal [0,1,2,3]. (c) If D0150F1=[9,^,-], then D0150F2 must equal [^].</p> <p>Items: D0150F1 Mood: Feeling bad about yourself: Pres D0150F2 Mood: Feeling bad about yourself: Freq</p>
-5870	Consistency	Fatal	<p>(a) If D0150G1=[0], then D0150G2 must equal [0]. (b) If D0150G1=[1], then D0150G2 must equal [0,1,2,3]. (c) If D0150G1=[9,^,-], then D0150G2 must equal [^].</p> <p>Items: D0150G1 Mood: Trouble concentrating on things: Pres D0150G2 Mood: Trouble concentrating on things: Freq</p>
-5880	Consistency	Fatal	<p>(a) If D0150H1=[0], then D0150H2 must equal [0]. (b) If D0150H1=[1], then D0150H2 must equal [0,1,2,3]. (c) If D0150H1=[9,^,-], then D0150H2 must equal [^].</p> <p>Items: D0150H1 Mood: Moving or speaking so slowly: Pres D0150H2 Mood: Moving or speaking so slowly: Freq</p>
-5890	Consistency	Fatal	<p>(a) If D0150I1=[0], then D0150I2 must equal [0]. (b) If D0150I1=[1], then D0150I2 must equal [0,1,2,3]. (c) If D0150I1=[9,^,-], then D0150I2 must equal [^].</p> <p>Items: D0150I1 Mood: Thoughts of better off dead: Pres D0150I2 Mood: Thoughts of better off dead: Freq</p>
-5900	Consistency	Fatal	<p>(a) If D0150A2 = [0,1] and D0150B2 = [0,1], then the following active items must equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (b) If D0150A1 = [-] or D0150B1 = [-], then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (c) If D0150A1 = [9] and D0150B1 = [9], then the following active items must equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (d) If (D0150A2 = [^] and D0150B2 = [0,1]) OR (D0150A2 = [0,1] and D0150B2 = [^]), then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. (e) If D0150A2 = [2,3] or D0150B2 = [2,3], then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1.</p> <p>Items: D0150A1 Mood: Little interest/pleasure doing things: Pres D0150A2 Mood: Little interest/pleasure doing things: Freq D0150B1 Mood: Feeling down, depressed, or hopeless: Pres</p>

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: D0150B2 Mood: Feeling down, depressed, or hopeless: Freq D0150C1 Mood: Trouble falling or staying asleep: Pres D0150D1 Mood: Feeling tired or having little energy: Pres D0150E1 Mood: Poor appetite or overeating: Pres D0150F1 Mood: Feeling bad about yourself: Pres D0150G1 Mood: Trouble concentrating on things: Pres D0150H1 Mood: Moving or speaking so slowly: Pres D0150I1 Mood: Thoughts of better off dead: Pres
-5910	Consistency	Fatal	<p>Total Severity Score Calculation:</p> <p>(a) If D0150A1 = [9] and D0150B1 = [9], then D0160 must equal [^].</p> <p>(b) If D0150A2 = [0,1] and D0150B2 = [0,1], then D0160 must equal the sum of the values from D0150A2 and D0150B2. Otherwise, the PHQ-9 must be completed, and D0160 must equal the sum of the values of the following nine items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 and Format Integer Items to nearest integer. These are referred to as the "items in Column 2", below.</p> <p>The following rules explain how to compute the score that is placed in item D0160. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are skipped.</p> <p>(c) If the following items D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 equal [0,1,2,3], then D0160 must equal the sum of these items.</p> <p>(d) If one of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^], then D0160 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer.</p> <p>(e) If two of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^], then D0160 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer.</p> Items: D0150A1 Mood: Little interest/pleasure doing things: Pres D0150A2 Mood: Little interest/pleasure doing things: Freq D0150B1 Mood: Feeling down, depressed, or hopeless: Pres D0150B2 Mood: Feeling down, depressed, or hopeless: Freq D0150C2 Mood: Trouble falling or staying asleep: Freq D0150D2 Mood: Feeling tired or having little energy: Freq D0150E2 Mood: Poor appetite or overeating: Freq D0150F2 Mood: Feeling bad about yourself: Freq D0150G2 Mood: Trouble concentrating on things: Freq D0150H2 Mood: Moving or speaking so slowly: Freq D0150I2 Mood: Thoughts of better off dead: Freq D0160 Total severity score
-5920	Consistency	Fatal	<p>(a) If J0510=[0], then all active items from J0520 through J0530 must equal [^].</p> <p>(b) If J0510=[1,2,3,4,8], then all active items from J0520 through J0530 must not equal [^].</p> Items: J0510 Pain effect on sleep

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: J0520 Pain interference with therapy activities J0530 Pain interference with day-to-day activities
-5930	Consistency	Fatal	<p>(a) If K0520Z1=[1], then all active items from K0520A1 through K0520D1 must equal [0]. (b) If K0520Z1=[0], then at least one active item from K0520A1 through K0520D1 must equal [1], and the remaining items must equal [0,1]. (c) If K0520Z1=[-], then at least one active item from K0520A1 through K0520D1 must equal [-], and the remaining items must equal [0,-].</p> Items: K0520A1 Nutritional Approaches (Admission): Parenteral K0520B1 Nutritional Approaches (Admission): Feeding tube K0520C1 Nutritional Approaches (Admission) : Mech Alt Diet K0520D1 Nutritional Approaches (Admission) : Therapeutic K0520Z1 Nutritional Approaches (Admission) : None
-5940	Consistency	Fatal	<p>(a) If K0520Z4=[1], then all active items from K0520A4 through K0520D4 must equal [0]. (b) If K0520Z4=[0], then at least one active item from K0520A4 through K0520D4 must equal [1], and the remaining items must equal [0,1]. (c) If K0520Z4=[-], then at least one item from K0520A4 through K0520D4 must equal [-], and the remaining active items must equal [0,-].</p> Items: K0520A4 Nutritional Approaches (7 days): Parenteral K0520B4 Nutritional Approaches (7 days): Feeding tube K0520C4 Nutritional Approaches (7 days): Mech Alt Diet K0520D4 Nutritional Approaches (7 day): Therapeutic K0520Z4 Nutritional Approaches (7 days): None
-5950	Consistency	Fatal	<p>(a) If K0520Z5=[1], then all active items from K0520A5 through K0520D5 must equal [0]. (b) If K0520Z5=[0], then at least one active item from K0520A5 through K0520D5 must equal [1], and the remaining items must equal [0,1]. (c) If K0520Z5=[-], then at least one active item from K0520A5 through K0520D5 must equal [-], and all remaining active items must equal [0,-].</p> Items: K0520A5 Nutritional Approaches (Discharge): Parenteral K0520B5 Nutritional Approaches (Discharge): Feeding Tube K0520C5 Nutritional Approaches (Discharge): Mech Alt Diet K0520D5 Nutritional Approaches (Discharge): Therapeutic K0520Z5 Nutritional Approaches (Discharge): None
-5960	Skip pattern	Fatal	<p>(a) If N0415A1=[0], then N0415A2 must equal [^]. (b) If N0415A1=[1], then N0415A2 must not equal [^].</p> Items: N0415A1 High-Risk Drug (Is Taking): Antipsychotic N0415A2 High-Risk Drug (Indication) : Antipsychotic

Unduplicated Edits Report by Edit ID

Page 53 of 62

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-6030	Consistency	Fatal	<p>(a) If O0110A1A=[0], then all active items from O0110A2A through O0110A10A must equal [0].</p> <p>(b) If O0110A1A=[1], then at least one active item from O0110A2A through O0110A10A must equal [1], and the remaining items must equal [0,1].</p> <p>(c) If O0110A1A=[-], then all active items from O0110A2A through O0110A10A must equal [-].</p> <p>Items: O0110A1A Treatment: Chemotherapy (Admission)</p> <p>O0110A2A Treatment: Chemo - IV (Admission)</p> <p>O0110A3A Treatment: Chemo - Oral (Admission)</p> <p>O0110A10A Treatment: Chemo - Other (Admission)</p>
-6040	Consistency	Fatal	<p>(a) If O0110C1A=[0], then all active items from O0110C2A through O0110C4A must equal [0].</p> <p>(b) If O0110C1A=[1], then at least one active item from O0110C2A through O0110C4A must equal [1], and the remaining items must equal [0,1].</p> <p>(c) If O0110C1A=[-], then all active items from O0110C2A through O0110C4A must equal [-].</p> <p>Items: O0110C1A Therapies: Oxygen Therapy (Admission)</p> <p>O0110C2A Therapies: Oxygen - Continuous (Admission)</p> <p>O0110C3A Therapies: Oxygen - Intermittent (Admission)</p> <p>O0110C4A Therapies: Oxygen - High-concentration (Admission)</p>
-6050	Consistency	Fatal	<p>(a) If O0110D1A=[0], then the following items must equal [0]: O0110D2A, O0110D3A.</p> <p>(b) If O0110D1A=[1], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110D2A, O0110D3A.</p> <p>(c) If O0110D1A=[-], then the following items must equal [-]: O0110D2A, O0110D3A.</p> <p>Items: O0110D1A Therapies: Suctioning (Admission)</p> <p>O0110D2A Therapies: Suctioning - Scheduled (Admission)</p> <p>O0110D3A Therapies: Suctioning - As Needed (Admission)</p>
-6060	Consistency	Fatal	<p>(a) If O0110G1A=[0], then the following items must equal [0]: O0110G2A, O0110G3A.</p> <p>(b) If O0110G1A=[1], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110G2A, O0110G3A.</p> <p>(c) If O0110G1A=[-], then the following items must equal [-]: O0110G2A, O0110G3A.</p> <p>Items: O0110G1A Therapies: Non-Invas Mechanical Ventilator (Admis)</p> <p>O0110G2A Therapies: BiPAP (Admission)</p> <p>O0110G3A Therapies: CPAP (Admission)</p>
-6070	Consistency	Fatal	<p>(a) If O0110H1A=[0], then all active items from O0110H2A through O0110H10A must equal [0].</p> <p>(b) If O0110H1A=[1], then at least one of the active items from O0110H2A through O0110H10A must equal [1], and the remaining items must equal [0,1].</p> <p>(c) If O0110H1A=[-], then all active items from O0110H2A through O0110H10A must equal [-].</p> <p>Items: O0110H1A Other: IV Medications (Admission)</p> <p>O0110H2A Other: IV - Vasoactive medications (Admission)</p>

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: O0110H3A Other: IV - Antibiotics (Admission) O0110H4A Other: IV - Anticoagulation (Admission) O0110H10A Other: IV - Other (Admission)
-6080	Consistency	Fatal	<p>(a) If O0110J1A=[0], then the following items must equal [0]: O0110J2A, O0110J3A.</p> <p>(b) If O0110J1A=[1], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110J2A, O0110J3A.</p> <p>(c) If O0110J1A=[-], then the following items must equal [-]: O0110J2A, O0110J3A.</p> Items: O0110J1A Other: Dialysis (Admission) O0110J2A Other: Hemodialysis (Admission) O0110J3A Other: Peritoneal dialysis (Admission)
-6090	Consistency	Fatal	<p>(a) If O0110O1A=[0], then all active items from O0110O2A through O0110O4A must equal [0].</p> <p>(b) If O0110O1A=[1], then at least one item from O0110O2A through O0110O4A must equal [1], and the remaining items must equal [0,1].</p> <p>(c) If O0110O1A=[-], then all active items from O0110O2A through O0110O4A must equal [-].</p> Items: O0110O1A Other: IV Access (Admission) O0110O2A Other: IV Access - Peripheral (Admission) O0110O3A Other: IV Access - Mid-line (Admission) O0110O4A Other: IV Access - Central (Admission)
-6100	Consistency	Fatal	<p>(a) If O0110Z1A=[1], then the following items must equal [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.</p> <p>(b) If O0110Z1A=[0], then at least one of the following items must equal [1], and all remaining items must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.</p> <p>(c) If O0110Z1A=[-], then the following items must equal [-]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.</p> Items: O0110A1A Treatment: Chemotherapy (Admission) O0110B1A Treatment: Radiation (Admission) O0110C1A Therapies: Oxygen Therapy (Admission) O0110D1A Therapies: Suctioning (Admission) O0110E1A Therapies: Tracheostomy Care (Admission) O0110F1A Therapies: Invasive Mechanical Ventilator (Admis) O0110G1A Therapies: Non-Invas Mechanical Ventilator (Admis) O0110H1A Other: IV Medications (Admission) O0110I1A Other: Transfusions (Admission) O0110J1A Other: Dialysis (Admission) O0110O1A Other: IV Access (Admission) O0110Z1A Other: None of the above (Admission)

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-6110	Consistency	Fatal	<p>(a) If O0110A1C=[0], then all active items from O0110A2C through O0110A10C must equal [0].</p> <p>(b) If O0110A1C=[1], then at least one active item from O0110A2C through O0110A10C must equal [1], and the remaining items must equal [0,1].</p> <p>(c) If O0110A1C=[-], then all active items from O0110A2C through O0110A10C must equal [-].</p> <p>Items: O0110A1C Treatment: Chemotherapy (Discharge)</p> <p>O0110A2C Treatment: Chemo - IV (Discharge)</p> <p>O0110A3C Treatment: Chemo - Oral (Discharge)</p> <p>O0110A10C Treatment: Chemo - Other (Discharge)</p>
-6120	Consistency	Fatal	<p>(a) If O0110C1C=[0], then all active items from O0110C2C through O0110C4C must equal [0].</p> <p>(b) If O0110C1C=[1], then at least one active item from O0110C2C through O0110C4C must equal [1], and the remaining items must equal [0,1].</p> <p>(c) If O0110C1C=[-], then all active items from O0110C2C through O0110C4C must equal [-].</p> <p>Items: O0110C1C Therapies: Oxygen Therapy (Discharge)</p> <p>O0110C2C Therapies: Oxygen - Continuous (Discharge)</p> <p>O0110C3C Therapies: Oxygen - Intermittent (Discharge)</p> <p>O0110C4C Therapies: Oxygen - High-concentration (Discharge)</p>
-6130	Consistency	Fatal	<p>(a) If O0110D1C=[0], then the following items must equal [0]: O0110D2C, O0110D3C.</p> <p>(b) If O0110D1C=[1], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110D2C, O0110D3C.</p> <p>(c) If O0110D1C=[-], then the following items must equal [-]: O0110D2C, O0110D3C.</p> <p>Items: O0110D1C Therapies: Suctioning (Discharge)</p> <p>O0110D2C Therapies: Suctioning - Scheduled (Discharge)</p> <p>O0110D3C Therapies: Suctioning - As Needed (Discharge)</p>
-6140	Consistency	Fatal	<p>(a) If O0110G1C=[0], then the following items must equal [0]: O0110G2C, O0110G3C.</p> <p>(b) If O0110G1C=[1], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110G2C, O0110G3C.</p> <p>(c) If O0110G1C=[-], then the following items must equal [-]: O0110G2C, O0110G3C.</p> <p>Items: O0110G1C Therapies: Non-Invas Mechanical Ventilator (Disch)</p> <p>O0110G2C Therapies: BiPAP (Discharge)</p> <p>O0110G3C Therapies: CPAP (Discharge)</p>
-6150	Consistency	Fatal	<p>(a) If O0110H1C=[0], then all active items from O0110H2C through O0110H10C must equal [0].</p> <p>(b) If O0110H1C=[1], then at least one active item from O0110H2C through O0110H10C must equal [1], and the remaining items must equal [0,1].</p> <p>(c) If O0110H1C=[-], then all active items from O0110H2C through O0110H10C must equal [-].</p> <p>Items: O0110H1C Other: IV Medications (Discharge)</p> <p>O0110H2C Other: IV - Vasoactive medications (Discharge)</p>

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: O0110H3C Other: IV - Antibiotics (Discharge) O0110H4C Other: IV - Anticoagulation (Discharge) O0110H10C Other: IV - Other (Discharge)
-6160	Consistency	Fatal	<p>(a) If O0110J1C=[0], then the following items must equal [0]: O0110J2C, O0110J3C.</p> <p>(b) If O0110J1C=[1], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110J2C, O0110J3C.</p> <p>(c) If O0110J1C=[-], then the following items must equal [-]: O0110J2C, O0110J3C.</p> Items: O0110J1C Other: Dialysis (Discharge) O0110J2C Other: Hemodialysis (Discharge) O0110J3C Other: Peritoneal dialysis (Discharge)
-6170	Consistency	Fatal	<p>(a) If O0110O1C=[0], then all active items from O0110O2C through O0110O4C must equal [0].</p> <p>(b) If O0110O1C=[1], then at least one active item from O0110O2C through O0110O4C must equal [1], and the remaining items must equal [0,1].</p> <p>(c) If O0110O1C=[-], then all active items from O0110O2C through O0110O4C must equal [-].</p> Items: O0110O1C Other: IV Access (Discharge) O0110O2C Other: IV Access - Peripheral (Discharge) O0110O3C Other: IV Access - Mid-line (Discharge) O0110O4C Other: IV Access - Central (Discharge)
-6180	Consistency	Fatal	<p>(a) If O0110Z1C=[1], then the following items must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.</p> <p>(b) If O0110Z1C=[0], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.</p> <p>(c) If O0110Z1C=[-], then the following items must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C and O0110O1C.</p> Items: O0110A1C Treatment: Chemotherapy (Discharge) O0110B1C Treatment: Radiation (Discharge) O0110C1C Therapies: Oxygen Therapy (Discharge) O0110D1C Therapies: Suctioning (Discharge) O0110E1C Therapies: Tracheostomy Care (Discharge) O0110F1C Therapies: Invasive Mechanical Ventilator (Disch) O0110G1C Therapies: Non-Invas Mechanical Ventilator (Disch) O0110H1C Other: IV Medications (Discharge) O0110I1C Other: Transfusions (Discharge) O0110J1C Other: Dialysis (Discharge) O0110O1C Other: IV Access (Discharge) O0110Z1C Other: None of the above (Discharge)

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-6190	Skip pattern	Fatal	<p>If M2420_DSCHRG_DISP =[2,3], then A2121 must not equal [^].</p> <p>Items: M2420_DSCHRG_DISP Discharge disposition A2121 Current Reconciled Medication List - Prvdr (Dis)</p>
-7000	Skip pattern	Fatal	<p>If M2420_DSCHRG_DISP = [1,4,UK], then A2123 must not equal [^].</p> <p>Items: M2420_DSCHRG_DISP Discharge disposition A2123 Current Reconciled Medication List - Ptnt (Dis)</p>
-7010	Skip pattern	Fatal	<p>If M2420_DSCHRG_DISP = [2,3], then all active items from A2123 through A2124E must equal [^].</p> <p>Items: M2420_DSCHRG_DISP Discharge disposition A2123 Current Reconciled Medication List - Ptnt (Dis) A2124A Patient Trans - Electronic Health Record A2124B Patient Trans - Health Info Exchange A2124C Patient Trans - Verbal A2124D Patient Trans - Paper-based A2124E Patient Trans - Other Methods</p>
-9010	Information	None	<p>Vendor's version number for the software that was used to create the OASIS data submission file.</p> <p>Items: SFW_PROD_VRSN_CD Software product version code</p>
-9020	Information	None	<p>Valid federal tax ID (EIN) for the company that developed the software used to create the OASIS data submission file.</p> <p>Items: SFW_ID Software vendor federal employer tax ID</p>
-9030	Information	None	<p>Name of the software that was used to create the OASIS data submission file.</p> <p>Items: SFW_PROD_NAME Software product name</p>
-9040	Information	None	<p>Email address of the vendor who created the software that was used to produce the OASIS submission file.</p> <p>Items: SFW_EMAIL_ADR Software vendor email address</p>
-9050	Information	None	<p>Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the system. System reports will therefore display upper case values.</p> <p>Items: SFW_NAME Software vendor company name SFW_PROD_NAME Software product name SFW_PROD_VRSN_CD Software product version code M0040_PAT_FNAME Patient's first name</p>

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: M0040_PAT_MI Patient's middle initial M0040_PAT_LNAME Patient's last name M0040_PAT_SUFFIX Patient's suffix M0063_MEDICARE_NUM Medicare number, including suffix M0065_MEDICAID_NUM Medicaid number
-9060	Information	None	<p>CALCULATION OF EFFECTIVE DATE</p> <p>(a) If M0100_ASSMT_REASON=[01], then ASMT_EFF_DATE is equal to M0030_START_CARE_DT.</p> <p>(b) If M0100_ASSMT_REASON=[03], then ASMT_EFF_DATE is equal to M0032_ROC_DT.</p> <p>(c) If M0100_ASSMT_REASON=[04,05], then ASMT_EFF_DATE is equal to M0090_INFO_COMPLETED_DT.</p> <p>(d) If M0100_ASSMT_REASON=[06,07,08,09], then ASMT_EFF_DATE is equal to M0906_DC_TRAN_DTH_DT.</p> Items: M0030_START_CARE_DT Start of care date M0032_ROC_DT Resumption of care date M0090_INFO_COMPLETED_DT Date assessment completed M0100_ASSMT_REASON Reason for assessment M0906_DC_TRAN_DTH_DT Discharge, transfer, death date ASMT_EFF_DATE Effective date
-9080	Information	None	<p>COMPLETION OF FOLLOW-UP ASSESSMENTS</p> <p>The allowable completion dates for the first and any subsequent follow-up assessments will be calculated relative to the start of care date. Follow-up assessments must be completed every 60 days that a patient is under care. Each time a follow-up assessment is due, it should be completed on or after the 56th day and on or before the 60th day of the period.</p> <p>More formally, the rules can be stated as follows:</p> <p>-Let j be the follow-up period number (i.e., 1=first follow-up period, 2=second follow-up period, etc.).</p> <p>-Let SOC be the start of care date (M0030_START_CARE_DT).</p> <p>-Let FCD be the completion date (M0090_INFO_COMPLETED_DT) of a follow-up assessment.</p> <p>Given these symbols, the rule for completion of follow-up assessments is as follows:</p> $SOC + (60*j) - 5 \leq FCD \leq SOC + (60*j) - 1$ <p>Where j=1, 2, 3, etc.</p> <p>If a patient is under care by a home health agency during one of the follow-up windows defined above, a follow-up assessment must be submitted. An exception to this rule can occur if a patient resumes care following an inpatient stay and if the resumption of care date (M0032_ROC_DT) falls within one of the follow-up windows. In this case, the home health agency should submit an RFA 03 resumption of care (after inpatient stay) (M0100_ASSMT_REASON=[03]) instead of the normal follow-up assessment. Submission of such a resumption of care assessment fulfills the requirement for the follow-up assessment because it includes all of the data items contained in the normal follow-up assessment.</p> Items: M0030_START_CARE_DT Start of care date M0032_ROC_DT Resumption of care date M0090_INFO_COMPLETED_DT Date assessment completed M0100_ASSMT_REASON Reason for assessment

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-9090	Information	None	<p>This is an optional item that can be used by agency for unique identification of record and tracking of records submitted to the system.</p> <p>Items: ACY_DOC_CD Document ID code (agency use)</p>
-9100	Information	None	<p>If a non-blank value for National Provider ID (NPI) in NATL_PRVDR_ID is submitted, it should represent the NPI of the parent agency, not of any branches if they have separate NPIs. The NPI that is submitted should be the one that is used on the agency's HIPAA billing transactions with CMS.</p> <p>Items: NATL_PRVDR_ID Agency National Provider ID (NPI)</p>
-9110	Information	None	<p>If state law prohibits transmission of certain ICD codes (e.g., HIV or STD diagnoses), these codes will be removed by iQIES if found on records submitted by HHAs within that state. If any item within an ICD list contains such a code on a submitted record, it will be removed from the list. If any of these items is removed, but a valid code remains in a subsequent item on the list, the subsequent codes will be "moved up" so that no missing codes remain.</p> <p>Therefore, if a non-blank value is required in an ICD code list and all of the submitted items in that list contain blank and/or prohibited codes, a fatal error will result and the record will be rejected. As long as at least one item in such a list contains a non-blank, correctly-formatted, allowable code, a fatal error will not occur.</p> <p>Items: M1021_PRIMARY_DIAG_ICD Primary diagnosis ICD code M1023_OTH_DIAG1_ICD Other diagnosis 1: ICD code M1023_OTH_DIAG2_ICD Other diagnosis 2: ICD code M1023_OTH_DIAG3_ICD Other diagnosis 3: ICD code M1023_OTH_DIAG4_ICD Other diagnosis 4: ICD code M1023_OTH_DIAG5_ICD Other diagnosis 5: ICD code</p>
-9130	Information	None	<p>If the agency is located in AS (American Samoa), GU (Guam), or MP (Saipan -- Northern Mariana Islands), then STATE_CD must equal [HI].</p> <p>Items: STATE_CD Agency's state postal code</p>
-9140	Information	None	<p>If the assessment was performed by a branch, then M0016_BRANCH_ID must contain a standard branch ID. It must contain numbers or uppercase letters in bytes 1 and 2, Q in byte 3, numbers or uppercase letters in bytes 4 through 7, and numbers in bytes 8 through 10.</p> <p>Items: M0016_BRANCH_ID Branch ID</p>
-9150	Information	None	<p>If an ICD list contains multiple codes, there should be no intervening items in the list which are equal to [^]. For example, if a 5-item list is populated with 3 ICD codes, those codes should occupy items 1, 2, and 3; items 4 and 5 should be equal to [^].</p> <p>If the system finds a list which contains intervening items which are equal to [^], the values that are later in the list will be moved up to eliminate the intervening blank [^] item values. Diagnoses are only moved up within the same type of diagnosis, so a secondary diagnosis code will never be moved into an item which is for a primary diagnosis code.</p> <p>Items: M1021_PRIMARY_DIAG_ICD Primary diagnosis ICD code M1023_OTH_DIAG1_ICD Other diagnosis 1: ICD code</p>

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: M1023_OTH_DIAG2_ICD Other diagnosis 2: ICD code M1023_OTH_DIAG3_ICD Other diagnosis 3: ICD code M1023_OTH_DIAG4_ICD Other diagnosis 4: ICD code M1023_OTH_DIAG5_ICD Other diagnosis 5: ICD code
-9160	Information	None	<p>The Item Subset Code (IS(C) is a two-character code that indicates the type of record that is being submitted. The set of active items is controlled by the ISC. The ISC is defined as follows:</p> <p>If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [01] then ITM_SBST_CD = [01]</p> <p>If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [03] then ITM_SBST_CD = [03]</p> <p>If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [04] then ITM_SBST_CD = [04]</p> <p>If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [05] then ITM_SBST_CD = [05]</p> <p>If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [06] then ITM_SBST_CD = [06]</p> <p>If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [07] then ITM_SBST_CD = [07]</p> <p>If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [08] then ITM_SBST_CD = [08]</p> <p>If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [09] then ITM_SBST_CD = [09]</p> <p>If TRANS_TYPE_CD = [3] and M0100_ASSMT_REASON = [01-09] then ITM_SBST_CD = [XX]</p> <p>For a more complete explanation of the meaning and use of the ISC codes, please refer to the documentation that accompanies these data specifications.</p> Items: TRANS_TYPE_CD Transaction type code ITM_SBST_CD Item subset code M0100_ASSMT_REASON Reason for assessment
-9170	Information	None	<p>SUBMITTING ICD-10 DIAGNOSIS CODES</p> <p>If the ICD-10 item is active, it must be submitted as an 8 character, fixed-format string with all blanks replaced with [^], and with a decimal point as the 4th character. The only exception to this rule is that an entirely blank ICD-10 item must be submitted as a single [^].</p> <p>For example:</p> <p>-The ICD-10 code "A12." would be submitted as [A12.^^^].</p> <p>-The ICD-10 code "A12.3" would be submitted as [A12.3^^].</p> <p>-The ICD-10 code "A12.34" would be submitted as [A12.34^^].</p> <p>-The ICD-10 code "A12.345" would be submitted as [A12.345^]</p>

Data Submission Specifications for the OASIS Item Set (V3.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<p>-The ICD-10 code "A12.3456" would be submitted as [A12.3456]</p> <p>-An entirely blank ICD-10 code would be submitted as [^].</p> <p>Items: M1021_PRIMARY_DIAG_ICD Primary diagnosis ICD code</p> <p> M1023_OTH_DIAG1_ICD Other diagnosis 1: ICD code</p> <p> M1023_OTH_DIAG2_ICD Other diagnosis 2: ICD code</p> <p> M1023_OTH_DIAG3_ICD Other diagnosis 3: ICD code</p> <p> M1023_OTH_DIAG4_ICD Other diagnosis 4: ICD code</p> <p> M1023_OTH_DIAG5_ICD Other diagnosis 5: ICD code</p>
-9180	Information	None	<p>When a record is submitted, the system will determine if the provider has been certified. If the provider is not certified, then the submitted record is considered (processed as) a test record. If the provider is certified, then the submitted record is considered (processed as) a production record. If the record is a production record, then a system edit will reject the record if M0010_CCN is equal to</p> <p>Items: M0010_CCN Facility CMS certification number (CCN)</p>
-9190	Information	None	<p>Rounding of Integer Items:</p> <p>This item should be rounded to the nearest integer. If the value in the tenths decimal place is equal to 0 through 4, round the value down to the nearest integer (i.e., discard the fractional portion of the number). If the value in the tenths decimal place is equal to 5 through 9, round the value up to the next largest integer.</p> <p>Items: M1060_HEIGHT_A Height (in inches)</p> <p> M1060_WEIGHT_B Weight (in pounds)</p>