

Cost of Pharmacy Services

Pharmaceutical Expenditures

- 11.5 percent of total health care expenditures
- \$8,745 per capita

Health Care Expenditures

· 8 percent of the gross domestic product

Centers for Medicare & Medicaid Services

Medicaid Expansion—Medicaid Spending Eligible: earnings less than 138 percent of Federal poverty level.

Definitions	
Fraud • Knowingly and willfully executing, or attempting to execute, a scheme to defraud a health care program or obtain money or property from a health care program under false pretenses Waste • The overutilization or misuse of services; not usually associated with criminal actions Abuse • Any action that may cost the Medicaid system unnecessary dollars; not usually associated with criminal actions	
Self-Audit	
Educate pharmacy providers on: Self-audit precautions related to: Proper prescribing practices Controlled substances management Invoice management Proper billing practices Reporting fraud, waste, and abuse	
Objective	
At the conclusion of "Module 1: Prescribing Practices," the learner will be able to: • Recall five types of off-label uses a prescribing practice self-audit would help identify	
Certers for Medicana & Medicaid Services 6	

Pharmacy Self-Monitoring—The Self-Audit Federal False Claims Act = Civil liability if a person knowingly submits a false or fraudulent claim. Medical Health Insurance Claim Form Wedical Health

Self-Audit Process

Use of the self-audit process allows pharmacy staff to:

- · Evaluate daily practices
- · Pinpoint audit triggers
- · Address vulnerabilities

Centers for Medicare & Medicaid Services

Prescribing Practices Self-Audit

- Office of Inspector General (OIG) List of Excluded Individuals/Entities (LEIE)
- · Scope of practice
- · Off-label indications





nters for Medicare & Medicaid Service

List of Excluded Individuals/Entities

Payment may be withheld if:

- A medication written by an excluded prescriber is dispensed
- An excluded pharmacist inputs prescription information for pharmacy billing
- An excluded pharmacist otherwise fills prescriptions billed to a Federal health care program

Centers for Medicare & Medicaid Service

10

Legitimate Medical Purpose

- Corresponding responsibility
- Scope of practice includes:
 - o State-defined
 - o Profession and position-defined

I would like to fill this prescription for my birth control please.59

"Well, it looks like this was prescribed by your podalrist. Birth control lish the type of drug a podalrist prescribes. Let me give him a cal."?

Centers for Medicare & Medicaid Services

Types of Indications

- · Labeled: approved by the FDA
- Compendial: recommended in a compendial source, but not approved by the FDA
- Off-label: neither FDA approved nor recommended in a compendial source

Drug classes often associated with inappropriate prescribing: transmucosal immediate-release fentanyl (TIRF), buprenorphine, antipsychotics, phosphodiesterase inhibitors (PDEIs), and drugs for cosmetic use, weight loss, and recreation.

Centers for Medicare & Medicaid Services

12

Transmucosal Immediate-Release Fentanyl Medications

Indian Health Service (IHS) counseling technique:

- What did your prescriber tell you the medication is for?
- How did your prescriber tell you to take the medication?
- · What did your prescriber tell you to expect?

Prescriber outreach: non-cancer pain alternatives.

Centers for Medicare & Medicaid Services

13

Prescriber outreach: alternatives for indications other than opioid dependence (for example: pain). BUPRENORPHINE NALOXONE

Atypical Antipsychotics
Prescriber outreach: alternative options for use as a sedative-hypnotic.
Centers for Medicare & Medicaid Services 15

Quality of Care Concerns in Pediatric Antipsychotic Claims Analysis **Concern Identified** Percentage of Claims Affected 53% Poor monitoring 41% Wrong Treatment Too many drugs 37% Taken too long 34% 23% Wrong dose 17% Too young 7% Side effects

Centers for Medicare & Medicaid Services

	d Drug Administration led Pediatric Indicat
Brand/Generic Name	FDA Labeled Pediatric Indications
Abilify® Aripiprazole	Bipolar I disorder Irritability associated with autistic disorder Schizophrenia Tourette syndrome
Saphris® Asenapine	Bipolar I disorder
Zyprexa® Olanzapine	Bipolar I disorder Depressive episodes associated with Bipolar I disorder Schizophrenia
Invega® Paliperidone	Schizophrenia
Seroquel® Quetiapine	Bipolar I disorder Schizophrenia
Risperdal® Risperidone	Bipolar I disorder Irritability associated with autistic disorder Schizophrenia

Generic Name	Compendial Pediatric Indications
Risperidone	Behavioral syndrome-mental retardation Pervasive developmental disorder Tourette symdrome

	Off-Label Pediatric Us
Generic Name	Off-Label Pediatric Uses
Aripiprazole	Conduct disorder (aggression) Mania Pervasive developmental disorder
Clozapine	Refractory schizophrenia Post-traumatic stress disorder Treatment resistant autistic disorder
Olanzapine	Anorexia and other eating disorders Pervasive developmental disorder Psychosis Tourette syndrome (tic disorder)
Quetiapine	Conduct disorder (aggression) Obsessive-compulsive disorder Pervasive developmental disorder Psychosis Tic disorders

	Off-Label Pediatric U
Generic Name	Off-Label Pediatric Uses
Risperidone	Anorexia nervosa Conduct disorder (impulse aggression) Attention deficit hyperactivity disorder with aggression Disruptive behavior disorder

Generic Name	Cataract Formation	Cardiovascular Changes	Extrapyramidal Effects	Metabolic Changes	Prolactin Elevation	Suicid Thinki
Aripiprazole	N/A	Labeled	Labeled	Labeled	N/A	Black box warning
Asenapine	N/A	Labeled	Labeled	Labeled	Labeled	N/A
Clozapine	N/A	Guideline	N/A	Guideline	N/A	N/A
Olanzapine	N/A	Labeled	Labeled	Labeled	Labeled	Black box warning
Paliperidone	N/A	Labeled	Labeled	Labeled	Labeled	N/A
Quetiapine	Labeled	Labeled	Labeled	Labeled	Labeled	Black box warning
Risperidone	N/A	Labeled	Labeled	Labeled	Labeled	N/A
Ziprasidone	N/A	Guideline	N/A	Guideline	Guideline	N/A

Phosphodiesterase Inhibitors
Patient counseling: self-pay if prescribed for erectile dysfunction.
If m sorry Sam, but the medication you have been prescribed is used to treat FDA-labeled indications such as pulmonary arterial hypertension and benign prostatic hyperplasia, but your plan does not provide coverage for your diagnosis, erectile dysfunction.

Cosmetic Purposes

- Drugs prescribed off-label for cosmetic uses: tazarotene, tretinoin, or injectable botulinum toxins
- Patient counseling: self-pay if prescribed for cosmetic uses

Centers for Medicare & Medicaid Services

Injectable Incretin Mimetic Medications

- IHS counseling technique
- Patient counseling: self-pay if prescribed for weight loss



Centers for Medicare & Medicaid Services

Amphetamines and Cannabinoids

- · IHS counseling technique
- Patient counseling: self-pay if prescribed for offlabel use
- Exercise corresponding responsibility and do not fill if the drug is being used for illicit purposes

Centers for Medicare & Medicaid Service

25

Knowledge Check

Review the following drug classes. Determine which of the off-label or excluded indications and appropriate covered use correspond from the options on the next slide.

- 1. _____Atypical antipsychotics
- 2. _____ Amphetamines
- 3. _____ Injectable incretin mimetics
- 4. _____ Transmucosal immediate release fentanyl drugs
- 5. _____ Buprenorphine-naloxone containing drugs
- 6. Retinoids
- 7. _____ Phosphodiesterase inhibitors

Centers for Medicare & Medicaid Services

26

Knowledge Check

- A. Appropriate covered use: maintenance of opioid dependence; off-label or excluded indication: chronic pain
- B. Appropriate covered use: breakthrough cancer pain; off-label or excluded indication: non-cancer pain
- C. Appropriate covered use: psychiatric conditions including schizophrenia, bipolar disorder and depression; off-label or excluded indication: insomnia (sedation)
- D. Appropriate covered use: attention deficit hyperactivity disorder; off-label or excluded indication: enhance academic performance
- E. Appropriate covered use: acne; off-label or excluded indication: glabellar lines
- F. Appropriate covered use: pulmonary arterial hypertension or benign prostatic hyperplasia; off-label or excluded indication: erectile dysfunction
- G. Appropriate covered use: diabetes type II; off-label or excluded indication: weight loss

Correct Answers	
1. C	
2. D	
3. G 4. B	
5. A 6. E	
7. F	
Centers for Medicane & Medicard Services 28	
Questions	
Please direct questions or requests to: MedicaidProviderEducation@cms.hhs.gov To see the electronic version of this presentation and the other products included	
in the "Pharmacy Self-Auditing: Control Practices to Improve Medicaid Program Integrity and Quality' Toolkit, visit the Medicaid Program Integrity Education page at https://www.cms.gov/Medicaid-Integrity-Education/edmic-landing.html on the CMS website.	
Follow us on Twitter * #MedicaidIntegrity Certers for Medicare & Medicaid Services 29	

Disclaimer

This presentation was current at the time it was published or uploaded onto the web. Medicaid and Medicare policies change frequently so links to the source documents have been provided within the document for your reference.

This presentation was prepared as a service to the public and is not intended to grant rights or impose obligations. This presentation may contain references or links to statutes, regulations, or other policy materials. The information provided is only intended to be a general summary. Use of this material is voluntary. Inclusion of a link does not constitute CMS endorsement of the material. We encourage readers to review the specific statutes, regulations, and other interpretive materials for a full and accurate statement of their contents.

December 2015

Certers for Medicare & Medicaid Service