

TABLE 6C – Invalid Diagnosis Codes FY 2018

Diagnosis Code	Description	CC	PMCC/ PCC	MDC	MS-DRG
A04.7	Enterocolitis due to Clostridium difficile	C	N	06	371,372,373
C96.2	Malignant mast cell tumor	C	N	PRE 17	011,012,013 820,821,822,823,824,825,840,841,842
D47.0	Histiocytic and mast cell tumors of uncertain behavior	C	N	17	820,821,822,823,824,825,840,841,842
E85.8	Other amyloidosis	C	N	08	545,546,547
H54.0	Blindness, both eyes	N	N	02	124,125
H54.11	Blindness, right eye, low vision left eye	N	N	02	124,125
H54.12	Blindness, left eye, low vision right eye	N	N	02	124,125
H54.2	Low vision, both eyes	N	N	02	124,125
H54.41	Blindness, right eye, normal vision left eye	N	N	02	124,125
H54.42	Blindness, left eye, normal vision right eye	N	N	02	124,125
H54.51	Low vision, right eye, normal vision left eye	N	N	02	124,125

TABLE 6C – Invalid Diagnosis Codes

Diagnosis Code	Description	CC	PMCC/ PCC	MDC	MS-DRG
H54.52	Low vision, left eye, normal vision right eye	N	N	02	124,125
I27.2	Other secondary pulmonary hypertension	N	N	05	314,315,316
K06.0	Gingival recession	N	N	PRE 03	011,012,013 157,158,159
K56.5	Intestinal adhesions [bands] with obstruction (postprocedural) (postinfection)	C	N	06	388,389,390
K56.60	Unspecified intestinal obstruction	C	N	06 15	388,389,390 791(1),793(1)
K56.69	Other intestinal obstruction	C	N	06 15	388,389,390 791(1),793(1)
K61.3	Ischiorectal abscess	C	N	06 15	393,394,395 791(1),793(1)
K91.3	Postprocedural intestinal obstruction	C	N	06 15	393,394,395 791(1),793(1)
M48.06	Spinal stenosis, lumbar region	N	N	08	551,552
N63	Unspecified lump in breast	N	N	09	597,598,599,600,601
O00.10	Tubal pregnancy without intrauterine pregnancy	C	N	14	777

TABLE 6C – Invalid Diagnosis Codes

Diagnosis Code	Description	CC	PMCC/ PCC	MDC	MS-DRG
O00.11	Tubal pregnancy with intrauterine pregnancy	C	N	14	777
O00.20	Ovarian pregnancy without intrauterine pregnancy	C	N	14	777
O00.21	Ovarian pregnancy with intrauterine pregnancy	C	N	14	777
P29.3	Persistent fetal circulation	M	N	15	791(2),793(2)
P83.8	Other specified conditions of integument specific to newborn	N	N	15	795(3)
P91.8	Other specified disturbances of cerebral status of newborn	N	N	15	791(2),793(2)
Q53.11	Abdominal testis, unilateral	N	N	12 15	729,730 795(4)
Q53.21	Abdominal testis, bilateral	N	N	12 15	729,730 795(4)
S06.1X7D	Traumatic cerebral edema with loss of consciousness of any duration with death due to brain injury	N	N	23	949,950

TABLE 6C – Invalid Diagnosis Codes

Diagnosis Code	Description	CC	PMCC/ PCC	MDC	MS-DRG
	prior to regaining consciousness, subsequent encounter				
S06.1X7S	Traumatic cerebral edema with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	N	N	01	091,092,093
S06.1X8D	Traumatic cerebral edema with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter	N	N	23	949,950
S06.1X8S	Traumatic cerebral edema with loss of consciousness of any duration with death due to other cause prior to regaining	N	N	01	091,092,093

TABLE 6C – Invalid Diagnosis Codes

Diagnosis Code	Description	CC	PMCC/ PCC	MDC	MS-DRG
	consciousness, sequela				
T07	Unspecified multiple injuries	N	N	09 24	604,605 955,956,957,958,959,963,964,965
T14.8	Other injury of unspecified body region	N	N	09 24	604,605 955,956,957,958,959,963,964,965
T14.90	Injury, unspecified	N	N	21 24	913,914 955,956,957,958,959,963,964,965
T14.91	Suicide attempt	N	N	21 24	913,914 955,956,957,958,959,963,964,965

Notes:

- (1) Secondary Diagnosis of major problem
- (2) Principal or secondary diagnosis of major problem
- (3) On "Principal Diagnosis" list
- (4) On "Only Secondary Diagnosis" list