

Data Submission Specifications for the IRF-PAI (V1.12.0)

Detailed Data Specifications Report

Section: Discharge InFixed Formation

Item ID: 40	2
Item ID: 41	4
Item ID: 42	5
Item ID: 43A	6
Item ID: 43B	8
Item ID: 43C	9
Item ID: 43D	10
Item ID: 43E	11
Item ID: 43F.....	12
Item ID: 44C	13
Item ID: 44D	14
Item ID: 45	15
Item ID: 46	16
Item ID: 47A	17
Item ID: 47B	18
Item ID: 47C	19
Item ID: 47D	20
Item ID: 47E	21
Item ID: 47F.....	22

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Discharge InFixed Formation

Item ID: 40

Item Label				XML Tag	Item Group	Item Type	Max Length	Fixed Fixed Format
Discharge Date				R40	Asmt	Date	8	996-1003
Item Values								
Value		Value Text						
YYYYMMDD		Discharge Date						
Item Edits								
Edit ID	Edit Type	Severity	Edit Text					
-1045	Format	Fatal	Invalid date: The date listed must be a valid date in YYYYMMDD format or one of the special allowed values.					
-1047	Consistency	Fatal	Dates Out of Order: The submitted dates are out of order or in the future. These dates must occur chronologically as follows: Birth Date (6) <= Date of Onset (23) <= Admission Date (12) <= Assessment Reference Date (13) <= Discharge Date (40) <= Submission Date (SUBMISSION_DATE)					
-1072	Consistency	Warning	Late Transmission (Submission): This record was transmitted (submitted) late. The record must be submitted no later than 27 calendar days from the day the patient is discharged. For this record, the Submission Date(SUBMISSION_DATE) - Discharge date (40) is greater than 26 days. The transmission (submission) date must be reported on your Medicare claim, and may result in a late transmission penalty.					
-1114	Consistency	Fatal	Program Interruption Date Out of Order: For the following dates, each date must precede or be the same as the subsequent date, ignoring dates with "No information" [^]. Admission Date (12) <= 1st Interruption Date (43A) <= 1st Return Date (43B) <= 2nd Interruption Date (43C) <= 2nd Return Date (43D) <= 3rd Interruption Date (43E) <= 3rd Return Date (43F) <= Discharge Date (40)					
-5009	Consistency	Fatal	Inconsistent Influenza Vaccination date: If a valid date is entered for the Influenza Vaccination Date (O0250B), then that date must be on or after the birthdate (6) and on or before the discharge date (40).					

Data Submission Specifications for the IRF-PAI (V1.12.1)
Detailed Data Specifications Report
Section: Discharge InFixed Formation

Version Changes

Type	ID	Description
Consistency	-5009	[V1.12.0]-Item 12 (admission date) removed from edit and edit text revised.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Discharge InFixed Formation

Item ID: **41**

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Start-End
Patient Discharged Against Medical Advice	R41	Asmt	Code	1	1004-1004

Item Values

Value	Value Text
0	No
1	Yes

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.

Data Submission Specifications for the IRF-PAI (V1.12.1)
Detailed Data Specifications Report
Section: Discharge InFixed Formation

Item ID: 42

Item Label				XML Tag	Item Group	Item Type	Max Length	Fixed Fixed Format
Program Interruption(s) Indicator				R42	Asmt	Code	1	1005-1005
Item Values								
Value			Value Text					
0			No					
1			Yes					
Item Edits								
Edit ID	Edit Type	Severity	Edit Text					
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.					
-1115	Consistency	Fatal	Inconsistent Skip Pattern: If Program Interruption(s) (42) is 0 (No), then the Program Interruption Dates (43A - 43F) must all be "No information" [^].					
-1116	Consistency	Fatal	Inconsistent 42/43A values: The Program Interruption(s) (42) value is not consistent with the 1st Interruption Date (43A) value. If Program Interruption(s) (42) is equal to 1 (Yes), then 1st Interruption Date (43A) must not be skipped with a value of "No information" [^].					
Version Changes								
Type	ID	Description						
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.						

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Discharge InFixed Formation

Item ID: 43A

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Start-End	Fixed Format
1st Interruption Date	R43A	Asmt	Date	8	1006-1013	
Item Values						
Value	Value Text					
YYYYMMDD	1st Interruption Date					
^	No information					
Item Edits						
Edit ID	Edit Type	Severity	Edit Text			
-1045	Format	Fatal	Invalid date: The date listed must be a valid date in YYYYMMDD format or one of the special allowed values.			
-1114	Consistency	Fatal	Program Interruption Date Out of Order: For the following dates, each date must precede or be the same as the subsequent date, ignoring dates with "No information" [^]. Admission Date (12) <= 1st Interruption Date (43A) <= 1st Return Date (43B) <= 2nd Interruption Date (43C) <= 2nd Return Date (43D) <= 3rd Interruption Date (43E) <= 3rd Return Date (43F) <= Discharge Date (40)			
-1115	Consistency	Fatal	Inconsistent Skip Pattern: If Program Interruption(s) (42) is 0 (No), then the Program Interruption Dates (43A - 43F) must all be "No information" [^].			
-1116	Consistency	Fatal	Inconsistent 42/43A values: The Program Interruption(s) (42) value is not consistent with the 1st Interruption Date (43A) value. If Program Interruption(s) (42) is equal to 1 (Yes), then 1st Interruption Date (43A) must not be skipped with a value of "No information" [^].			
-1117	Consistency	Fatal	Inconsistent Program Interruption Dates: For the dates listed, if a date in the list is "No information" [^], then the next date must also be "No information" [^]. 1st Interruption Date (43A) 1st Return Date (43B) 2nd Interruption Date (43C) 2nd Return Date (43D) 3rd Interruption Date (43E) 3rd Return Date (43F)			
-1118	Consistency	Fatal	Inconsistent Program Interruption Dates: For the date pairs listed, if the first date is not "No information" [^] then the second date must not be "No information" [^].			

Data Submission Specifications for the IRF-PAI (V1.12.1)
Detailed Data Specifications Report
Section: Discharge InFixed Formation

1st Interruption Date (43A) and 1st Return Date (43B)
2nd Interruption Date (43C) and 2nd Return Date (43D)
3rd Interruption Date (43E) and 3rd Return Date (43F)

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Discharge InFixed Formation

Item ID: 43B

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Start-End	Fixed Format
1st Return Date	R43B	Asmt	Date	8	1014-1021	
Item Values						
Value	Value Text					
YYYYMMDD	1st Return Date					
^	No information					
Item Edits						
Edit ID	Edit Type	Severity	Edit Text			
-1045	Format	Fatal	Invalid date: The date listed must be a valid date in YYYYMMDD format or one of the special allowed values.			
-1114	Consistency	Fatal	Program Interruption Date Out of Order: For the following dates, each date must precede or be the same as the subsequent date, ignoring dates with "No information" [^]. Admission Date (12) <= 1st Interruption Date (43A) <= 1st Return Date (43B) <= 2nd Interruption Date (43C) <= 2nd Return Date (43D) <= 3rd Interruption Date (43E) <= 3rd Return Date (43F) <= Discharge Date (40)			
-1115	Consistency	Fatal	Inconsistent Skip Pattern: If Program Interruption(s) (42) is 0 (No), then the Program Interruption Dates (43A - 43F) must all be "No information" [^].			
-1117	Consistency	Fatal	Inconsistent Program Interruption Dates: For the dates listed, if a date in the list is "No information" [^], then the next date must also be "No information" [^]. 1st Interruption Date (43A) 1st Return Date (43B) 2nd Interruption Date (43C) 2nd Return Date (43D) 3rd Interruption Date (43E) 3rd Return Date (43F)			
-1118	Consistency	Fatal	Inconsistent Program Interruption Dates: For the date pairs listed, if the first date is not "No information" [^] then the second date must not be "No information" [^]. 1st Interruption Date (43A) and 1st Return Date (43B) 2nd Interruption Date (43C) and 2nd Return Date (43D) 3rd Interruption Date (43E) and 3rd Return Date (43F)			

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Discharge InFixed Formation

Item ID: 43C

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Start-End	Fixed Format
2nd Interruption Date	R43C	Asmt	Date	8	1022-1029	
Item Values						
Value	Value Text					
YYYYMMDD	2nd Interruption Date					
^	No information					
Item Edits						
Edit ID	Edit Type	Severity	Edit Text			
-1045	Format	Fatal	Invalid date: The date listed must be a valid date in YYYYMMDD format or one of the special allowed values.			
-1114	Consistency	Fatal	Program Interruption Date Out of Order: For the following dates, each date must precede or be the same as the subsequent date, ignoring dates with "No information" [^]. Admission Date (12) <= 1st Interruption Date (43A) <= 1st Return Date (43B) <= 2nd Interruption Date (43C) <= 2nd Return Date (43D) <= 3rd Interruption Date (43E) <= 3rd Return Date (43F) <= Discharge Date (40)			
-1115	Consistency	Fatal	Inconsistent Skip Pattern: If Program Interruption(s) (42) is 0 (No), then the Program Interruption Dates (43A - 43F) must all be "No information" [^].			
-1117	Consistency	Fatal	Inconsistent Program Interruption Dates: For the dates listed, if a date in the list is "No information" [^], then the next date must also be "No information" [^]. 1st Interruption Date (43A) 1st Return Date (43B) 2nd Interruption Date (43C) 2nd Return Date (43D) 3rd Interruption Date (43E) 3rd Return Date (43F)			
-1118	Consistency	Fatal	Inconsistent Program Interruption Dates: For the date pairs listed, if the first date is not "No information" [^] then the second date must not be "No information" [^]. 1st Interruption Date (43A) and 1st Return Date (43B) 2nd Interruption Date (43C) and 2nd Return Date (43D) 3rd Interruption Date (43E) and 3rd Return Date (43F)			

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Discharge InFixed Formation

Item ID: 43D

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
2nd Return Date	R43D	Asmt	Date	8	1030-1037
Item Values					
Value	Value Text				
YYYYMMDD	2nd Return Date				
^	No information				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1045	Format	Fatal	Invalid date: The date listed must be a valid date in YYYYMMDD format or one of the special allowed values.		
-1114	Consistency	Fatal	Program Interruption Date Out of Order: For the following dates, each date must precede or be the same as the subsequent date, ignoring dates with "No information" [^]. Admission Date (12) <= 1st Interruption Date (43A) <= 1st Return Date (43B) <= 2nd Interruption Date (43C) <= 2nd Return Date (43D) <= 3rd Interruption Date (43E) <= 3rd Return Date (43F) <= Discharge Date (40)		
-1115	Consistency	Fatal	Inconsistent Skip Pattern: If Program Interruption(s) (42) is 0 (No), then the Program Interruption Dates (43A - 43F) must all be "No information" [^].		
-1117	Consistency	Fatal	Inconsistent Program Interruption Dates: For the dates listed, if a date in the list is "No information" [^], then the next date must also be "No information" [^]. 1st Interruption Date (43A) 1st Return Date (43B) 2nd Interruption Date (43C) 2nd Return Date (43D) 3rd Interruption Date (43E) 3rd Return Date (43F)		
-1118	Consistency	Fatal	Inconsistent Program Interruption Dates: For the date pairs listed, if the first date is not "No information" [^] then the second date must not be "No information" [^]. 1st Interruption Date (43A) and 1st Return Date (43B) 2nd Interruption Date (43C) and 2nd Return Date (43D) 3rd Interruption Date (43E) and 3rd Return Date (43F)		

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Discharge InFixed Formation

Item ID: 43E

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
3rd Interruption Date	R43E	Asmt	Date	8	1038-1045
Item Values					
Value	Value Text				
YYYYMMDD	3rd Interruption Date				
^	No information				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1045	Format	Fatal	Invalid date: The date listed must be a valid date in YYYYMMDD format or one of the special allowed values.		
-1114	Consistency	Fatal	Program Interruption Date Out of Order: For the following dates, each date must precede or be the same as the subsequent date, ignoring dates with "No information" [^]. Admission Date (12) <= 1st Interruption Date (43A) <= 1st Return Date (43B) <= 2nd Interruption Date (43C) <= 2nd Return Date (43D) <= 3rd Interruption Date (43E) <= 3rd Return Date (43F) <= Discharge Date (40)		
-1115	Consistency	Fatal	Inconsistent Skip Pattern: If Program Interruption(s) (42) is 0 (No), then the Program Interruption Dates (43A - 43F) must all be "No information" [^].		
-1117	Consistency	Fatal	Inconsistent Program Interruption Dates: For the dates listed, if a date in the list is "No information" [^], then the next date must also be "No information" [^]. 1st Interruption Date (43A) 1st Return Date (43B) 2nd Interruption Date (43C) 2nd Return Date (43D) 3rd Interruption Date (43E) 3rd Return Date (43F)		
-1118	Consistency	Fatal	Inconsistent Program Interruption Dates: For the date pairs listed, if the first date is not "No information" [^] then the second date must not be "No information" [^]. 1st Interruption Date (43A) and 1st Return Date (43B) 2nd Interruption Date (43C) and 2nd Return Date (43D) 3rd Interruption Date (43E) and 3rd Return Date (43F)		

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Discharge InFixed Formation

Item ID: 43F

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
3rd Return Date	R43F	Asmt	Date	8	1046-1053
Item Values					
Value	Value Text				
YYYYMMDD	3rd Return Date				
^	No information				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1045	Format	Fatal	Invalid date: The date listed must be a valid date in YYYYMMDD format or one of the special allowed values.		
-1114	Consistency	Fatal	Program Interruption Date Out of Order: For the following dates, each date must precede or be the same as the subsequent date, ignoring dates with "No information" [^]. Admission Date (12) <= 1st Interruption Date (43A) <= 1st Return Date (43B) <= 2nd Interruption Date (43C) <= 2nd Return Date (43D) <= 3rd Interruption Date (43E) <= 3rd Return Date (43F) <= Discharge Date (40)		
-1115	Consistency	Fatal	Inconsistent Skip Pattern: If Program Interruption(s) (42) is 0 (No), then the Program Interruption Dates (43A - 43F) must all be "No information" [^].		
-1117	Consistency	Fatal	Inconsistent Program Interruption Dates: For the dates listed, if a date in the list is "No information" [^], then the next date must also be "No information" [^]. 1st Interruption Date (43A) 1st Return Date (43B) 2nd Interruption Date (43C) 2nd Return Date (43D) 3rd Interruption Date (43E) 3rd Return Date (43F)		
-1118	Consistency	Fatal	Inconsistent Program Interruption Dates: For the date pairs listed, if the first date is not "No information" [^] then the second date must not be "No information" [^]. 1st Interruption Date (43A) and 1st Return Date (43B) 2nd Interruption Date (43C) and 2nd Return Date (43D) 3rd Interruption Date (43E) and 3rd Return Date (43F)		

Data Submission Specifications for the IRF-PAI (V1.12.1)
Detailed Data Specifications Report
Section: Discharge InFixed Formation

Item ID: 44C

				Item Group	Item Type	Max Length	Fixed Format Start-End
Item Label				XML Tag			
Patient Discharged Alive				R44C	Asmt Code	1	1257-1257
Item Values							
Value		Value Text					
0		No					
1		Yes					
Item Edits							
Edit ID	Edit Type	Severity	Edit Text				
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.				
-1102	Consistency	Fatal	Inconsistent 44C/44D/45 values: If Patient not discharged alive (44C = [0]), then Discharge to Living Setting (44D) and Discharge to Living With (45) must be skipped with value of "No information" [^]. If Patient discharged alive (44C) = [1]), then Discharge to Living Setting (44D) must not be skipped with value of "No information" [^].				
Version Changes							
Type	ID	Description					
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.					

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Discharge InFixed Formation

Item ID: 44D

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Discharge to Living Setting	R44D	Asmt	Code	2	1259-1260

Item Values	
Value	Value Text
01	Home (private home/apt., board/care, assisted living, group home, transitional living)
02	Short-term General Hospital
03	Skilled Nursing Facility (SNF)
04	Intermediate Care
06	Home under care of organized home health service organization
50	Hospice (Home)
51	Hospice (Institutional Facility)
61	Swing bed
62	Another Inpatient Rehabilitation Facility
63	Long-Term Care Hospital (LTCH)
64	Medicaid Nursing Facility
65	Inpatient Psychiatric Facility
66	Critical Access Hospital
99	Not Listed
^	No information

Item Edits			
Edit ID	Edit Type	Severity	Edit Text
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-1101	Consistency	Fatal	Inconsistent 44D/45 values: If Discharge to Living Setting (44D) = [01], then Discharge to Living With (45) must not be skipped with value of "No information" [^]. If Discharge to Living Setting (A44D) not = [01] then Discharge to Living With (45) must be skipped with value of "No information" [^].
-1102	Consistency	Fatal	Inconsistent 44C/44D/45 values: If Patient not discharged alive (44C = [0]), then Discharge to Living Setting (44D) and Discharge to Living With (45) must be skipped with value of "No information" [^]. If Patient discharged alive (44C = [1]), then Discharge to Living Setting (44D) must not be skipped with value of "No information" [^].

Version Changes		
Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Discharge InFixed Formation

Item ID: 45

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Discharge to Living With	R45	Asmt	Code	2	1057-1058
Item Values					
Value	Value Text				
01	Alone				
02	Family / Relatives				
03	Friends				
04	Attendant				
05	Other				
^	No information				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.		
-1101	Consistency	Fatal	Inconsistent 44D/45 values: If Discharge to Living Setting (44D) = [01], then Discharge to Living With (45) must not be skipped with value of "No information" [^]. If Discharge to Living Setting (A44D) not = [01] then Discharge to Living With (45) must be skipped with value of "No information" [^].		
-1102	Consistency	Fatal	Inconsistent 44C/44D/45 values: If Patient not discharged alive (44C = [0]), then Discharge to Living Setting (44D) and Discharge to Living With (45) must be skipped with value of "No information" [^]. If Patient discharged alive (44C) = [1]), then Discharge to Living Setting (44D) must not be skipped with value of "No information" [^].		
Version Changes					
Type	ID	Description			
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.			

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Discharge InFixed Formation

Item ID: 46

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Diagnosis for Interruption or Death (ICD Code)	R46	Asmt	ICD	8	1059-1066
Item Values					
Value	Value Text				
ICD	Valid ICD Code				
^	No information				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1100	Format	Fatal	Formatting of ICD Items: If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^. Other formatting rules are as follows: a) Character 1 must be alphabetic. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].		
Version Changes					
Type	ID	Description			
Item	46	[V1.12.0]-Edit -1100 added (applies to formatting of ICD-10 codes). [V1.12.0]-Edit -1119 deleted (applies to formatting of ICD-9 codes).			
Format	-1100	[V1.12.0]-New edit.			

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Discharge InFixed Formation

Item ID: 47A

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Complication during rehab stay 1 (ICD Code)	R47A	Asmt	ICD	8	1067-1074

Item Values

Value	Value Text
ICD	Valid ICD Code
^	No information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1100	Format	Fatal	<p>Formatting of ICD Items:</p> <p>If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.</p> <p>Other formatting rules are as follows:</p> <p>a) Character 1 must be alphabetic.</p> <p>b) Character 2 must be numeric [0-9].</p> <p>c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z].</p> <p>d) Character 4 must be a decimal point.</p> <p>e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^].</p> <p>F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].</p>
-1113	Consistency	Fatal	Inconsistent Complications During Rehabilitation Stay Values: For the items 47A through 47F, if an item in the list is "No information" [^], then the next item must also be "No information" [^].

Version Changes

Type	ID	Description
Item	47A	[V1.12.0]-Edit -1100 added (applies to formatting of ICD-10 codes).
		[V1.12.0]-Edit -1119 deleted (applies to formatting of ICD-9 codes).
Format	-1100	[V1.12.0]-New edit.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Discharge InFixed Formation

Item ID: 47B

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Complication during rehab stay 2 (ICD Code)	R47B	Asmt	ICD	8	1075-1082

Item Values

Value	Value Text
ICD	Valid ICD Code
^	No information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1100	Format	Fatal	<p>Formatting of ICD Items:</p> <p>If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.</p> <p>Other formatting rules are as follows:</p> <p>a) Character 1 must be alphabetic.</p> <p>b) Character 2 must be numeric [0-9].</p> <p>c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z].</p> <p>d) Character 4 must be a decimal point.</p> <p>e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^].</p> <p>F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].</p>
-1113	Consistency	Fatal	Inconsistent Complications During Rehabilitation Stay Values: For the items 47A through 47F, if an item in the list is "No information" [^], then the next item must also be "No information" [^].

Version Changes

Type	ID	Description
Item	47B	[V1.12.0]-Edit -1100 added (applies to formatting of ICD-10 codes).
		[V1.12.0]-Edit -1119 deleted (applies to formatting of ICD-9 codes).
Format	-1100	[V1.12.0]-New edit.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Discharge InFixed Formation

Item ID: 47C

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Complication during rehab stay 3 (ICD Code)	R47C	Asmt	ICD	8	1083-1090
Item Values					
Value	Value Text				
ICD	Valid ICD Code				
^	No information				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1100	Format	Fatal	Formatting of ICD Items: If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^. Other formatting rules are as follows: a) Character 1 must be alphabetic. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].		
-1113	Consistency	Fatal	Inconsistent Complications During Rehabilitation Stay Values: For the items 47A through 47F, if an item in the list is "No information" [^], then the next item must also be "No information" [^].		
Version Changes					
Type	ID	Description			
Item	47C	[V1.12.0]-Edit -1100 added (applies to formatting of ICD-10 codes). [V1.12.0]-Edit -1119 deleted (applies to formatting of ICD-9 codes).			
Format	-1100	[V1.12.0]-New edit.			

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Discharge InFixed Formation

Item ID: 47D

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Complication during rehab stay 4 (ICD Code)	R47D	Asmt	ICD	8	1091-1098
Item Values					
Value	Value Text				
ICD	Valid ICD Code				
^	No information				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1100	Format	Fatal	Formatting of ICD Items: If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^. Other formatting rules are as follows: a) Character 1 must be alphabetic. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].		
-1113	Consistency	Fatal	Inconsistent Complications During Rehabilitation Stay Values: For the items 47A through 47F, if an item in the list is "No information" [^], then the next item must also be "No information" [^].		
Version Changes					
Type	ID	Description			
Item	47D	[V1.12.0]-Edit -1100 added (applies to formatting of ICD-10 codes). [V1.12.0]-Edit -1119 deleted (applies to formatting of ICD-9 codes).			
Format	-1100	[V1.12.0]-New edit.			

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Discharge InFixed Formation

Item ID: 47E

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Complication during rehab stay 5 (ICD Code)	R47E	Asmt	ICD	8	1099-1106
Item Values					
Value	Value Text				
ICD	Valid ICD Code				
^	No information				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1100	Format	Fatal	Formatting of ICD Items: If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^. Other formatting rules are as follows: a) Character 1 must be alphabetic. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].		
-1113	Consistency	Fatal	Inconsistent Complications During Rehabilitation Stay Values: For the items 47A through 47F, if an item in the list is "No information" [^], then the next item must also be "No information" [^].		
Version Changes					
Type	ID	Description			
Item	47E	[V1.12.0]-Edit -1100 added (applies to formatting of ICD-10 codes). [V1.12.0]-Edit -1119 deleted (applies to formatting of ICD-9 codes).			
Format	-1100	[V1.12.0]-New edit.			

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Discharge InFixed Formation

Item ID: 47F

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Complication during rehab stay 6 (ICD Code)	R47F	Asmt	ICD	8	1107-1114
Item Values					
Value	Value Text				
ICD	Valid ICD Code				
^	No information				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1100	Format	Fatal	Formatting of ICD Items: If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^. Other formatting rules are as follows: a) Character 1 must be alphabetic. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. F) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].		
-1113	Consistency	Fatal	Inconsistent Complications During Rehabilitation Stay Values: For the items 47A through 47F, if an item in the list is "No information" [^], then the next item must also be "No information" [^].		
Version Changes					
Type	ID	Description			
Item	47F	[V1.12.0]-Edit -1100 added (applies to formatting of ICD-10 codes). [V1.12.0]-Edit -1119 deleted (applies to formatting of ICD-9 codes).			
Format	-1100	[V1.12.0]-New edit.			