

Data Submission Specifications for the IRF-PAI (V1.12.0)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: M0210_1.....	3
Item ID: M0210_2.....	4
Item ID: M0300A1_1	5
Item ID: M0300A1_2	7
Item ID: M0300A2_2	9
Item ID: M0300A3_2	11
Item ID: M0300B1_1.....	13
Item ID: M0300B1_2.....	15
Item ID: M0300B2_2.....	17
Item ID: M0300B3_2.....	19
Item ID: M0300B4_2.....	21
Item ID: M0300C1_1.....	23
Item ID: M0300C1_2.....	25
Item ID: M0300C2_2.....	27
Item ID: M0300C3_2.....	29
Item ID: M0300C4_2.....	31
Item ID: M0300D1_1	33
Item ID: M0300D1_2	35
Item ID: M0300D2_2	37
Item ID: M0300D3_2	39
Item ID: M0300D4_2	41
Item ID: M0300E1_1.....	43
Item ID: M0300E1_2.....	45
Item ID: M0300E2_2.....	47
Item ID: M0300E3_2.....	49
Item ID: M0300F1_1	51

Data Submission Specifications for the IRF-PAI (V1.12.1)
Detailed Data Specifications Report
Section: Quality Indicators

Item ID: M0300F1_2	53
Item ID: M0300F2_2	55
Item ID: M0300F3_2	57
Item ID: M0300G1_1	59
Item ID: M0300G1_2	61
Item ID: M0300G2_2	63
Item ID: M0900A	65
Item ID: M0900B	66
Item ID: M0900C	67
Item ID: M0900D	68
Item ID: I0900A	69
Item ID: I0900B.....	70
Item ID: I2900A	71
Item ID: I2900B.....	72
Item ID: I2900C.....	73
Item ID: I2900D	74
Item ID: O0250A.....	75
Item ID: O0250B	76
Item ID: O0250C	77

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: **M0210_1**

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Pressure Ulcers Present on Admission	M0210_1	Asmt	Code	1	1261-1261
Item Values					
Value	Value Text				
0	No				
1	Yes				
-	Not assessed/no information				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.		
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.		
-5006	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to [0] (No), then the number of unhealed pressure ulcers at each Stage at admission (M0300A1_1 through M0300G1_1) must all be skipped with value of "Skipped" [^].		
-5010	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to [1] (Yes), then the number of unhealed pressure ulcers at each Stage at admission (M0300A1_1 through M0300G1_1) must not be "Skipped" [^].		
-5013	Consistency	Fatal	Inconsistent Healed Ulcers: If Unhealed Pressure Ulcers at Admission (M0210_1) is equal to [0] (No), then Healed Pressure Ulcers at Discharge that were present on admission (M0900A, M0900B, M0900C, M0900D) must all be equal to zero [0].		
-5044	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at admission (M0300A1_1 through M0300G1_1) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to “Not answered-voluntary” [=].		
-5045	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to "Not assessed/no information" [-], then the number of healed pressure ulcers at discharge that were present on admission (M0900A, M0900B, M0900C, M0900D) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to “Not answered-voluntary” [=].		
Version Changes					
Type	ID	Description			
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.			
Consistency	-5004	[V1.12.0]-Revised to not apply to O0250A, O0250B and O0250C.			
Consistency	-5006	[V1.12.0]-Revised edit text.			
Consistency	-5044	[V1.12.0]-Corrected typo.			

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: **M0210_2**

				Item Group	Item Type	Max Length	Fixed Format Start-End
Item Label				XML Tag			
Pressure Ulcers Present on Discharge				M0210_2	Asmt Code	1	1262-1262
Item Values							
Value		Value Text					
0		No					
1		Yes					
-		Not assessed/no information					
Item Edits							
Edit ID	Edit Type	Severity	Edit Text				
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.				
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.				
-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) must all be skipped with value of "Skipped" [^].				
-5011	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 1 (Yes), then number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2, M0300B1_2, M0300C1_2, M0300D1_2, M0300E1_2, M0300F1_2, M0300G1_2) must not be "Skipped" [^].				
-5046	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to “Not answered-voluntary” [=].				
Version Changes							
Type	ID	Description					
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.					
Consistency	-5004	[V1.12.0]-Revised to not apply to O0250A, O0250B and O0250C.					
Consistency	-5007	[V1.12.0]-Revised edit text.					

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: M0300A1_1

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Number of Stage 1 pressure ulcers: Admission	M0300A1_1	Asmt	Number	1	1263-1263
Item Values					
Value	Value Text				
0	Minimum value				
9	Maximum value				
-	Not assessed/no information				
^	Skipped				
=	Not answered-voluntary				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].		
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.		
-5006	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to [0] (No), then the number of unhealed pressure ulcers at each Stage at admission (M0300A1_1 through M0300G1_1) must all be skipped with value of "Skipped" [^].		
-5010	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to [1] (Yes), then the number of unhealed pressure ulcers at each Stage at admission (M0300A1_1 through M0300G1_1) must not be "Skipped" [^].		
-5044	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at admission (M0300A1_1 through M0300G1_1) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to “Not answered-voluntary” [=].		
Version Changes					
Type	ID	Description			
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.			

Data Submission Specifications for the IRF-PAI (V1.12.1)
Detailed Data Specifications Report
Section: Quality Indicators

Consistency	-5006	[V1.12.0]-Revised edit text.
Consistency	-5044	[V1.12.0]-Corrected typo.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: M0300A1_2

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Number of Stage 1 pressure ulcers: Discharge	M0300A1_2	Asmt	Number	1	1264-1264

Item Values	
Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information
^	Skipped
=	Not answered-voluntary

Item Edits			
Edit ID	Edit Type	Severity	Edit Text
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) must all be skipped with value of "Skipped" [^].
-5011	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 1 (Yes), then number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2, M0300B1_2, M0300C1_2, M0300D1_2, M0300E1_2, M0300F1_2, M0300G1_2) must not be "Skipped" [^].
-5014	Consistency	Fatal	Inconsistent M0300A1_2 value: If total Stage 1 pressures ulcers present on discharge (M0300A1_2) is equal to [0], then M0300A2_2 and M0300A3_2 must be "Skipped" [^].
-5015	Consistency	Fatal	Inconsistent M0300A1_2 value: If total Stage 1 pressures ulcers present on discharge (M0300A1_2) is equal to [1] thru [9], then M0300A2_2 and M0300A3_2 must not be "Skipped" [^].
-5033	Consistency	Fatal	IF the following Stage 1 ulcer count at discharge items (M0300A1_2, M0300A2_2 and M0300A3_2) are all numeric values ([0] - [9]), THEN

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Sum the counts (M0300A2_2 + M0300A3_2). Reset the sum to 9 if it is greater than 9. The resulting sum must equal the total Stage 1 ulcer count at discharge (M0300A1_2).		
-5034	Consistency	Fatal
If either of the following Stage 1 ulcer count at discharge items (M0300A2_2 or M0300A3_2) is a numeric value ([0]-[9]) and M0300A1_2 is a numeric value ([0]-[9]) THEN Sum the counts (M0300A2_2 + M0300A3_2), counting dash [-] or equal sign [=] values as 0. Reset the sum to 9 if it is greater than 9. The resulting sum must be equal to or less than the total Stage 1 pressure ulcers at discharge (M0300A1_2).		
-5046	Consistency	Fatal
Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].		
-5047	Consistency	Fatal
Inconsistent M0300A1_2 value: If the number of unhealed pressure ulcers at Stage 1 at discharge (M0300A1_2) is equal to "Not assessed/no information" [-], then the subsequent items for unhealed Stage 1 pressure ulcers at discharge (M0300A2_2, M0300A3_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].		

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.
Consistency	-5007	[V1.12.0]-Revised edit text.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: M0300A2_2

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Nbr Disch Stg 1 PU were Adm Stg 1 PU	M0300A2_2	Asmt	Number	1	1265-1265
Item Values					
Value	Value Text				
0	Minimum value				
9	Maximum value				
-	Not assessed/no information				
^	Skipped				
=	Not answered-voluntary				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].		
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.		
-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) must all be skipped with value of "Skipped" [^].		
-5014	Consistency	Fatal	Inconsistent M0300A1_2 value: If total Stage 1 pressures ulcers present on discharge (M0300A1_2) is equal to [0], then M0300A2_2 and M0300A3_2 must be "Skipped" [^].		
-5015	Consistency	Fatal	Inconsistent M0300A1_2 value: If total Stage 1 pressures ulcers present on discharge (M0300A1_2) is equal to [1] thru [9], then M0300A2_2 and M0300A3_2 must not be "Skipped" [^].		
-5033	Consistency	Fatal	IF the following Stage 1 ulcer count at discharge items (M0300A1_2, M0300A2_2 and M0300A3_2) are all numeric values ([0] - [9]), THEN Sum the counts (M0300A2_2 + M0300A3_2). Reset the sum to 9 if it is greater than 9. The resulting sum must equal the total Stage 1 ulcer count at discharge (M0300A1_2).		
-5034	Consistency	Fatal	If either of the following Stage 1 ulcer count at discharge items (M0300A2_2 or M0300A3_2) is a numeric value ([0]-[9]) and		

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

M0300A1_2 is a numeric value ([0]-[9])

THEN

Sum the counts (M0300A2_2 + M0300A3_2), counting dash [-] or equal sign [=] values as 0. Reset the sum to 9 if it is greater than 9. The resulting sum must be equal to or less than the total Stage 1 pressure ulcers at discharge (M0300A1_2).

-5046	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].
-5047	Consistency	Fatal	Inconsistent M0300A1_2 value: If the number of unhealed pressure ulcers at Stage 1 at discharge (M0300A1_2) is equal to "Not assessed/no information" [-], then the subsequent items for unhealed Stage 1 pressure ulcers at discharge (M0300A2_2, M0300A3_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.
Consistency	-5007	[V1.12.0]-Revised edit text.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: M0300A3_2

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Nbr Disch Stg 1 PU new	M0300A3_2	Asmt	Number	1	1266-1266
Item Values					
Value	Value Text				
0	Minimum value				
9	Maximum value				
-	Not assessed/no information				
^	Skipped				
=	Not answered-voluntary				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].		
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.		
-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) must all be skipped with value of "Skipped" [^].		
-5014	Consistency	Fatal	Inconsistent M0300A1_2 value: If total Stage 1 pressures ulcers present on discharge (M0300A1_2) is equal to [0], then M0300A2_2 and M0300A3_2 must be "Skipped" [^].		
-5015	Consistency	Fatal	Inconsistent M0300A1_2 value: If total Stage 1 pressures ulcers present on discharge (M0300A1_2) is equal to [1] thru [9], then M0300A2_2 and M0300A3_2 must not be "Skipped" [^].		
-5033	Consistency	Fatal	IF the following Stage 1 ulcer count at discharge items (M0300A1_2, M0300A2_2 and M0300A3_2) are all numeric values ([0] - [9]), THEN Sum the counts (M0300A2_2 + M0300A3_2). Reset the sum to 9 if it is greater than 9. The resulting sum must equal the total Stage 1 ulcer count at discharge (M0300A1_2).		
-5034	Consistency	Fatal	If either of the following Stage 1 ulcer count at discharge items (M0300A2_2 or M0300A3_2) is a numeric value ([0]-[9]) and		

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

M0300A1_2 is a numeric value ([0]-[9])

THEN

Sum the counts (M0300A2_2 + M0300A3_2), counting dash [-] or equal sign [=] values as 0. Reset the sum to 9 if it is greater than 9. The resulting sum must be equal to or less than the total Stage 1 pressure ulcers at discharge (M0300A1_2).

-5046	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].
-5047	Consistency	Fatal	Inconsistent M0300A1_2 value: If the number of unhealed pressure ulcers at Stage 1 at discharge (M0300A1_2) is equal to "Not assessed/no information" [-], then the subsequent items for unhealed Stage 1 pressure ulcers at discharge (M0300A2_2, M0300A3_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.
Consistency	-5007	[V1.12.0]-Revised edit text.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: M0300B1_1

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Number of Stage 2 pressure ulcers: Admission	M0300B1_1	Asmt	Number	1	1267-1267
Item Values					
Value	Value Text				
0	Minimum value				
9	Maximum value				
-	Not assessed/no information				
^	Skipped				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].		
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.		
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.		
-5006	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to [0] (No), then the number of unhealed pressure ulcers at each Stage at admission (M0300A1_1 through M0300G1_1) must all be skipped with value of "Skipped" [^].		
-5010	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to [1] (Yes), then the number of unhealed pressure ulcers at each Stage at admission (M0300A1_1 through M0300G1_1) must not be "Skipped" [^].		
-5044	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at admission (M0300A1_1 through M0300G1_1) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].		

Version Changes		
Type	ID	Description

Data Submission Specifications for the IRF-PAI (V1.12.1)
Detailed Data Specifications Report
Section: Quality Indicators

Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.
Consistency	-5004	[V1.12.0]-Revised to not apply to O0250A, O0250B and O0250C.
Consistency	-5006	[V1.12.0]-Revised edit text.
Consistency	-5044	[V1.12.0]-Corrected typo.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: M0300B1_2

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Number of Stage 2 pressure ulcers: Discharge	M0300B1_2	Asmt	Number	1	1268-1268
Item Values					
Value	Value Text				
0	Minimum value				
9	Maximum value				
-	Not assessed/no information				
^	Skipped				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].		
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.		
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.		
-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) must all be skipped with value of "Skipped" [^].		
-5011	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 1 (Yes), then number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2, M0300B1_2, M0300C1_2, M0300D1_2, M0300E1_2, M0300F1_2, M0300G1_2) must not be "Skipped" [^].		
-5016	Consistency	Fatal	Inconsistent M0300B1_2 value: If total Stage 2 pressures ulcers present on discharge (M0300B1_2) is equal to [0], then M0300B2_2, M0300B3_2, and M0300B4_2 must be "Skipped" [^].		
-5017	Consistency	Fatal	Inconsistent M0300B1_2 value: If total Stage 2 pressures ulcers present on discharge (M0300B1_2) is equal to [1] thru [9], then M0300B2_2, M0300B3_2, and M0300B4_2 must not be "Skipped" [^].		
-5035	Consistency	Fatal	IF the following Stage 2 ulcer count at discharge items (M0300B1_2, M0300B2_2, M0300B3_2, and M0300B4_2) are all numeric values ([0] - [9])		

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

			THEN
			Then sum the counts (M0300B2_2 + M0300B3_2 + M0300B4_2). Reset the sum to 9 if it is greater than 9. The resulting sum must equal the total Stage 2 ulcer count at discharge (M0300B1_2).
-5036	Consistency	Fatal	IF any of the following Stage 2 ulcer count at discharge items (M0300B2_2, M0300B3_2, or M0300B4_2) is numeric ([0]-[9]), and M0300B1_2 is a numeric value ([0]-[9])
			THEN
			Sum the counts (M0300B2_2 + M0300B3_2 + M0300B4_2), counting dash [-] or equal sign [=] values as 0. Reset the sum to 9 if it is greater than 9. The resulting sum must be equal to or less than the total Stage 2 ulcer count at discharge (M0300B1_2).
-5046	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].
-5048	Consistency	Fatal	Inconsistent M0300B1_2 value: If the number of unhealed pressure ulcers at Stage 2 at discharge (M0300B1_2) is equal to "Not assessed/no information" [-], then the subsequent items for unhealed Stage 2 pressure ulcers at discharge (M0300B2_2, through M0300B4_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.
Consistency	-5004	[V1.12.0]-Revised to not apply to O0250A, O0250B and O0250C.
Consistency	-5007	[V1.12.0]-Revised edit text.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: M0300B2_2

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Nbr Disch Stg 2 PU were Adm Stg 2 PU	M0300B2_2	Asmt	Number	1	1269-1269
Item Values					
Value	Value Text				
0	Minimum value				
9	Maximum value				
-	Not assessed/no information				
^	Skipped				
=	Not answered-voluntary				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].		
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.		
-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) must all be skipped with value of "Skipped" [^].		
-5016	Consistency	Fatal	Inconsistent M0300B1_2 value: If total Stage 2 pressures ulcers present on discharge (M0300B1_2) is equal to [0], then M0300B2_2, M0300B3_2, and M0300B4_2 must be "Skipped" [^].		
-5017	Consistency	Fatal	Inconsistent M0300B1_2 value: If total Stage 2 pressures ulcers present on discharge (M0300B1_2) is equal to [1] thru [9], then M0300B2_2, M0300B3_2, and M0300B4_2 must not be "Skipped" [^].		
-5035	Consistency	Fatal	IF the following Stage 2 ulcer count at discharge items (M0300B1_2, M0300B2_2, M0300B3_2, and M0300B4_2) are all numeric values ([0] - [9]) THEN Then sum the counts (M0300B2_2 + M0300B3_2 + M0300B4_2). Reset the sum to 9 if it is greater than 9. The resulting sum must equal the total Stage 2 ulcer count at discharge (M0300B1_2).		
-5036	Consistency	Fatal	IF any of the following Stage 2 ulcer count at discharge items (M0300B2_2, M0300B3_2, or M0300B4_2) is numeric ([0]-[9]),		

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

and M0300B1_2 is a numeric value ([0]-[9])

THEN

Sum the counts (M0300B2_2 + M0300B3_2 + M0300B4_2), counting dash [-] or equal sign [=] values as 0. Reset the sum to 9 if it is greater than 9. The resulting sum must be equal to or less than the total Stage 2 ulcer count at discharge (M0300B1_2).

-5046 Consistency Fatal

Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].

-5048 Consistency Fatal

Inconsistent M0300B1_2 value: If the number of unhealed pressure ulcers at Stage 2 at discharge (M0300B1_2) is equal to "Not assessed/no information" [-], then the subsequent items for unhealed Stage 2 pressure ulcers at discharge (M0300B2_2, through M0300B4_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.
Consistency	-5007	[V1.12.0]-Revised edit text.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: M0300B3_2

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Nbr Disch Stg 2 PU were Adm Unstg PU	M0300B3_2	Asmt	Number	1	1270-1270
Item Values					
Value	Value Text				
0	Minimum value				
9	Maximum value				
-	Not assessed/no information				
^	Skipped				
=	Not answered-voluntary				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].		
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.		
-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) must all be skipped with value of "Skipped" [^].		
-5016	Consistency	Fatal	Inconsistent M0300B1_2 value: If total Stage 2 pressures ulcers present on discharge (M0300B1_2) is equal to [0], then M0300B2_2, M0300B3_2, and M0300B4_2 must be "Skipped" [^].		
-5017	Consistency	Fatal	Inconsistent M0300B1_2 value: If total Stage 2 pressures ulcers present on discharge (M0300B1_2) is equal to [1] thru [9], then M0300B2_2, M0300B3_2, and M0300B4_2 must not be "Skipped" [^].		
-5035	Consistency	Fatal	IF the following Stage 2 ulcer count at discharge items (M0300B1_2, M0300B2_2, M0300B3_2, and M0300B4_2) are all numeric values ([0] - [9]) THEN Then sum the counts (M0300B2_2 + M0300B3_2 + M0300B4_2). Reset the sum to 9 if it is greater than 9. The resulting sum must equal the total Stage 2 ulcer count at discharge (M0300B1_2).		
-5036	Consistency	Fatal	IF any of the following Stage 2 ulcer count at discharge items (M0300B2_2, M0300B3_2, or M0300B4_2) is numeric ([0]-[9]),		

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

and M0300B1_2 is a numeric value ([0]-[9])

THEN

Sum the counts (M0300B2_2 + M0300B3_2 + M0300B4_2), counting dash [-] or equal sign [=] values as 0. Reset the sum to 9 if it is greater than 9. The resulting sum must be equal to or less than the total Stage 2 ulcer count at discharge (M0300B1_2).

-5046 Consistency Fatal

Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].

-5048 Consistency Fatal

Inconsistent M0300B1_2 value: If the number of unhealed pressure ulcers at Stage 2 at discharge (M0300B1_2) is equal to "Not assessed/no information" [-], then the subsequent items for unhealed Stage 2 pressure ulcers at discharge (M0300B2_2, through M0300B4_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.
Consistency	-5007	[V1.12.0]-Revised edit text.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: **M0300B4_2**

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Nbr Disch Stg 2 PU new/worsened	M0300B4_2	Asmt	Number	1	1271-1271
Item Values					
Value	Value Text				
0	Minimum value				
9	Maximum value				
-	Not assessed/no information				
^	Skipped				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].		
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.		
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.		
-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) must all be skipped with value of "Skipped" [^].		
-5016	Consistency	Fatal	Inconsistent M0300B1_2 value: If total Stage 2 pressures ulcers present on discharge (M0300B1_2) is equal to [0], then M0300B2_2, M0300B3_2, and M0300B4_2 must be "Skipped" [^].		
-5017	Consistency	Fatal	Inconsistent M0300B1_2 value: If total Stage 2 pressures ulcers present on discharge (M0300B1_2) is equal to [1] thru [9], then M0300B2_2, M0300B3_2, and M0300B4_2 must not be "Skipped" [^].		
-5035	Consistency	Fatal	IF the following Stage 2 ulcer count at discharge items (M0300B1_2, M0300B2_2, M0300B3_2, and M0300B4_2) are all numeric values ([0] - [9]) THEN Then sum the counts (M0300B2_2 + M0300B3_2 + M0300B4_2). Reset the sum to 9 if it is greater than 9. The resulting sum must equal the total Stage 2 ulcer count at discharge (M0300B1_2).		

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

-5036	Consistency	Fatal	<p>IF any of the following Stage 2 ulcer count at discharge items (M0300B2_2, M0300B3_2, or M0300B4_2) is numeric ([0]-[9]), and M0300B1_2 is a numeric value ([0]-[9])</p> <p>THEN</p> <p>Sum the counts (M0300B2_2 + M0300B3_2 + M0300B4_2), counting dash [-] or equal sign [=] values as 0. Reset the sum to 9 if it is greater than 9. The resulting sum must be equal to or less than the total Stage 2 ulcer count at discharge (M0300B1_2).</p>
-5046	Consistency	Fatal	<p>Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].</p>
-5048	Consistency	Fatal	<p>Inconsistent M0300B1_2 value: If the number of unhealed pressure ulcers at Stage 2 at discharge (M0300B1_2) is equal to "Not assessed/no information" [-], then the subsequent items for unhealed Stage 2 pressure ulcers at discharge (M0300B2_2, through M0300B4_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].</p>

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.
Consistency	-5004	[V1.12.0]-Revised to not apply to O0250A, O0250B and O0250C.
Consistency	-5007	[V1.12.0]-Revised edit text.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: M0300C1_1

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Number of Stage 3 pressure ulcers: Admission	M0300C1_1	Asmt	Number	1	1272-1272

Item Values
Value
0
9
-
^
Value Text
Minimum value
Maximum value
Not assessed/no information
Skipped

Item Edits
Edit ID
Edit Type
Severity
Edit Text
-1004
Format
Fatal
Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].
-1010
Format
Fatal
Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-5004
Consistency
Warning
Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.
-5006
Consistency
Fatal
Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to [0] (No), then the number of unhealed pressure ulcers at each Stage at admission (M0300A1_1 through M0300G1_1) must all be skipped with value of "Skipped" [^].
-5010
Consistency
Fatal
Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to [1] (Yes), then the number of unhealed pressure ulcers at each Stage at admission (M0300A1_1 through M0300G1_1) must not be "Skipped" [^].
-5044
Consistency
Fatal
Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at admission (M0300A1_1 through M0300G1_1) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].

Version Changes
Type
ID
Description

Data Submission Specifications for the IRF-PAI (V1.12.1)
Detailed Data Specifications Report
Section: Quality Indicators

Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.
Consistency	-5004	[V1.12.0]-Revised to not apply to O0250A, O0250B and O0250C.
Consistency	-5006	[V1.12.0]-Revised edit text.
Consistency	-5044	[V1.12.0]-Corrected typo.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: M0300C1_2

Item Label		XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Number of Stage 3 pressure ulcers: Discharge		M0300C1_2	Asmt	Number	1	1273-1273
Item Values						
Value	Value Text					
0	Minimum value					
9	Maximum value					
-	Not assessed/no information					
^	Skipped					
Item Edits						
Edit ID	Edit Type	Severity	Edit Text			
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].			
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.			
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.			
-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) must all be skipped with value of "Skipped" [^].			
-5011	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 1 (Yes), then number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2, M0300B1_2, M0300C1_2, M0300D1_2, M0300E1_2, M0300F1_2, M0300G1_2) must not be "Skipped" [^].			
-5018	Consistency	Fatal	Inconsistent M0300C1_2 value: If total Stage 3 pressures ulcers present on discharge (M0300C1_2) is equal to [0], then M0300C2_2, M0300C3_2, and M0300C4_2 must be "Skipped" [^].			
-5019	Consistency	Fatal	Inconsistent M0300C1_2 value: If total Stage 3 pressures ulcers present on discharge (M0300C1_2) is equal to [1] thru [9], then M0300C2_2, M0300C3_2, and M0300C4_2 must not be "Skipped" [^].			
-5037	Consistency	Fatal	If the following Stage 3 ulcer count present at discharge items (M0300C1_2, M0300C2_2, M0300C3_2, and M0300C4_2) are all numeric values ([0] - [9]).			

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

			<p>THEN</p> <p>Sum the counts (M0300C2_2 + M0300C3_2 + M0300C4_2). Reset the sum to 9 if it is greater than 9. The resulting sum must equal the total Stage 3 ulcer count at discharge (M0300C1_2).</p>
-5038	Consistency	Fatal	<p>If any of the following Stage 3 ulcer count at discharge items (M0300C2_2, M0300C3_2, or M0300C4_2) is numeric ([0]-[9]) and M0300C1_2 is a numeric value ([0]-[9])</p> <p>THEN</p> <p>Sum the counts (M0300C2_2 + M0300C3_2 + M0300C4_2), counting dash [-] or equal sign [=] values as 0. Reset the sum to 9 if it is greater than 9. The resulting sum must be equal to or less than the total Stage 3 ulcers at discharge (M0300C1_2).</p>
-5046	Consistency	Fatal	<p>Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].</p>
-5049	Consistency	Fatal	<p>Inconsistent M0300C1_2 value: If the number of unhealed pressure ulcers at Stage 3 at discharge (M0300C1-2) is equal to "Not assessed/no information" [-], then the subsequent items for unhealed Stage 3 pressure ulcers at discharge (M0300C2_2, through M0300C4_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].</p>

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.
Consistency	-5004	[V1.12.0]-Revised to not apply to O0250A, O0250B and O0250C.
Consistency	-5007	[V1.12.0]-Revised edit text.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: M0300C2_2

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Nbr Disch Stg 3 PU were Adm Stg 3 PU	M0300C2_2	Asmt	Number	1	1274-1274
Item Values					
Value	Value Text				
0	Minimum value				
9	Maximum value				
-	Not assessed/no information				
^	Skipped				
=	Not answered-voluntary				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].		
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.		
-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) must all be skipped with value of "Skipped" [^].		
-5018	Consistency	Fatal	Inconsistent M0300C1_2 value: If total Stage 3 pressures ulcers present on discharge (M0300C1_2) is equal to [0], then M0300C2_2, M0300C3_2, and M0300C4_2 must be "Skipped" [^].		
-5019	Consistency	Fatal	Inconsistent M0300C1_2 value: If total Stage 3 pressures ulcers present on discharge (M0300C1_2) is equal to [1] thru [9], then M0300C2_2, M0300C3_2, and M0300C4_2 must not be "Skipped" [^].		
-5037	Consistency	Fatal	If the following Stage 3 ulcer count present at discharge items (M0300C1_2, M0300C2_2, M0300C3_2, and M0300C4_2) are all numeric values ([0] - [9]). THEN Sum the counts (M0300C2_2 + M0300C3_2 + M0300C4_2). Reset the sum to 9 if it is greater than 9. The resulting sum must equal the total Stage 3 ulcer count at discharge (M0300C1_2).		
-5038	Consistency	Fatal	If any of the following Stage 3 ulcer count at discharge items (M0300C2_2, M0300C3_2, or M0300C4_2) is numeric ([0]-[9])		

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

and M0300C1_2 is a numeric value ([0]-[9])

THEN

Sum the counts (M0300C2_2 + M0300C3_2 + M0300C4_2), counting dash [-] or equal sign [=] values as 0. Reset the sum to 9 if it is greater than 9. The resulting sum must be equal to or less than the total Stage 3 ulcers at discharge (M0300C1_2).

-5046 Consistency Fatal

Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].

-5049 Consistency Fatal

Inconsistent M0300C1_2 value: If the number of unhealed pressure ulcers at Stage 3 at discharge (M0300C1-2) is equal to "Not assessed/no information" [-], then the subsequent items for unhealed Stage 3 pressure ulcers at discharge (M0300C2_2, through M0300C4_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.
Consistency	-5007	[V1.12.0]-Revised edit text.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: M0300C3_2

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Nbr Disch Stg 3 PU were Adm Unstg PU	M0300C3_2	Asmt	Number	1	1275-1275
Item Values					
Value	Value Text				
0	Minimum value				
9	Maximum value				
-	Not assessed/no information				
^	Skipped				
=	Not answered-voluntary				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].		
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.		
-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) must all be skipped with value of "Skipped" [^].		
-5018	Consistency	Fatal	Inconsistent M0300C1_2 value: If total Stage 3 pressures ulcers present on discharge (M0300C1_2) is equal to [0], then M0300C2_2, M0300C3_2, and M0300C4_2 must be "Skipped" [^].		
-5019	Consistency	Fatal	Inconsistent M0300C1_2 value: If total Stage 3 pressures ulcers present on discharge (M0300C1_2) is equal to [1] thru [9], then M0300C2_2, M0300C3_2, and M0300C4_2 must not be "Skipped" [^].		
-5037	Consistency	Fatal	If the following Stage 3 ulcer count present at discharge items (M0300C1_2, M0300C2_2, M0300C3_2, and M0300C4_2) are all numeric values ([0] - [9]). THEN Sum the counts (M0300C2_2 + M0300C3_2 + M0300C4_2). Reset the sum to 9 if it is greater than 9. The resulting sum must equal the total Stage 3 ulcer count at discharge (M0300C1_2).		
-5038	Consistency	Fatal	If any of the following Stage 3 ulcer count at discharge items (M0300C2_2, M0300C3_2, or M0300C4_2) is numeric ([0]-[9])		

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

and M0300C1_2 is a numeric value ([0]-[9])

THEN

Sum the counts (M0300C2_2 + M0300C3_2 + M0300C4_2), counting dash [-] or equal sign [=] values as 0. Reset the sum to 9 if it is greater than 9. The resulting sum must be equal to or less than the total Stage 3 ulcers at discharge (M0300C1_2).

-5046	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].
-5049	Consistency	Fatal	Inconsistent M0300C1_2 value: If the number of unhealed pressure ulcers at Stage 3 at discharge (M0300C1-2) is equal to "Not assessed/no information" [-], then the subsequent items for unhealed Stage 3 pressure ulcers at discharge (M0300C2_2, through M0300C4_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.
Consistency	-5007	[V1.12.0]-Revised edit text.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: **M0300C4_2**

Item Label		XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Nbr Disch Stg 3 PU new/worsened		M0300C4_2	Asmt	Number	1	1276-1276
Item Values						
Value	Value Text					
0	Minimum value					
9	Maximum value					
-	Not assessed/no information					
^	Skipped					
Item Edits						
Edit ID	Edit Type	Severity	Edit Text			
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].			
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.			
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.			
-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) must all be skipped with value of "Skipped" [^].			
-5018	Consistency	Fatal	Inconsistent M0300C1_2 value: If total Stage 3 pressures ulcers present on discharge (M0300C1_2) is equal to [0], then M0300C2_2, M0300C3_2, and M0300C4_2 must be "Skipped" [^].			
-5019	Consistency	Fatal	Inconsistent M0300C1_2 value: If total Stage 3 pressures ulcers present on discharge (M0300C1_2) is equal to [1] thru [9], then M0300C2_2, M0300C3_2, and M0300C4_2 must not be "Skipped" [^].			
-5037	Consistency	Fatal	If the following Stage 3 ulcer count present at discharge items (M0300C1_2, M0300C2_2, M0300C3_2, and M0300C4_2) are all numeric values ([0] - [9]). THEN Sum the counts (M0300C2_2 + M0300C3_2 + M0300C4_2). Reset the sum to 9 if it is greater than 9. The resulting sum must equal the total Stage 3 ulcer count at discharge (M0300C1_2).			

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

-5038	Consistency	Fatal	<p>If any of the following Stage 3 ulcer count at discharge items (M0300C2_2, M0300C3_2, or M0300C4_2) is numeric ([0]-[9]) and M0300C1_2 is a numeric value ([0]-[9])</p> <p>THEN</p> <p>Sum the counts (M0300C2_2 + M0300C3_2 + M0300C4_2), counting dash [-] or equal sign [=] values as 0. Reset the sum to 9 if it is greater than 9. The resulting sum must be equal to or less than the total Stage 3 ulcers at discharge (M0300C1_2).</p>
-5046	Consistency	Fatal	<p>Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].</p>
-5049	Consistency	Fatal	<p>Inconsistent M0300C1_2 value: If the number of unhealed pressure ulcers at Stage 3 at discharge (M0300C1-2) is equal to "Not assessed/no information" [-], then the subsequent items for unhealed Stage 3 pressure ulcers at discharge (M0300C2_2, through M0300C4_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].</p>

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.
Consistency	-5004	[V1.12.0]-Revised to not apply to O0250A, O0250B and O0250C.
Consistency	-5007	[V1.12.0]-Revised edit text.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: M0300D1_1

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Number of Stage 4 pressure ulcers: Admission	M0300D1_1	Asmt	Number	1	1277-1277

Item Values	Value	Value Text
	0	Minimum value
	9	Maximum value
	-	Not assessed/no information
	^	Skipped

Item Edits	Edit ID	Edit Type	Severity	Edit Text
	-1004	Format	Fatal	<p>Formatting of Whole Number Items:</p> <p>Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included.</p> <p>The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01].</p> <p>The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].</p>
	-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
	-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.
	-5006	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to [0] (No), then the number of unhealed pressure ulcers at each Stage at admission (M0300A1_1 through M0300G1_1) must all be skipped with value of "Skipped" [^].
	-5010	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to [1] (Yes), then the number of unhealed pressure ulcers at each Stage at admission (M0300A1_1 through M0300G1_1) must not be "Skipped" [^].
	-5044	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at admission (M0300A1_1 through M0300G1_1) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].

Version Changes	ID	Description
Type		

Data Submission Specifications for the IRF-PAI (V1.12.1)
Detailed Data Specifications Report
Section: Quality Indicators

Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.
Consistency	-5004	[V1.12.0]-Revised to not apply to O0250A, O0250B and O0250C.
Consistency	-5006	[V1.12.0]-Revised edit text.
Consistency	-5044	[V1.12.0]-Corrected typo.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: M0300D1_2

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Number of Stage 4 pressure ulcers: Discharge	M0300D1_2	Asmt	Number	1	1278-1278
Item Values					
Value	Value Text				
0	Minimum value				
9	Maximum value				
-	Not assessed/no information				
^	Skipped				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].		
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.		
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.		
-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) must all be skipped with value of "Skipped" [^].		
-5011	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 1 (Yes), then number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2, M0300B1_2, M0300C1_2, M0300D1_2, M0300E1_2, M0300F1_2, M0300G1_2) must not be "Skipped" [^].		
-5020	Consistency	Fatal	Inconsistent M0300D1_2 value: If total Stage 4 pressures ulcers present on discharge (M0300D1_2) is equal to [0], then M0300D2_2, M0300D3_2, and M0300D4_2 must be "Skipped" [^].		
-5021	Consistency	Fatal	Inconsistent M0300D1_2 value: If total Stage 4 pressures ulcers present on discharge (M0300D1_2) is equal to [1] thru [9], then M0300D2_2, M0300D3_2, and M0300D4_2 must not be "Skipped" [^].		
-5039	Consistency	Fatal	If the following Stage 4 ulcer count present at discharge items (M0300D1_2, M0300D2_2, M0300D3_2, and M0300D4_2) are all numeric values ([0] - [9]),		

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

			<p>THEN</p> <p>Sum the counts (M0300D2_2 + M0300D3_2 + M0300D4_2). Reset the sum to 9 if it is greater than 9. The resulting sum must equal the total Stage 4 ulcer count at discharge (M0300D1_2).</p>
-5040	Consistency	Fatal	<p>If any of the following Stage 4 ulcer count at discharge items (M0300D2_2, M0300D3_2, or M0300D4_2) is numeric ([0]-[9]) and M0300D1_2 is a numeric value ([0]-[9])</p> <p>THEN</p> <p>Sum the counts (M0300D2_2 + M0300D3_2 + M0300D4_2), counting dash [-] or equal sign [=] values as 0. Reset the sum to 9 if it is greater than 9. The resulting sum must be equal to or less than the total number of Stage 4 ulcers at discharge (M0300D1_2).</p>
-5046	Consistency	Fatal	<p>Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].</p>
-5050	Consistency	Fatal	<p>Inconsistent M0300D1_2 value: If the number of unhealed pressure ulcers at Stage 4 at discharge (M0300D1_2) is equal to "Not assessed/no information" [-], then the subsequent items for unhealed Stage 4 pressure ulcers at discharge (M0300D2_2, through M0300D4_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].</p>

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.
Consistency	-5004	[V1.12.0]-Revised to not apply to O0250A, O0250B and O0250C.
Consistency	-5007	[V1.12.0]-Revised edit text.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: M0300D2_2

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Nbr Disch Stg 4 PU were Adm Stg 4 PU	M0300D2_2	Asmt	Number	1	1279-1279

Item Values	Value	Value Text
	0	Minimum value
	9	Maximum value
	-	Not assessed/no information
	^	Skipped
	=	Not answered-voluntary

Item Edits	Edit ID	Edit Type	Severity	Edit Text
	-1004	Format	Fatal	<p>Formatting of Whole Number Items:</p> <p>Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included.</p> <p>The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01].</p> <p>The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].</p>
	-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
	-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) must all be skipped with value of "Skipped" [^].
	-5020	Consistency	Fatal	Inconsistent M0300D1_2 value: If total Stage 4 pressures ulcers present on discharge (M0300D1_2) is equal to [0], then M0300D2_2, M0300D3_2, and M0300D4_2 must be "Skipped" [^].
	-5021	Consistency	Fatal	Inconsistent M0300D1_2 value: If total Stage 4 pressures ulcers present on discharge (M0300D1_2) is equal to [1] thru [9], then M0300D2_2, M0300D3_2, and M0300D4_2 must not be "Skipped" [^].
	-5039	Consistency	Fatal	<p>If the following Stage 4 ulcer count present at discharge items (M0300D1_2, M0300D2_2, M0300D3_2, and M0300D4_2) are all numeric values ([0] - [9]),</p> <p>THEN</p> <p>Sum the counts (M0300D2_2 + M0300D3_2 + M0300D4_2). Reset the sum to 9 if it is greater than 9. The resulting sum must equal the total Stage 4 ulcer count at discharge (M0300D1_2).</p>
	-5040	Consistency	Fatal	If any of the following Stage 4 ulcer count at discharge items (M0300D2_2, M0300D3_2, or M0300D4_2) is numeric ([0]-[9])

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

and M0300D1_2 is a numeric value ([0]-[9])

THEN

Sum the counts (M0300D2_2 + M0300D3_2 + M0300D4_2), counting dash [-] or equal sign [=] values as 0. Reset the sum to 9 if it is greater than 9. The resulting sum must be equal to or less than the total number of Stage 4 ulcers at discharge (M0300D1_2).

-5046	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].
-5050	Consistency	Fatal	Inconsistent M0300D1_2 value: If the number of unhealed pressure ulcers at Stage 4 at discharge (M0300D1_2) is equal to "Not assessed/no information" [-], then the subsequent items for unhealed Stage 4 pressure ulcers at discharge (M0300D2_2, through M0300D4_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.
Consistency	-5007	[V1.12.0]-Revised edit text.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: M0300D3_2

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Nbr Disch Stg 4 PU were Adm Unstg PU	M0300D3_2	Asmt	Number	1	1280-1280

Item Values	Value	Value Text
	0	Minimum value
	9	Maximum value
	-	Not assessed/no information
	^	Skipped
	=	Not answered-voluntary

Item Edits	Edit ID	Edit Type	Severity	Edit Text
	-1004	Format	Fatal	<p>Formatting of Whole Number Items:</p> <p>Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included.</p> <p>The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01].</p> <p>The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].</p>
	-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
	-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) must all be skipped with value of "Skipped" [^].
	-5020	Consistency	Fatal	Inconsistent M0300D1_2 value: If total Stage 4 pressures ulcers present on discharge (M0300D1_2) is equal to [0], then M0300D2_2, M0300D3_2, and M0300D4_2 must be "Skipped" [^].
	-5021	Consistency	Fatal	Inconsistent M0300D1_2 value: If total Stage 4 pressures ulcers present on discharge (M0300D1_2) is equal to [1] thru [9], then M0300D2_2, M0300D3_2, and M0300D4_2 must not be "Skipped" [^].
	-5039	Consistency	Fatal	<p>If the following Stage 4 ulcer count present at discharge items (M0300D1_2, M0300D2_2, M0300D3_2, and M0300D4_2) are all numeric values ([0] - [9]),</p> <p>THEN</p> <p>Sum the counts (M0300D2_2 + M0300D3_2 + M0300D4_2). Reset the sum to 9 if it is greater than 9. The resulting sum must equal the total Stage 4 ulcer count at discharge (M0300D1_2).</p>
	-5040	Consistency	Fatal	If any of the following Stage 4 ulcer count at discharge items (M0300D2_2, M0300D3_2, or M0300D4_2) is numeric ([0]-[9])

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

and M0300D1_2 is a numeric value ([0]-[9])

THEN

Sum the counts (M0300D2_2 + M0300D3_2 + M0300D4_2), counting dash [-] or equal sign [=] values as 0. Reset the sum to 9 if it is greater than 9. The resulting sum must be equal to or less than the total number of Stage 4 ulcers at discharge (M0300D1_2).

-5046	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].
-5050	Consistency	Fatal	Inconsistent M0300D1_2 value: If the number of unhealed pressure ulcers at Stage 4 at discharge (M0300D1_2) is equal to "Not assessed/no information" [-], then the subsequent items for unhealed Stage 4 pressure ulcers at discharge (M0300D2_2, through M0300D4_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.
Consistency	-5007	[V1.12.0]-Revised edit text.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: M0300D4_2

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Nbr Disch Stg 4 PU new/worsened	M0300D4_2	Asmt	Number	1	1281-1281

Item Values	Value	Value Text
	0	Minimum value
	9	Maximum value
	-	Not assessed/no information
	^	Skipped

Item Edits	Edit ID	Edit Type	Severity	Edit Text
	-1004	Format	Fatal	<p>Formatting of Whole Number Items:</p> <p>Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included.</p> <p>The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01].</p> <p>The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].</p>
	-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
	-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.
	-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) must all be skipped with value of "Skipped" [^].
	-5020	Consistency	Fatal	Inconsistent M0300D1_2 value: If total Stage 4 pressures ulcers present on discharge (M0300D1_2) is equal to [0], then M0300D2_2, M0300D3_2, and M0300D4_2 must be "Skipped" [^].
	-5021	Consistency	Fatal	Inconsistent M0300D1_2 value: If total Stage 4 pressures ulcers present on discharge (M0300D1_2) is equal to [1] thru [9], then M0300D2_2, M0300D3_2, and M0300D4_2 must not be "Skipped" [^].
	-5039	Consistency	Fatal	<p>If the following Stage 4 ulcer count present at discharge items (M0300D1_2, M0300D2_2, M0300D3_2, and M0300D4_2) are all numeric values ([0] - [9]),</p> <p>THEN</p> <p>Sum the counts (M0300D2_2 + M0300D3_2 + M0300D4_2). Reset the sum to 9 if it is greater than 9. The resulting sum must equal the total Stage 4 ulcer count at discharge (M0300D1_2).</p>

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

-5040	Consistency	Fatal	<p>If any of the following Stage 4 ulcer count at discharge items (M0300D2_2, M0300D3_2, or M0300D4_2) is numeric ([0]-[9]) and M0300D1_2 is a numeric value ([0]-[9])</p> <p>THEN</p> <p>Sum the counts (M0300D2_2 + M0300D3_2 + M0300D4_2), counting dash [-] or equal sign [=] values as 0. Reset the sum to 9 if it is greater than 9. The resulting sum must be equal to or less than the total number of Stage 4 ulcers at discharge (M0300D1_2).</p>
-5046	Consistency	Fatal	<p>Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].</p>
-5050	Consistency	Fatal	<p>Inconsistent M0300D1_2 value: If the number of unhealed pressure ulcers at Stage 4 at discharge (M0300D1_2) is equal to "Not assessed/no information" [-], then the subsequent items for unhealed Stage 4 pressure ulcers at discharge (M0300D2_2, through M0300D4_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].</p>

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.
Consistency	-5004	[V1.12.0]-Revised to not apply to O0250A, O0250B and O0250C.
Consistency	-5007	[V1.12.0]-Revised edit text.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: M0300E1_1

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Nbr Unstg non-remov drsg pressure ulcers: Adm	M0300E1_1	Asmt	Number	1	1282-1282
Item Values					
Value	Value Text				
0	Minimum value				
9	Maximum value				
-	Not assessed/no information				
^	Skipped				
=	Not answered-voluntary				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].		
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.		
-5006	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to [0] (No), then the number of unhealed pressure ulcers at each Stage at admission (M0300A1_1 through M0300G1_1) must all be skipped with value of "Skipped" [^].		
-5010	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to [1] (Yes), then the number of unhealed pressure ulcers at each Stage at admission (M0300A1_1 through M0300G1_1) must not be "Skipped" [^].		
-5044	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at admission (M0300A1_1 through M0300G1_1) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to “Not answered-voluntary” [=].		
Version Changes					
Type	ID	Description			
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.			

Data Submission Specifications for the IRF-PAI (V1.12.1)
Detailed Data Specifications Report
Section: Quality Indicators

Consistency	-5006	[V1.12.0]-Revised edit text.
Consistency	-5044	[V1.12.0]-Corrected typo.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: M0300E1_2

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Nbr Unstg non-remov drsg pressure ulcers: Dschrg	M0300E1_2	Asmt	Number	1	1283-1283

Item Values	Value	Value Text
	0	Minimum value
	9	Maximum value
	-	Not assessed/no information
	^	Skipped
	=	Not answered-voluntary

Item Edits	Edit ID	Edit Type	Severity	Edit Text
	-1004	Format	Fatal	<p>Formatting of Whole Number Items:</p> <p>Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included.</p> <p>The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01].</p> <p>The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].</p>
	-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
	-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) must all be skipped with value of "Skipped" [^].
	-5011	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 1 (Yes), then number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2, M0300B1_2, M0300C1_2, M0300D1_2, M0300E1_2, M0300F1_2, M0300G1_2) must not be "Skipped" [^].
	-5022	Consistency	Fatal	Inconsistent M0300E1_2 value: If total unstageable pressures ulcers due to non-removable dressing/device present on discharge (M0300E1_2) is equal to [0], then M0300E2_2 and M0300E3_2 must be "Skipped" [^].
	-5023	Consistency	Fatal	Inconsistent M0300E1_2 value: If total unstageable pressures ulcers due to non-removable dressing/device on discharge (M0300E1_2) is equal to [1] thru [9], then M0300E2_2 and M0300E3_2 must not be "Skipped" [^].
	-5041	Consistency	Fatal	<p>If either of the following Unstageable ulcers due to a non-removal dressing present at discharge items (M0300E2_2 or M0300E3_2) is a numeric value ([0]-[9]), and M0300E1_2 is a numeric value ([0]-[9])</p> <p>THEN</p>

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Sum these counts (M0300E2_2 + M0300E3_2), counting dash [-] or equal sign [=] values as 0. Reset the sum to 9 if it is greater than 9. The resulting sum must be equal to or less than the total Unstageable ulcers due to a non-removal dressing present at discharge (M0300E1_2).

-5046	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].
-5051	Consistency	Fatal	Inconsistent M0300E1_2 value: If the number of unhealed pressure ulcers unstageable due to a non-removable dressing or device at discharge (M0300E1_2) is equal to "Not assessed/no information" [-], then the subsequent items for unhealed pressure ulcers unstageable due to a non-removable dressing or device pressure ulcers at discharge (M0300E2_2, M0300E3_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.
Consistency	-5007	[V1.12.0]-Revised edit text.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: M0300E2_2

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Nbr Unstg NRD Disch PU were Adm Unstg NRD PU	M0300E2_2	Asmt	Number	1	1284-1284

Item Values	Value	Value Text
	0	Minimum value
	9	Maximum value
	-	Not assessed/no information
	^	Skipped
	=	Not answered-voluntary

Item Edits	Edit ID	Edit Type	Severity	Edit Text
	-1004	Format	Fatal	<p>Formatting of Whole Number Items:</p> <p>Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included.</p> <p>The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01].</p> <p>The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].</p>
	-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
	-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) must all be skipped with value of "Skipped" [^].
	-5022	Consistency	Fatal	Inconsistent M0300E1_2 value: If total unstageable pressures ulcers due to non-removable dressing/device present on discharge (M0300E1_2) is equal to [0], then M0300E2_2 and M0300E3_2 must be "Skipped" [^].
	-5023	Consistency	Fatal	Inconsistent M0300E1_2 value: If total unstageable pressures ulcers due to non-removable dressing/device on discharge (M0300E1_2) is equal to [1] thru [9], then M0300E2_2 and M0300E3_2 must not be "Skipped" [^].
	-5041	Consistency	Fatal	<p>If either of the following Unstageable ulcers due to a non-removal dressing present at discharge items (M0300E2_2 or M0300E3_2) is a numeric value ([0]-[9]), and M0300E1_2 is a numeric value ([0]-[9])</p> <p>THEN</p> <p>Sum these counts (M0300E2_2 + M0300E3_2), counting dash [-] or equal sign [=] values as 0. Reset the sum to 9 if it is greater than 9. The resulting sum must be equal to or less than the total Unstageable ulcers due to a non-removal dressing present at discharge (M0300E1_2).</p>

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

-5046	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].
-5051	Consistency	Fatal	Inconsistent M0300E1_2 value: If the number of unhealed pressure ulcers unstageable due to a non-removable dressing or device at discharge (M0300E1_2) is equal to "Not assessed/no information" [-], then the subsequent items for unhealed pressure ulcers unstageable due to a non-removable dressing or device pressure ulcers at discharge (M0300E2_2, M0300E3_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.
Consistency	-5007	[V1.12.0]-Revised edit text.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: M0300E3_2

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Nbr Unstg NRD Disch PU were Adm Stageable PU	M0300E3_2	Asmt	Number	1	1285-1285

Item Values	
Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information
^	Skipped
=	Not answered-voluntary

Item Edits			
Edit ID	Edit Type	Severity	Edit Text
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) must all be skipped with value of "Skipped" [^].
-5022	Consistency	Fatal	Inconsistent M0300E1_2 value: If total unstageable pressures ulcers due to non-removable dressing/device present on discharge (M0300E1_2) is equal to [0], then M0300E2_2 and M0300E3_2 must be "Skipped" [^].
-5023	Consistency	Fatal	Inconsistent M0300E1_2 value: If total unstageable pressures ulcers due to non-removable dressing/device on discharge (M0300E1_2) is equal to [1] thru [9], then M0300E2_2 and M0300E3_2 must not be "Skipped" [^].
-5041	Consistency	Fatal	If either of the following Unstageable ulcers due to a non-removal dressing present at discharge items (M0300E2_2 or M0300E3_2) is a numeric value ([0]-[9]), and M0300E1_2 is a numeric value ([0]-[9]) THEN Sum these counts (M0300E2_2 + M0300E3_2), counting dash [-] or equal sign [=] values as 0. Reset the sum to 9 if it is greater than 9. The resulting sum must be equal to or less than the total Unstageable ulcers due to a non-removal dressing present at discharge (M0300E1_2).

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

-5046	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].
-5051	Consistency	Fatal	Inconsistent M0300E1_2 value: If the number of unhealed pressure ulcers unstageable due to a non-removable dressing or device at discharge (M0300E1_2) is equal to "Not assessed/no information" [-], then the subsequent items for unhealed pressure ulcers unstageable due to a non-removable dressing or device pressure ulcers at discharge (M0300E2_2, M0300E3_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.
Consistency	-5007	[V1.12.0]-Revised edit text.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: M0300F1_1

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Nbr Unstg slough/eschar pressure ulcers: Adm	M0300F1_1	Asmt	Number	1	1286-1286
Item Values					
Value	Value Text				
0	Minimum value				
9	Maximum value				
-	Not assessed/no information				
^	Skipped				
=	Not answered-voluntary				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].		
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.		
-5006	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to [0] (No), then the number of unhealed pressure ulcers at each Stage at admission (M0300A1_1 through M0300G1_1) must all be skipped with value of "Skipped" [^].		
-5010	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to [1] (Yes), then the number of unhealed pressure ulcers at each Stage at admission (M0300A1_1 through M0300G1_1) must not be "Skipped" [^].		
-5044	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at admission (M0300A1_1 through M0300G1_1) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to “Not answered-voluntary” [=].		
Version Changes					
Type	ID	Description			
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.			

Data Submission Specifications for the IRF-PAI (V1.12.1)
Detailed Data Specifications Report
Section: Quality Indicators

Consistency	-5006	[V1.12.0]-Revised edit text.
Consistency	-5044	[V1.12.0]-Corrected typo.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: M0300F1_2

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Nbr Unstg slough/eschar pressure ulcers: Dschrg	M0300F1_2	Asmt	Number	1	1287-1287
Item Values					
Value	Value Text				
0	Minimum value				
9	Maximum value				
-	Not assessed/no information				
^	Skipped				
=	Not answered-voluntary				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].		
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.		
-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) must all be skipped with value of "Skipped" [^].		
-5011	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 1 (Yes), then number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2, M0300B1_2, M0300C1_2, M0300D1_2, M0300E1_2, M0300F1_2, M0300G1_2) must not be "Skipped" [^].		
-5024	Consistency	Fatal	Inconsistent M0300F1_2 value: If total unstageable pressures ulcers due to slough/eschar present on discharge (M0300F1_2) is equal to [0], then M0300F2_2 and M0300F3_2 must be "Skipped" [^].		
-5025	Consistency	Fatal	Inconsistent M0300F1_2 value: If total unstageable pressures ulcers due to slough/eschar on discharge (M0300F1_2) is equal to [1] thru [9], then M0300F2_2 and M0300F3_2 must not be "Skipped" [^].		
-5042	Consistency	Fatal	If either of the following Unstageable ulcers due to slough/eschar present at discharge items (M0300F2_2 or M0300F3_2) is a numeric value ([0]-[9]) and M0300F1_2 is a numeric value ([0]-[9]) THEN		

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Sum the counts (M0300F2_2 + M0300F3_2), counting dash [-] or equal sign [=] values as 0. Reset the sum to 9 if it is greater than 9. The resulting sum must be equal to or less than the total Unstageable ulcers due to slough/eschar present at discharge (M0300F1_2).

-5046	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].
-5052	Consistency	Fatal	Inconsistent M0300F1_2 value: If the number of unhealed pressure ulcers unstageable due to slough or eschar at discharge (M0300F1_2) is equal to "Not assessed/no information" [-], then the subsequent items for unhealed pressure ulcers unstageable due to slough or eschar pressure ulcers at discharge (M0300F2_2, M0300F3_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.
Consistency	-5007	[V1.12.0]-Revised edit text.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: M0300F2_2

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Nbr Unstg S/E Disch PU were Adm Unstg S/E PU	M0300F2_2	Asmt	Number	1	1288-1288

Item Values	Value	Value Text
	0	Minimum value
	9	Maximum value
	-	Not assessed/no information
	^	Skipped
	=	Not answered-voluntary

Item Edits	Edit ID	Edit Type	Severity	Edit Text
	-1004	Format	Fatal	<p>Formatting of Whole Number Items:</p> <p>Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included.</p> <p>The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01].</p> <p>The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].</p>
	-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
	-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) must all be skipped with value of "Skipped" [^].
	-5024	Consistency	Fatal	Inconsistent M0300F1_2 value: If total unstageable pressures ulcers due to slough/eschar present on discharge (M0300F1_2) is equal to [0], then M0300F2_2 and M0300F3_2 must be "Skipped" [^].
	-5025	Consistency	Fatal	Inconsistent M0300F1_2 value: If total unstageable pressures ulcers due to slough/eschar on discharge (M0300F1_2) is equal to [1] thru [9], then M0300F2_2 and M0300F3_2 must not be "Skipped" [^].
	-5042	Consistency	Fatal	<p>If either of the following Unstageable ulcers due to slough/eschar present at discharge items (M0300F2_2 or M0300F3_2) is a numeric value ([0]-[9]) and M0300F1_2 is a numeric value ([0]-[9])</p> <p>THEN</p> <p>Sum the counts (M0300F2_2 + M0300F3_2), counting dash [-] or equal sign [=] values as 0. Reset the sum to 9 if it is greater than 9. The resulting sum must be equal to or less than the total Unstageable ulcers due to slough/eschar present at discharge (M0300F1_2).</p>

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

-5046	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].
-5052	Consistency	Fatal	Inconsistent M0300F1_2 value: If the number of unhealed pressure ulcers unstageable due to slough or eschar at discharge (M0300F1_2) is equal to "Not assessed/no information" [-], then the subsequent items for unhealed pressure ulcers unstageable due to slough or eschar pressure ulcers at discharge (M0300F2_2, M0300F3_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.
Consistency	-5007	[V1.12.0]-Revised edit text.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: M0300F3_2

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Nbr Unstg S/E Disch PU were Adm Stageable PU	M0300F3_2	Asmt	Number	1	1289-1289

Item Values	
Value	Value Text
0	Minimum value
9	Maximum value
-	Not assessed/no information
^	Skipped
=	Not answered-voluntary

Item Edits			
Edit ID	Edit Type	Severity	Edit Text
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) must all be skipped with value of "Skipped" [^].
-5024	Consistency	Fatal	Inconsistent M0300F1_2 value: If total unstageable pressures ulcers due to slough/eschar present on discharge (M0300F1_2) is equal to [0], then M0300F2_2 and M0300F3_2 must be "Skipped" [^].
-5025	Consistency	Fatal	Inconsistent M0300F1_2 value: If total unstageable pressures ulcers due to slough/eschar on discharge (M0300F1_2) is equal to [1] thru [9], then M0300F2_2 and M0300F3_2 must not be "Skipped" [^].
-5042	Consistency	Fatal	If either of the following Unstageable ulcers due to slough/eschar present at discharge items (M0300F2_2 or M0300F3_2) is a numeric value ([0]-[9]) and M0300F1_2 is a numeric value ([0]-[9]) THEN Sum the counts (M0300F2_2 + M0300F3_2), counting dash [-] or equal sign [=] values as 0. Reset the sum to 9 if it is greater than 9. The resulting sum must be equal to or less than the total Unstageable ulcers due to slough/eschar present at discharge (M0300F1_2).

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

-5046	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].
-5052	Consistency	Fatal	Inconsistent M0300F1_2 value: If the number of unhealed pressure ulcers unstageable due to slough or eschar at discharge (M0300F1_2) is equal to "Not assessed/no information" [-], then the subsequent items for unhealed pressure ulcers unstageable due to slough or eschar pressure ulcers at discharge (M0300F2_2, M0300F3_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.
Consistency	-5007	[V1.12.0]-Revised edit text.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: M0300G1_1

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Nbr Unstg DTI pressure ulcers: Adm	M0300G1_1	Asmt	Number	1	1290-1290
Item Values					
Value	Value Text				
0	Minimum value				
9	Maximum value				
-	Not assessed/no information				
^	Skipped				
=	Not answered-voluntary				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].		
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.		
-5006	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to [0] (No), then the number of unhealed pressure ulcers at each Stage at admission (M0300A1_1 through M0300G1_1) must all be skipped with value of "Skipped" [^].		
-5010	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to [1] (Yes), then the number of unhealed pressure ulcers at each Stage at admission (M0300A1_1 through M0300G1_1) must not be "Skipped" [^].		
-5044	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at admission (M0300A1_1 through M0300G1_1) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to “Not answered-voluntary” [=].		
Version Changes					
Type	ID	Description			
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.			

Data Submission Specifications for the IRF-PAI (V1.12.1)
Detailed Data Specifications Report
Section: Quality Indicators

Consistency	-5006	[V1.12.0]-Revised edit text.
Consistency	-5044	[V1.12.0]-Corrected typo.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: M0300G1_2

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Nbr Unstg DTI pressure ulcers: Dschrg	M0300G1_2	Asmt	Number	1	1291-1291

Item Values	Value	Value Text
	0	Minimum value
	9	Maximum value
	-	Not assessed/no information
	^	Skipped
	=	Not answered-voluntary

Item Edits	Edit ID	Edit Type	Severity	Edit Text
	-1004	Format	Fatal	<p>Formatting of Whole Number Items:</p> <p>Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included.</p> <p>The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01].</p> <p>The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].</p>
	-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
	-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) must all be skipped with value of "Skipped" [^].
	-5011	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 1 (Yes), then number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2, M0300B1_2, M0300C1_2, M0300D1_2, M0300E1_2, M0300F1_2, M0300G1_2) must not be "Skipped" [^].
	-5026	Consistency	Fatal	Inconsistent M0300G1_2 value: If total unstageable pressures ulcers with suspected DTI present on discharge (M0300G1_2) is equal to [0], then M0300G2_2 must be "Skipped" [^].
	-5027	Consistency	Fatal	Inconsistent M0300G1_2 value: If total unstageable pressures ulcers with suspected DTI on discharge (M0300G1_2) is equal to [1] thru [9], then M0300G2_2 must not be "Skipped" [^].
	-5043	Consistency	Fatal	<p>If the following Unstageable ulcers due to deep tissue injury (DTI) present on discharge item (M0300G2_2) is a numeric values ([0]-[9]) and M0300G1_2 is a numeric value ([0]-[9])</p> <p>THEN</p>

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

The item (M0300G2_2), counting dash [-] or equal sign [=] values as 0, must be equal to less than the total count of Unstageable ulcers due to DTI present on discharge (M0300G1_2).

-5046	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].
-5053	Consistency	Fatal	Inconsistent M0300G1_2 value: If the number of unhealed pressure ulcers with suspected deep tissue injury at discharge (M0300G1_2) is equal to "Not assessed/no information" [-], then the subsequent item that was unstageable with suspected deep tissue injury at discharge (M0300G2_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.
Consistency	-5007	[V1.12.0]-Revised edit text.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: M0300G2_2

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Nbr Unstg DTI Disch PU were Adm Unstg DTI PU	M0300G2_2	Asmt	Number	1	1292-1292
Item Values					
Value	Value Text				
0	Minimum value				
9	Maximum value				
-	Not assessed/no information				
^	Skipped				
=	Not answered-voluntary				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].		
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.		
-5007	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) must all be skipped with value of "Skipped" [^].		
-5026	Consistency	Fatal	Inconsistent M0300G1_2 value: If total unstageable pressures ulcers with suspected DTI present on discharge (M0300G1_2) is equal to [0], then M0300G2_2 must be "Skipped" [^].		
-5027	Consistency	Fatal	Inconsistent M0300G1_2 value: If total unstageable pressures ulcers with suspected DTI on discharge (M0300G1_2) is equal to [1] thru [9], then M0300G2_2 must not be "Skipped" [^].		
-5043	Consistency	Fatal	If the following Unstageable ulcers due to deep tissue injury (DTI) present on discharge item (M0300G2_2) is a numeric values ([0]-[9]) and M0300G1_2 is a numeric value ([0]-[9]) THEN The item (M0300G2_2), counting dash [-] or equal sign [=] values as 0, must be equal to less than the total count of Unstageable ulcers due to DTI present on discharge (M0300G1_2).		
-5046	Consistency	Fatal	Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no		

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].

-5053 Consistency Fatal

Inconsistent M0300G1_2 value: If the number of unhealed pressure ulcers with suspected deep tissue injury at discharge (M0300G1_2) is equal to "Not assessed/no information" [-], then the subsequent item that was unstageable with suspected deep tissue injury at discharge (M0300G2_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.
Consistency	-5007	[V1.12.0]-Revised edit text.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: M0900A

Item Label		XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Number of Stage 1 Healed Pressure Ulcers		M0900A	Asmt	Number	1	1293-1293
Item Values						
Value	Value Text					
0	Minimum value					
9	Maximum value					
-	Not assessed/no information					
=	Not answered-voluntary					
Item Edits						
Edit ID	Edit Type	Severity	Edit Text			
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].			
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.			
-5013	Consistency	Fatal	Inconsistent Healed Ulcers: If Unhealed Pressure Ulcers at Admission (M0210_1) is equal to [0] (No), then Healed Pressure Ulcers at Discharge that were present on admission (M0900A, M0900B, M0900C, M0900D) must all be equal to zero [0].			
-5045	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to "Not assessed/no information" [-], then the number of healed pressure ulcers at discharge that were present on admission (M0900A, M0900B, M0900C, M0900D) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to “Not answered-voluntary” [=].			
Version Changes						
Type	ID	Description				
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.				

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: M0900B

Item Label		XML Tag		Item Group	Item Type	Max Length	Fixed Format Start-End
Number of Stage 2 Healed Pressure Ulcers		M0900B		Asmt	Number	1	1294-1294
Item Values							
Value		Value Text					
0		Minimum value					
9		Maximum value					
-		Not assessed/no information					
=		Not answered-voluntary					
Item Edits							
Edit ID	Edit Type	Severity	Edit Text				
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].				
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.				
-5013	Consistency	Fatal	Inconsistent Healed Ulcers: If Unhealed Pressure Ulcers at Admission (M0210_1) is equal to [0] (No), then Healed Pressure Ulcers at Discharge that were present on admission (M0900A, M0900B, M0900C, M0900D) must all be equal to zero [0].				
-5045	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to "Not assessed/no information" [-], then the number of healed pressure ulcers at discharge that were present on admission (M0900A, M0900B, M0900C, M0900D) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to “Not answered-voluntary” [=].				
Version Changes							
Type	ID	Description					
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.					

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: M0900C

Item Label		XML Tag		Item Group	Item Type	Max Length	Fixed Format Start-End
Number of Stage 3 Healed Pressure Ulcers		M0900C		Asmt	Number	1	1295-1295
Item Values							
Value		Value Text					
0		Minimum value					
9		Maximum value					
-		Not assessed/no information					
=		Not answered-voluntary					
Item Edits							
Edit ID	Edit Type	Severity	Edit Text				
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].				
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.				
-5013	Consistency	Fatal	Inconsistent Healed Ulcers: If Unhealed Pressure Ulcers at Admission (M0210_1) is equal to [0] (No), then Healed Pressure Ulcers at Discharge that were present on admission (M0900A, M0900B, M0900C, M0900D) must all be equal to zero [0].				
-5045	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to "Not assessed/no information" [-], then the number of healed pressure ulcers at discharge that were present on admission (M0900A, M0900B, M0900C, M0900D) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to “Not answered-voluntary” [=].				
Version Changes							
Type	ID	Description					
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.					

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: M0900D

Item Label		XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Number of Stage 4 Healed Pressure Ulcers		M0900D	Asmt	Number	1	1296-1296
Item Values						
Value	Value Text					
0	Minimum value					
9	Maximum value					
-	Not assessed/no information					
=	Not answered-voluntary					
Item Edits						
Edit ID	Edit Type	Severity	Edit Text			
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0].			
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.			
-5013	Consistency	Fatal	Inconsistent Healed Ulcers: If Unhealed Pressure Ulcers at Admission (M0210_1) is equal to [0] (No), then Healed Pressure Ulcers at Discharge that were present on admission (M0900A, M0900B, M0900C, M0900D) must all be equal to zero [0].			
-5045	Consistency	Fatal	Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to "Not assessed/no information" [-], then the number of healed pressure ulcers at discharge that were present on admission (M0900A, M0900B, M0900C, M0900D) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to “Not answered-voluntary” [=].			
Version Changes						
Type	ID	Description				
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.				

Data Submission Specifications for the IRF-PAI (V1.12.1)
Detailed Data Specifications Report
Section: Quality Indicators

Item ID: I0900A

Item Label		XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Peripheral Vascular Disease (PVD)		I0900A	Asmt	Code	1	1297-1297
Item Values						
Value	Value Text					
0	No					
1	Yes					
-	Not assessed/no information					
Item Edits						
Edit ID	Edit Type	Severity	Edit Text			
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.			
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.			
Version Changes						
Type	ID	Description				
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.				
Consistency	-5004	[V1.12.0]-Revised to not apply to O0250A, O0250B and O0250C.				

Data Submission Specifications for the IRF-PAI (V1.12.1)
Detailed Data Specifications Report
Section: Quality Indicators

Item ID: I0900B

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Peripheral Arterial Disease (PAD)	I0900B	Asmt	Code	1	1298-1298

Item Values

Value	Value Text
0	No
1	Yes
-	Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.

Version Changes

Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.
Consistency	-5004	[V1.12.0]-Revised to not apply to O0250A, O0250B and O0250C.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: I2900A

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Diabetes Mellitus (DM)	I2900A	Asmt	Code	1	1299-1299

Item Values	Value Text
Value	
0	No
1	Yes
-	Not assessed/no information

Item Edits	Edit ID	Edit Type	Severity	Edit Text
	-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
	-5004	Consistency	Warning	Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.
	-5030	Consistency	Fatal	Inconsistent I2900A/I2900B/I2900C/I2900D values: If Diabetes Mellitus present on admission (I2900A) is equal to No [0], then Diabetic Retinopathy, Nephropathy and Neuropathy (I2900B, I2900C, I2900D) must all be "Skipped" [^].
	-5031	Consistency	Fatal	Inconsistent I2900A/I2900B/I2900C/I2900D values: If Diabetes Mellitus present on admission (I2900A) is equal to Yes [1], then Diabetic Retinopathy, Nephropathy and Neuropathy (I2900B, I2900C, I2900D) must not be "Skipped" [^].
	-5032	Consistency	Fatal	Inconsistent I2900A/I2900B/I2900C/I2900D values: If Diabetes Mellitus present on admission (I2900A) is equal to Not answered/no information [-], then Diabetic Retinopathy, Nephropathy and Neuropathy (I2900B, I2900C, I2900D) must all be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].

Version Changes	Type	ID	Description
	Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.
	Consistency	-5004	[V1.12.0]-Revised to not apply to O0250A, O0250B and O0250C.

Data Submission Specifications for the IRF-PAI (V1.12.1)
Detailed Data Specifications Report
Section: Quality Indicators

Item ID: I2900B

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Diabetic Retinopathy	I2900B	Asmt	Code	1	1300-1300
Item Values					
Value	Value Text				
0	No				
1	Yes				
-	Not assessed/no information				
^	Skipped				
=	Not answered-voluntary				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.		
-5030	Consistency	Fatal	Inconsistent I2900A/I2900B/I2900C/I2900D values: If Diabetes Mellitus present on admission (I2900A) is equal to No [0], then Diabetic Retinopathy, Nephropathy and Neuropathy (I2900B, I2900C, I2900D) must all be "Skipped" [^].		
-5031	Consistency	Fatal	Inconsistent I2900A/I2900B/I2900C/I2900D values: If Diabetes Mellitus present on admission (I2900A) is equal to Yes [1], then Diabetic Retinopathy, Nephropathy and Neuropathy (I2900B, I2900C, I2900D) must not be "Skipped" [^].		
-5032	Consistency	Fatal	Inconsistent I2900A/I2900B/I2900C/I2900D values: If Diabetes Mellitus present on admission (I2900A) is equal to Not answered/no information [-], then Diabetic Retinopathy, Nephropathy and Neuropathy (I2900B, I2900C, I2900D) must all be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to “Not answered-voluntary” [=].		
Version Changes					
Type	ID	Description			
Format	-1010	[V1.12.1]-Removed mappings to items ITM SET VRSN CD and SPEC VRSN CD.			

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: I2900C

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Diabetic Nephropathy	I2900C	Asmt	Code	1	1301-1301
Item Values					
Value	Value Text				
0	No				
1	Yes				
-	Not assessed/no information				
^	Skipped				
=	Not answered-voluntary				
Item Edits					
Edit ID	Edit Type	Severity	Edit Text		
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.		
-5030	Consistency	Fatal	Inconsistent I2900A/I2900B/I2900C/I2900D values: If Diabetes Mellitus present on admission (I2900A) is equal to No [0], then Diabetic Retinopathy, Nephropathy and Neuropathy (I2900B, I2900C, I2900D) must all be "Skipped" [^].		
-5031	Consistency	Fatal	Inconsistent I2900A/I2900B/I2900C/I2900D values: If Diabetes Mellitus present on admission (I2900A) is equal to Yes [1], then Diabetic Retinopathy, Nephropathy and Neuropathy (I2900B, I2900C, I2900D) must not be "Skipped" [^].		
-5032	Consistency	Fatal	Inconsistent I2900A/I2900B/I2900C/I2900D values: If Diabetes Mellitus present on admission (I2900A) is equal to Not answered/no information [-], then Diabetic Retinopathy, Nephropathy and Neuropathy (I2900B, I2900C, I2900D) must all be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to “Not answered-voluntary” [=].		
Version Changes					
Type	ID	Description			
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.			

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: I2900D

Item Label		XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Diabetic Neuropathy		I2900D	Asmt	Code	1	1302-1302

Item Values	
Value	Value Text
0	No
1	Yes
-	Not assessed/no information
^	Skipped
=	Not answered-voluntary

Item Edits			
Edit ID	Edit Type	Severity	Edit Text
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-5030	Consistency	Fatal	Inconsistent I2900A/I2900B/I2900C/I2900D values: If Diabetes Mellitus present on admission (I2900A) is equal to No [0], then Diabetic Retinopathy, Nephropathy and Neuropathy (I2900B, I2900C, I2900D) must all be "Skipped" [^].
-5031	Consistency	Fatal	Inconsistent I2900A/I2900B/I2900C/I2900D values: If Diabetes Mellitus present on admission (I2900A) is equal to Yes [1], then Diabetic Retinopathy, Nephropathy and Neuropathy (I2900B, I2900C, I2900D) must not be "Skipped" [^].
-5032	Consistency	Fatal	Inconsistent I2900A/I2900B/I2900C/I2900D values: If Diabetes Mellitus present on admission (I2900A) is equal to Not answered/no information [-], then Diabetic Retinopathy, Nephropathy and Neuropathy (I2900B, I2900C, I2900D) must all be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].

Version Changes		
Type	ID	Description
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: O0250A

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Was influenza vaccine received	O0250A	Asmt	Code	1	1303-1303

Item Values	
Value	Value Text
0	No
1	Yes
-	Not assessed/no information

Item Edits			
Edit ID	Edit Type	Severity	Edit Text
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-5028	Consistency	Fatal	Inconsistent O0250A/O0250B values: a) If O0250A=[1], then O0250B must not be "Skipped" [^]. b) If O0250A=[0], then O0250B must be "Skipped" [^]. c) If O0250A=[-], then O0250B must equal [-].
-5029	Consistency	Fatal	Inconsistent O0250A/O0250C values: a) If O0250A=[0], then O0250C must not be "Skipped" [^]. b) If O0250A=[1], then O0250C must be "Skipped" [^]. c) If O0250A=[-], then O0250C must equal [-].
-5054	Consistency	Warning	Entering a dash as a response to an Influenza Vaccination Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor. This edit for the Influenza Vaccination items only applies for an assessment covering one or more days during the October 1st through March 31st influenza season. That is, the edit only applies if the discharge date (Item 40) is on or after October 1 and the admission date (Item 12) is on or before March 31 of the subsequent year.

Version Changes		
Type	ID	Description
Item	O0250A	[V1.12.0]-Deleted edit -5004
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.
Consistency	-5054	[V1.12.0]-New edit.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: O0250B

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
Date influenza vaccine received	O0250B	Asmt	Date	8	1304-1311

Item Values	Value Text
Value	
YYYYMMDD	Date influenza vaccine received
-	Not assessed/no information
^	Skipped

Item Edits	Edit ID	Edit Type	Severity	Edit Text
	-1045	Format	Fatal	Invalid date: The date listed must be a valid date in YYYYMMDD format or one of the special allowed values.
	-5009	Consistency	Fatal	Inconsistent Influenza Vaccination date: If a valid date is entered for the Influenza Vaccination Date (O0250B), then that date must be on or after the birthdate (6) and on or before the discharge date (40).
	-5028	Consistency	Fatal	Inconsistent O0250A/O0250B values: a) If O0250A=[1], then O0250B must not be "Skipped" [^]. b) If O0250A=[0], then O0250B must be "Skipped" [^]. c) If O0250A=[-], then O0250B must equal [-].
	-5054	Consistency	Warning	Entering a dash as a response to an Influenza Vaccination Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor. This edit for the Influenza Vaccination items only applies for an assessment covering one or more days during the October 1st through March 31st influenza season. That is, the edit only applies if the discharge date (Item 40) is on or after October 1 and the admission date (Item 12) is on or before March 31 of the subsequent year.

Version Changes	Type	ID	Description
	Item	O0250B	[V1.12.0]-Deleted edit -5004
	Consistency	-5009	[V1.12.0]-Item 12 (admission date) removed from edit and edit text revised.
	Consistency	-5054	[V1.12.0]-New edit.

Data Submission Specifications for the IRF-PAI (V1.12.1)

Detailed Data Specifications Report

Section: Quality Indicators

Item ID: O0250C

Item Label	XML Tag	Item Group	Item Type	Max Length	Fixed Format Start-End
If influenza vaccine not received, state reason	O0250C	Asmt	Code	1	1312-1312

Item Values	
Value	Value Text
1	Patient not in facility during this year's influenza vaccination season
2	Received outside of this facility
3	Not eligible - medical contraindication
4	Offered and declined
5	Not offered
6	Inability to obtain influenza vaccine due to a declared shortage
9	None of the above
-	Not assessed/no information
^	Skipped

Item Edits			
Edit ID	Edit Type	Severity	Edit Text
-1010	Format	Fatal	Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.
-5029	Consistency	Fatal	Inconsistent O0250A/O0250C values: a) If O0250A=[0], then O0250C must not be "Skipped" [^]. b) If O0250A=[1], then O0250C must be "Skipped" [^]. c) If O0250A=[-], then O0250C must equal [-].
-5054	Consistency	Warning	Entering a dash as a response to an Influenza Vaccination Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor. This edit for the Influenza Vaccination items only applies for an assessment covering one or more days during the October 1st through March 31st influenza season. That is, the edit only applies if the discharge date (Item 40) is on or after October 1 and the admission date (Item 12) is on or before March 31 of the subsequent year.

Version Changes		
Type	ID	Description
Item	O0250C	[V1.12.0]-Deleted edit -5004
Format	-1010	[V1.12.1]-Removed mappings to items ITM_SET_VRSN_CD and SPEC_VRSN_CD.
Consistency	-5054	[V1.12.0]-New edit.