MATRIX INSTRUCTIONS FOR PROVIDERS

The Matrix is used to identify pertinent care categories for: 1) newly admitted residents in the last 30 days who are still residing in the facility, and 2) all other residents. The facility completes the resident name, resident room number and columns 1–20, which are described in detail below. Blank columns are for Surveyor Use Only.

All information entered into the form should be verified by a staff member knowledgeable about the resident population. Information must be reflective of all residents as of the day of survey.

Unless stated otherwise, for each resident mark an X for all columns that are pertinent.

- Residents Admitted within the Past 30 days:
 Resident(s) who were admitted to the facility within the past 30 days and currently residing in the facility.
- Alzheimer's/Dementia: Resident(s) who have a diagnosis of Alzheimer's disease or dementia of any type.
- MD, ID or RC & No PASRR Level II: Resident(s) who have a serious mental disorder, intellectual disability or a related condition but does not have a PASRR level II evaluation and determination.
- 4. Medications: Resident(s) receiving any of the following medications: (I) = Insulin, (AC) = Anticoagulant (e.g., Direct thrombin inhibitors and low weight molecular weight heparin [e.g., Pradaxa, Xarelto, Coumadin, Fragmin]. Do not include Aspirin or Plavix), (ABX) = Antibiotic, (D) = Diuretic, (O) = Opioid, (H) = Hypnotic, (AA) = Antianxiety, (AP) = Antipsychotic, (AD) Antidepressant, (RESP) = Respiratory (e.g., inhaler, nebulizer). NOTE: Record meds according to a drug's pharmacological classification, not how it is used.
- 5. **Pressure Ulcer(s) (any stage):** Resident(s) who have a pressure ulcer at any stage, including suspected deep tissue injury (mark the highest stage: I, II, III, IV, U for unstageable, S for sDTI) that were not present on admission.
- Excessive Weight Loss without Prescribed Weight
 Loss program: Resident(s) with an unintended (not
 on a prescribed weight loss program) weight loss
 > 5% within the past 30 days or >10% within the
 past 180 days. Exclude residents receiving hospice
 services.
- 7. **Tube Feeding:** Resident(s) who receive enteral (E) or parenteral (P) feedings.
- 8. **Dehydration:** Resident(s) identified with actual hydration concerns takes in less than the recommended 1,500 ml of fluids daily (water or liquids in beverages and water in foods with high fluid content, such as gelatin and soups).
- 9. **Physical Restraints:** Resident(s) who have a physical restraint in use. A restraint is defined as the use of any manual method, physical or mechanical device, material or equipment attached or adjacent to the resident's body that the individual cannot remove easily which restricts freedom of movement or normal access to one's body (e.g., bed rail, trunk restraint, limb restraint, chair prevents rising, mitts on hands, confined to room, etc.). Do not code wander guards as a restraint.

- 10. Fall(s) (F) or Fall(s) with Injury (FI) or Major Injury (FMI): Resident(s) who have fallen in the facility in the past 120 days or since admission and have incurred an injury or not. A major injury includes bone fractures, joint dislocation, closed head injury with altered consciousness, subdural hematoma.
- 11. **Indwelling Urinary Catheter:** Resident(s) with an indwelling catheter (including suprapubic catheter and nephrostomy tube).
- 12. **Dialysis:** Resident(s) who are receiving (H) hemodialysis or (P) peritoneal dialysis either within the facility (F) or offsite (O).
- 13. **Hospice:** Resident(s) who have elected or are currently receiving hospice services.
- 14. End of Life/Comfort Care/Palliative Care: Resident(s) who are receiving end of life or palliative care (not including Hospice).
- 15. **Tracheostomy:** Resident(s) who have a tracheostomy.
- Ventilator: Resident(s) who are receiving invasive mechanical ventilation.
- 17. **Transmission-Based Precautions:** Resident(s) who are currently on Transmission-based Precautions.
- 18. **Intravenous therapy:** Resident(s) who are receiving intravenous therapy through a central line, peripherally inserted central catheter, or other intravenous catheter.
- 19. Infections: Resident(s) who has a communicable disease or infection (e.g., MDRO-M, pneumonia-P, tuberculosis-TB, viral hepatitis-VH, C. difficile-C, wound infection-WI, UTI, sepsis-SEP, scabies-SCA, gastroenteritis-GI such as norovirus, SARS-CoV-2 suspected or confirmed-COVID, and other-O with description).
- PTSD/Trauma: Residents(s) who has a diagnosis of Post-Traumatic Stress Disorder (PTSD) and/or a history of trauma.

CMS-802 (10/2023)

								Resident Name	
									Resident Room Number
								<u> </u>	Date of Admission if Admitted within the Past 30 Days
								2	Alzheimer's / Dementia
								3	MD, ID or RC & No PASRR Level II
								4	Medications: Insulin (I), Anticoagulant (AC), Antibiotic (ABX), Diuretic (D), Opioid (O), Hypnotic (H), Antianxiety (AA), Antipsychotic (AP), Antidepressant (AD), Respiratory (RESP)
								5	Pressure Ulcer(s) (highest stage I, II, III, IV, U, S) not present on admission
								6	Excessive Weight Loss Without Prescribed Weight Loss Program
								7	Tube Feeding: Enteral (E) or Parenteral (P)
								8	Dehydration
								9	Physical Restraints
								10	Fall (F), Fall with Injury (FI), Fall w/Major Injury (FMI)
								1	Indwelling Catheter
								12	Dialysis: Peritoneal (P), Hemo (H), in facility (F) or offsite (O)
								13	Hospice
								14	End of Life Care / Comfort Care / Palliative Care
								15	Tracheostomy
								16	Ventilator
								17	Transmission-Based Precautions
								18	Intravenous therapy
								19	Infections (M, WI, P, TB, VH, C, UTI, SEP, SCA, GI, COVID, O - describe)
								20	PTSD/Trauma
								21	
								22	