

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

## Detailed Data Specifications Report

### Section: I

Item ID: I0050.....	2
Item ID: I0050A.....	3
Item ID: I0101.....	4
Item ID: I0900.....	5
Item ID: I1501.....	6
Item ID: I1502.....	7
Item ID: I2101.....	8
Item ID: I2600.....	9
Item ID: I2900.....	10
Item ID: I4100.....	11
Item ID: I4501.....	12
Item ID: I4801.....	13
Item ID: I4900.....	14
Item ID: I5000.....	15
Item ID: I5101.....	16
Item ID: I5102.....	17
Item ID: I5110.....	18
Item ID: I5200.....	19
Item ID: I5250.....	20
Item ID: I5300.....	21
Item ID: I5450.....	22
Item ID: I5460.....	23
Item ID: I5470.....	24
Item ID: I5601.....	25
Item ID: I5602.....	26
Item ID: I7900.....	27

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

## Detailed Data Specifications Report

### Section: I

Item ID: I0050

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Patient primary medical condition	Asmt		Code	1	884-884

#### Item Subsets

Active: LA  
Inactive: LP,LU,LE,XX

#### Item Values

Value	LOINC Code	Value Text
1		Acute onset respiratory condition
2		Chronic respiratory condition
3		Acute onset and chronic respiratory conditions
4		Chronic cardiac condition
5		Other medical condition
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3044	Consistency	Fatal	a) If I0050=[5], then I0050A must not be equal to [^]. b) If I0050=[1,2,3,4,-], then I0050A must be equal to [^].

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

## Detailed Data Specifications Report

### Section: I

Item ID: I0050A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other medical condition - ICD code	Asmt		ICD	8	885-892

#### Item Subsets

Active: LA  
Inactive: LP,LU,LE,XX

#### Item Values

Value	LOINC Code	Value Text
ICD-10		Valid ICD-10 code
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3044	Consistency	Fatal	a) If I0050=[5], then I0050A must not be equal to [^]. b) If I0050=[1,2,3,4,-], then I0050A must be equal to [^].
-3852	Format	Fatal	<p>FORMATTING OF ICD-10 DIAGNOSIS CODES</p> <p>ICD-10 diagnosis codes must conform with the following formatting rules:</p> <p>a) Character 1 must be alphabetic [A-Z,a-z].</p> <p>b) Character 2 must be numeric [0-9].</p> <p>c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z].</p> <p>d) Character 4 must be a decimal point.</p> <p>e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^].</p> <p>f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].</p> <p>Note that an entirely blank ICD code must be submitted as a single caret: [^].</p>

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

## Detailed Data Specifications Report

### Section: I

Item ID: I0101

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Severe and Metastatic Cancers	Asmt		Checklist	1	893-893

#### Item Subsets

Active: LA  
Inactive: LP,LU,LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3046	Consistency	Fatal	a) If I7900=[1], then all active items from I0101 through I5602 must be equal to [0]. b) If I7900=[0], then at least one active item from I0101 through I5602 must not be equal to [0]. c) If I7900=[-], then all active items from I0101 through I5602 must be equal to [0,-].
-3900	Consistency	Warning	A dash (-) submitted in this quality measure item may result in a payment reduction for your facility of two percentage points for the affected payment determination.

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

## Detailed Data Specifications Report

### Section: I

Item ID: I0900

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Peripheral vascular disease (PVD) or PAD	Asmt		Checklist	1	653-653

#### Item Subsets

Active: LA  
Inactive: LP,LU,LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3046	Consistency	Fatal	a) If I7900=[1], then all active items from I0101 through I5602 must be equal to [0]. b) If I7900=[0], then at least one active item from I0101 through I5602 must not be equal to [0]. c) If I7900=[-], then all active items from I0101 through I5602 must be equal to [0,-].
-3900	Consistency	Warning	A dash (-) submitted in this quality measure item may result in a payment reduction for your facility of two percentage points for the affected payment determination.

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

## Detailed Data Specifications Report

### Section: I

Item ID: I1501

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Chronic Kidney Disease, Stage 5	Asmt		Checklist	1	894-894

#### Item Subsets

Active: LA  
Inactive: LP,LU,LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3046	Consistency	Fatal	a) If I7900=[1], then all active items from I0101 through I5602 must be equal to [0]. b) If I7900=[0], then at least one active item from I0101 through I5602 must not be equal to [0]. c) If I7900=[-], then all active items from I0101 through I5602 must be equal to [0,-].
-3900	Consistency	Warning	A dash (-) submitted in this quality measure item may result in a payment reduction for your facility of two percentage points for the affected payment determination.

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

## Detailed Data Specifications Report

### Section: I

Item ID: I1502

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Acute Renal Failure	Asmt		Checklist	1	895-895

#### Item Subsets

Active: LA  
Inactive: LP,LU,LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3046	Consistency	Fatal	a) If I7900=[1], then all active items from I0101 through I5602 must be equal to [0]. b) If I7900=[0], then at least one active item from I0101 through I5602 must not be equal to [0]. c) If I7900=[-], then all active items from I0101 through I5602 must be equal to [0,-].
-3900	Consistency	Warning	A dash (-) submitted in this quality measure item may result in a payment reduction for your facility of two percentage points for the affected payment determination.

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

## Detailed Data Specifications Report

### Section: I

Item ID: I2101

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Septicemia, Sepsis, Systemic Inflammatory Response	Asmt		Checklist	1	896-896

#### Item Subsets

Active: LA  
Inactive: LP,LU,LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3046	Consistency	Fatal	a) If I7900=[1], then all active items from I0101 through I5602 must be equal to [0]. b) If I7900=[0], then at least one active item from I0101 through I5602 must not be equal to [0]. c) If I7900=[-], then all active items from I0101 through I5602 must be equal to [0,-].
-3900	Consistency	Warning	A dash (-) submitted in this quality measure item may result in a payment reduction for your facility of two percentage points for the affected payment determination.



# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

## Detailed Data Specifications Report

### Section: I

Item ID: I2600

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
CNS Infect, Oppor Infect, Bone/Joint/Muscle Infect	Asmt		Checklist	1	897-897

#### Item Subsets

Active: LA  
Inactive: LP,LU,LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3046	Consistency	Fatal	a) If I7900=[1], then all active items from I0101 through I5602 must be equal to [0]. b) If I7900=[0], then at least one active item from I0101 through I5602 must not be equal to [0]. c) If I7900=[-], then all active items from I0101 through I5602 must be equal to [0,-].
-3900	Consistency	Warning	A dash (-) submitted in this quality measure item may result in a payment reduction for your facility of two percentage points for the affected payment determination.

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

## Detailed Data Specifications Report

### Section: I

Item ID: I2900

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Diabetes mellitus (DM)	Asmt		Checklist	1	654-654

#### Item Subsets

Active: LA  
Inactive: LP,LU,LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3046	Consistency	Fatal	a) If I7900=[1], then all active items from I0101 through I5602 must be equal to [0]. b) If I7900=[0], then at least one active item from I0101 through I5602 must not be equal to [0]. c) If I7900=[-], then all active items from I0101 through I5602 must be equal to [0,-].
-3900	Consistency	Warning	A dash (-) submitted in this quality measure item may result in a payment reduction for your facility of two percentage points for the affected payment determination.

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

## Detailed Data Specifications Report

### Section: I

Item ID: I4100

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Major Lower Limb Amputation	Asmt		Checklist	1	898-898

#### Item Subsets

Active: LA  
Inactive: LP,LU,LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3046	Consistency	Fatal	a) If I7900=[1], then all active items from I0101 through I5602 must be equal to [0]. b) If I7900=[0], then at least one active item from I0101 through I5602 must not be equal to [0]. c) If I7900=[-], then all active items from I0101 through I5602 must be equal to [0,-].
-3900	Consistency	Warning	A dash (-) submitted in this quality measure item may result in a payment reduction for your facility of two percentage points for the affected payment determination.

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

## Detailed Data Specifications Report

### Section: I

Item ID: I4501

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Stroke	Asmt		Checklist	1	899-899

#### Item Subsets

Active: LA  
Inactive: LP,LU,LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3046	Consistency	Fatal	a) If I7900=[1], then all active items from I0101 through I5602 must be equal to [0]. b) If I7900=[0], then at least one active item from I0101 through I5602 must not be equal to [0]. c) If I7900=[-], then all active items from I0101 through I5602 must be equal to [0,-].
-3900	Consistency	Warning	A dash (-) submitted in this quality measure item may result in a payment reduction for your facility of two percentage points for the affected payment determination.

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

## Detailed Data Specifications Report

### Section: I

Item ID: I4801

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Dementia	Asmt		Checklist	1	900-900

#### Item Subsets

Active: LA  
Inactive: LP,LU,LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3046	Consistency	Fatal	a) If I7900=[1], then all active items from I0101 through I5602 must be equal to [0]. b) If I7900=[0], then at least one active item from I0101 through I5602 must not be equal to [0]. c) If I7900=[-], then all active items from I0101 through I5602 must be equal to [0,-].
-3900	Consistency	Warning	A dash (-) submitted in this quality measure item may result in a payment reduction for your facility of two percentage points for the affected payment determination.

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

## Detailed Data Specifications Report

### Section: I

Item ID: I4900

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hemiplegia or Hemiparesis	Asmt		Checklist	1	901-901

#### Item Subsets

Active: LA  
Inactive: LP,LU,LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3046	Consistency	Fatal	a) If I7900=[1], then all active items from I0101 through I5602 must be equal to [0]. b) If I7900=[0], then at least one active item from I0101 through I5602 must not be equal to [0]. c) If I7900=[-], then all active items from I0101 through I5602 must be equal to [0,-].
-3900	Consistency	Warning	A dash (-) submitted in this quality measure item may result in a payment reduction for your facility of two percentage points for the affected payment determination.

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

## Detailed Data Specifications Report

### Section: I

Item ID: I5000

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Paraplegia	Asmt		Checklist	1	902-902

#### Item Subsets

Active: LA  
Inactive: LP,LU,LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3046	Consistency	Fatal	a) If I7900=[1], then all active items from I0101 through I5602 must be equal to [0]. b) If I7900=[0], then at least one active item from I0101 through I5602 must not be equal to [0]. c) If I7900=[-], then all active items from I0101 through I5602 must be equal to [0,-].
-3900	Consistency	Warning	A dash (-) submitted in this quality measure item may result in a payment reduction for your facility of two percentage points for the affected payment determination.

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

## Detailed Data Specifications Report

### Section: I

Item ID: I5101

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Complete Tetraplegia	Asmt		Checklist	1	903-903

#### Item Subsets

Active: LA  
Inactive: LP,LU,LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3046	Consistency	Fatal	a) If I7900=[1], then all active items from I0101 through I5602 must be equal to [0]. b) If I7900=[0], then at least one active item from I0101 through I5602 must not be equal to [0]. c) If I7900=[-], then all active items from I0101 through I5602 must be equal to [0,-].
-3900	Consistency	Warning	A dash (-) submitted in this quality measure item may result in a payment reduction for your facility of two percentage points for the affected payment determination.



# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

## Detailed Data Specifications Report

### Section: I

Item ID: I5102

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Incomplete Tetraplegia	Asmt		Checklist	1	904-904

#### Item Subsets

Active: LA  
Inactive: LP,LU,LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3046	Consistency	Fatal	a) If I7900=[1], then all active items from I0101 through I5602 must be equal to [0]. b) If I7900=[0], then at least one active item from I0101 through I5602 must not be equal to [0]. c) If I7900=[-], then all active items from I0101 through I5602 must be equal to [0,-].
-3900	Consistency	Warning	A dash (-) submitted in this quality measure item may result in a payment reduction for your facility of two percentage points for the affected payment determination.

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

## Detailed Data Specifications Report

### Section: I

Item ID: I5110

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other Spinal Cord Disorder/Injury	Asmt		Checklist	1	905-905

#### Item Subsets

Active: LA  
Inactive: LP,LU,LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3046	Consistency	Fatal	a) If I7900=[1], then all active items from I0101 through I5602 must be equal to [0]. b) If I7900=[0], then at least one active item from I0101 through I5602 must not be equal to [0]. c) If I7900=[-], then all active items from I0101 through I5602 must be equal to [0,-].
-3900	Consistency	Warning	A dash (-) submitted in this quality measure item may result in a payment reduction for your facility of two percentage points for the affected payment determination.

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

## Detailed Data Specifications Report

### Section: I

Item ID: I5200

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Multiple Sclerosis (MS)	Asmt		Checklist	1	906-906

#### Item Subsets

Active: LA  
Inactive: LP,LU,LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3046	Consistency	Fatal	a) If I7900=[1], then all active items from I0101 through I5602 must be equal to [0]. b) If I7900=[0], then at least one active item from I0101 through I5602 must not be equal to [0]. c) If I7900=[-], then all active items from I0101 through I5602 must be equal to [0,-].
-3900	Consistency	Warning	A dash (-) submitted in this quality measure item may result in a payment reduction for your facility of two percentage points for the affected payment determination.

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

## Detailed Data Specifications Report

### Section: I

Item ID: I5250

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Huntington's Disease	Asmt		Checklist	1	907-907

#### Item Subsets

Active: LA  
Inactive: LP,LU,LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3046	Consistency	Fatal	a) If I7900=[1], then all active items from I0101 through I5602 must be equal to [0]. b) If I7900=[0], then at least one active item from I0101 through I5602 must not be equal to [0]. c) If I7900=[-], then all active items from I0101 through I5602 must be equal to [0,-].
-3900	Consistency	Warning	A dash (-) submitted in this quality measure item may result in a payment reduction for your facility of two percentage points for the affected payment determination.

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

## Detailed Data Specifications Report

### Section: I

Item ID: I5300

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Parkinson's Disease	Asmt		Checklist	1	908-908

#### Item Subsets

Active: LA  
Inactive: LP,LU,LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3046	Consistency	Fatal	a) If I7900=[1], then all active items from I0101 through I5602 must be equal to [0]. b) If I7900=[0], then at least one active item from I0101 through I5602 must not be equal to [0]. c) If I7900=[-], then all active items from I0101 through I5602 must be equal to [0,-].
-3900	Consistency	Warning	A dash (-) submitted in this quality measure item may result in a payment reduction for your facility of two percentage points for the affected payment determination.

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

## Detailed Data Specifications Report

### Section: I

Item ID: I5450

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Amyotrophic Lateral Sclerosis	Asmt		Checklist	1	909-909

#### Item Subsets

Active: LA  
Inactive: LP,LU,LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3046	Consistency	Fatal	a) If I7900=[1], then all active items from I0101 through I5602 must be equal to [0]. b) If I7900=[0], then at least one active item from I0101 through I5602 must not be equal to [0]. c) If I7900=[-], then all active items from I0101 through I5602 must be equal to [0,-].
-3900	Consistency	Warning	A dash (-) submitted in this quality measure item may result in a payment reduction for your facility of two percentage points for the affected payment determination.

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

## Detailed Data Specifications Report

### Section: I

Item ID: I5460

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Locked-In State	Asmt		Checklist	1	910-910

#### Item Subsets

Active: LA  
Inactive: LP,LU,LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3046	Consistency	Fatal	a) If I7900=[1], then all active items from I0101 through I5602 must be equal to [0]. b) If I7900=[0], then at least one active item from I0101 through I5602 must not be equal to [0]. c) If I7900=[-], then all active items from I0101 through I5602 must be equal to [0,-].
-3900	Consistency	Warning	A dash (-) submitted in this quality measure item may result in a payment reduction for your facility of two percentage points for the affected payment determination.

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

## Detailed Data Specifications Report

### Section: I

Item ID: I5470

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Severe Anoxic Brain Damage, Cerebral Edema	Asmt		Checklist	1	911-911

#### Item Subsets

Active: LA  
Inactive: LP,LU,LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3046	Consistency	Fatal	a) If I7900=[1], then all active items from I0101 through I5602 must be equal to [0]. b) If I7900=[0], then at least one active item from I0101 through I5602 must not be equal to [0]. c) If I7900=[-], then all active items from I0101 through I5602 must be equal to [0,-].
-3900	Consistency	Warning	A dash (-) submitted in this quality measure item may result in a payment reduction for your facility of two percentage points for the affected payment determination.



# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

## Detailed Data Specifications Report

### Section: I

Item ID: I5601

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Malnutrition	Asmt		Checklist	1	912-912

#### Item Subsets

Active: LA  
Inactive: LP,LU,LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3046	Consistency	Fatal	a) If I7900=[1], then all active items from I0101 through I5602 must be equal to [0]. b) If I7900=[0], then at least one active item from I0101 through I5602 must not be equal to [0]. c) If I7900=[-], then all active items from I0101 through I5602 must be equal to [0,-].
-3900	Consistency	Warning	A dash (-) submitted in this quality measure item may result in a payment reduction for your facility of two percentage points for the affected payment determination.

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

## Detailed Data Specifications Report

### Section: I

Item ID: I5602

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
At Risk for Malnutrition	Asmt		Checklist	1	913-913

#### Item Subsets

Active: LA  
Inactive: LP,LU,LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3046	Consistency	Fatal	a) If I7900=[1], then all active items from I0101 through I5602 must be equal to [0]. b) If I7900=[0], then at least one active item from I0101 through I5602 must not be equal to [0]. c) If I7900=[-], then all active items from I0101 through I5602 must be equal to [0,-].
-3900	Consistency	Warning	A dash (-) submitted in this quality measure item may result in a payment reduction for your facility of two percentage points for the affected payment determination.

# Data Submission Specifications for the LTCH - CARE Data Set (V2.02.1 - FINAL)

## Detailed Data Specifications Report

### Section: I

Item ID: I7900

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
None of the Above	Asmt		Checklist	1	914-914

#### Item Subsets

Active: LA  
Inactive: LP,LU,LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3046	Consistency	Fatal	a) If I7900=[1], then all active items from I0101 through I5602 must be equal to [0]. b) If I7900=[0], then at least one active item from I0101 through I5602 must not be equal to [0]. c) If I7900=[-], then all active items from I0101 through I5602 must be equal to [0,-].
-3900	Consistency	Warning	A dash (-) submitted in this quality measure item may result in a payment reduction for your facility of two percentage points for the affected payment determination.