

**Data Submission Specifications for the MDS Item Set (V3.00.1)**  
**Detailed Data Specifications Report**  
**Section: B**

Item ID: B0100.....2

Item ID: B0200.....5

Item ID: B0300.....7

Item ID: B0600.....8

Item ID: B0700.....9

Item ID: B0800.....11

Item ID: B1000.....13

Item ID: B1200.....15

# Data Submission Specifications for the MDS Item Set (V3.00.1)

## Detailed Data Specifications Report

### Section: B

**Item ID: B0100**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Comatose	Asmt		Code	1	511-511

#### Item Subsets

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD  
 Inactive: NT,NPE,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3825	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3826	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from C0100 through C0600 must equal [^] and all active items from C0700 through C1000 must not equal [^].
-3835	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3836	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3837	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].
-3831	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3915	Consistency	Fatal	a) If B0100=[0] and A0310G=[1,^], then if C0100 is active it must not equal [^]. b) If B0100=[-] and A0310G=[1,^], then if C0100 is active it must equal [-]. c) If B0100=[0] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01]), then if C0100 is active it must not equal [^]. d) If B0100=[-] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01]), then if C0100 is active it must equal [-].

# Data Submission Specifications for the MDS Item Set (V3.00.1)

## Detailed Data Specifications Report

### Section: B

-3916	Consistency	Fatal	<p>a) If B0100=[0] and A0310G=[1,^], then if D0100 is active it must not equal [^].</p> <p>b) If B0100=[-] and A0310G=[1,^], then if D0100 is active it must equal [-].</p> <p>c) If B0100=[0] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01]), then if D0100 is active it must not equal [^].</p> <p>d) If B0100=[-] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01]), then if D0100 is active it must equal [-].</p>
-3918	Consistency	Fatal	<p>a) If B0100=[0] and A0310G=[1,^], then if J0200 is active it must not equal [^].</p> <p>b) If B0100=[-] and A0310G=[1,^], then if J0200 is active it must equal [-].</p> <p>c) If B0100=[0] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01]), then if J0200 is active it must not equal [^].</p> <p>d) If B0100=[-] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01]), then if J0200 is active it must equal [-].</p>
-3930	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0600 must equal [^].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3829	Skip pattern	Fatal	<p>a) If B0100=[0], then all active items from B0200 through B1200 must not equal [^].</p> <p>b) If B0100=[-], then all active items from B0200 through B1200 must equal [-].</p>
-3523	Skip pattern	Fatal	<p>a) If B0100=[0], then all active items from E0100A through E0300 must not equal [^].</p> <p>b) If B0100=[-], then all active items from E0100A through E0300 must equal [-].</p>
-3524	Skip pattern	Fatal	<p>a) If B0100=[0], then all active items from E0800 through E0900 must not equal [^].</p> <p>b) If B0100=[-], then all active items from E0800 through E0900 must equal [-].</p>
-3525	Skip pattern	Fatal	<p>a) If B0100=[0], then all active items from E1100 through F0300 must not equal [^].</p> <p>b) If B0100=[-], then all active items from E1100 through F0300 must equal [-].</p>
-3610	Skip pattern	Fatal	If B0100=[1], then all active items from J0200 through J0850 must equal [^].
-3862	Skip pattern	Fatal	<p>a) If B0100=[0], then all active items from C1310A through C1310D must not equal [^].</p> <p>b) If B0100=[-], then all active items from C1310A through C1310D must equal [-].</p>
-3956	Skip pattern	Fatal	<p>a) If A0300A=[1] and B0100=[0], then if D0100 is active it must not equal [^].</p> <p>b) If A0300A=[1] and B0100=[-], then if D0100 is active it must equal [-].</p>
-3957	Skip pattern	Fatal	<p>a) If A0300A=[1] and B0100=[0], then if C0100 is active it must not equal [^].</p> <p>b) If A0300A=[1] and B0100=[-], then if C0100 is active it must equal [-].</p>

# Data Submission Specifications for the MDS Item Set (V3.00.1)

## Detailed Data Specifications Report

### Section: B

#### Version Changes

Type	ID	Description
Format	-3676	<p>[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C.</p> <p>Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.</p> <p>[V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.</p>
Consistency	-3825	[V3.00.0]-This edit was deleted, since the valid values for item A0310B have changed. Replaced by edit -3915.
Consistency	-3835	[V3.00.0]-This edit was deleted, since the valid values for item A0310B have changed. Replaced by edit -3916.
Consistency	-3836	[V3.00.0]-This edit was deleted, since item D0650 was deleted. Replaced by edit -3930.
Consistency	-3831	[V3.00.0]-This edit was deleted, since the valid values for item A0310B have changed. Replaced by edit -3918.
Consistency	-3915	[V3.00.0]-New edit. Replaces edit -3825.
Consistency	-3916	[V3.00.0]-New edit. Replaces edit -3835.
Consistency	-3918	[V3.00.0]-New edit. Replaces edit -3831.
Consistency	-3930	[V3.00.0]-New edit. Replaces edit -3836.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.
Skip pattern	-3956	[V3.00.1]-New edit, per errata issue 08.
Skip pattern	-3957	[V3.00.1]-New edit, per errata issue 09.

# Data Submission Specifications for the MDS Item Set (V3.00.1)

## Detailed Data Specifications Report

### Section: B

**Item ID: B0200**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hearing	Asmt		Code	1	512-512

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: ND,NT,NPE,IPA,OSA,SD,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Adequate-no difficulty in normal conversation, social interaction, listening to TV
1		Minimal difficulty-difficulty in some environments (e.g.,when person speaks softly or setting is noisy)
2		Moderate difficulty-speaker has to increase volume and speak distinctly
3		Highly impaired-absence of useful hearing
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3829	Skip pattern	Fatal	a) If B0100=[0], then all active items from B0200 through B1200 must not equal [^]. b) If B0100=[-], then all active items from B0200 through B1200 must equal [-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.

**Data Submission Specifications for the MDS Item Set (V3.00.1)**  
**Detailed Data Specifications Report**  
**Section: B**

Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.
--------------	-------	--

# Data Submission Specifications for the MDS Item Set (V3.00.1)

## Detailed Data Specifications Report

### Section: B

**Item ID: B0300**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hearing aid	Asmt		Code	1	513-513

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: ND,NT,NPE,IPA,OSA,SD,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3829	Skip pattern	Fatal	a) If B0100=[0], then all active items from B0200 through B1200 must not equal [^]. b) If B0100=[-], then all active items from B0200 through B1200 must equal [-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.

# Data Submission Specifications for the MDS Item Set (V3.00.1)

## Detailed Data Specifications Report

### Section: B

**Item ID: B0600**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Speech clarity	Asmt		Code	1	514-514

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: ND,NT,NPE,IPA,OSA,SD,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Clear speech-distinct intelligible words
1		Unclear speech-slurred or mumbled words
2		No speech-absence of spoken words
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3829	Skip pattern	Fatal	a) If B0100=[0], then all active items from B0200 through B1200 must not equal [^]. b) If B0100=[-], then all active items from B0200 through B1200 must equal [-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.



# Data Submission Specifications for the MDS Item Set (V3.00.1)

## Detailed Data Specifications Report

### Section: B

**Item ID: B0700**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Makes self understood	Asmt		Code	1	515-515

#### Item Subsets

Active: NC,NQ,NP,IPA,OSA,SP  
 Inactive: ND,NT,NPE,SD,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Understood
1		Usually understood-difficulty communicating some words or finishing thoughts but is able if prompted or given time
2		Sometimes understood-ability is limited to making concrete requests
3		Rarely/never understood
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3829	Skip pattern	Fatal	a) If B0100=[0], then all active items from B0200 through B1200 must not equal [^]. b) If B0100=[-], then all active items from B0200 through B1200 must equal [-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.

**Data Submission Specifications for the MDS Item Set (V3.00.1)**  
**Detailed Data Specifications Report**  
**Section: B**

Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.
--------------	-------	--

# Data Submission Specifications for the MDS Item Set (V3.00.1)

## Detailed Data Specifications Report

### Section: B

**Item ID: B0800**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Ability to understand others	Asmt		Code	1	516-516

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: ND,NT,NPE,IPA,OSA,SD,ST,XX  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Understands-clear comprehension
1		Usually understands-misses some part/intent of message but comprehends most conversation
2		Sometimes understands-responds adequately to simple, direct communication only
3		Rarely/never understands
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3829	Skip pattern	Fatal	a) If B0100=[0], then all active items from B0200 through B1200 must not equal [^]. b) If B0100=[-], then all active items from B0200 through B1200 must equal [-].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.

**Data Submission Specifications for the MDS Item Set (V3.00.1)**  
**Detailed Data Specifications Report**  
**Section: B**

Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.
--------------	-------	--

**Data Submission Specifications for the MDS Item Set (V3.00.1)**  
**Detailed Data Specifications Report**  
**Section: B**

**Item ID: B1000**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Vision	Asmt		Code	1	517-517

**Item Subsets**

Active: NC,NQ,NP,SP  
 Inactive: ND,NT,NPE,IPA,OSA,SD,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Adequate-sees fine detail, such as regular print in newspapers/books
1		Impaired-sees large print, but not regular print in newspapers/books
2		Moderately impaired-limited vision; not able to see newspaper headlines but can identify objects
3		Highly impaired-object identification in question, but eyes appear to follow objects
4		Severely impaired-no vision or sees only light, colors or shapes; eyes do not appear to follow objects
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3829	Skip pattern	Fatal	a) If B0100=[0], then all active items from B0200 through B1200 must not equal [^]. b) If B0100=[-], then all active items from B0200 through B1200 must equal [-].

**Data Submission Specifications for the MDS Item Set (V3.00.1)**  
**Detailed Data Specifications Report**  
**Section: B**

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	<p>[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C.</p> <p>Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.</p> <p>[V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.</p>
Skip pattern	-3609	<p>[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.</p>

**Data Submission Specifications for the MDS Item Set (V3.00.1)**  
**Detailed Data Specifications Report**  
**Section: B**

**Item ID: B1200**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Corrective lenses	Asmt		Code	1	518-518

**Item Subsets**

Active: NC,NQ,NP,SP  
 Inactive: ND,NT,NPE,IPA,OSA,SD,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3829	Skip pattern	Fatal	a) If B0100=[0], then all active items from B0200 through B1200 must not equal [^]. b) If B0100=[-], then all active items from B0200 through B1200 must equal [-].

**Version Changes**

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Skip pattern	-3609	[V3.00.0]-The mapping to items D0350 and D0650 were deleted, since those items were deleted.