

Data Submission Specifications for the MDS 3.0 (V1.13.2)

Detailed Data Specifications Report

Section: E

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
E0100A	Psychosis: hallucinations	Asmt		Checklist	1	588-588

Item Subsets

Active: NC,NQ,NP,NSD,NO,NOD,ND,SP,SSD,SO,SOD,SD
 Inactive: NS,NT,SS,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3523	Skip pattern	Fatal	a) If B0100=[0], then all active items from E0100A through E0300 must not equal [^]. b) If B0100=[-], then all active items from E0100A through E0300 must equal [-].
-3503	None of above	Fatal	If E0100A through E0100B and E0100Z are all active, then the following rules apply: a) If E0100Z=[0], then at least one item from E0100A through E0100B must equal [1]. b) If E0100Z=[1], then all items from E0100A through E0100B must equal [0]. c) If E0100Z=[-], then at least one item from E0100A through E0100B must equal [-] and all remaining items must equal [0,-].

Changes for Version

Type	ID	Description
Format	-3676	[V1.13.0]-Updated item list for edit to delete items K0700A and K0700B and to add new items K0710A1 through K0710B3.

Data Submission Specifications for the MDS 3.0 (V1.13.2)

Detailed Data Specifications Report

Section: E

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
E0100B	Psychosis: delusions	Asmt		Checklist	1	589-589

Item Subsets

Active: NC,NQ,NP,NSD,NO,NOD,ND,SP,SSD,SO,SOD,SD
 Inactive: NS,NT,SS,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3523	Skip pattern	Fatal	a) If B0100=[0], then all active items from E0100A through E0300 must not equal [^]. b) If B0100=[-], then all active items from E0100A through E0300 must equal [-].
-3503	None of above	Fatal	If E0100A through E0100B and E0100Z are all active, then the following rules apply: a) If E0100Z=[0], then at least one item from E0100A through E0100B must equal [1]. b) If E0100Z=[1], then all items from E0100A through E0100B must equal [0]. c) If E0100Z=[-], then at least one item from E0100A through E0100B must equal [-] and all remaining items must equal [0,-].

Changes for Version

Type	ID	Description
Format	-3676	[V1.13.0]-Updated item list for edit to delete items K0700A and K0700B and to add new items K0710A1 through K0710B3.

Data Submission Specifications for the MDS 3.0 (V1.13.2)

Detailed Data Specifications Report

Section: E

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
E0100Z	Psychosis: none of the above	Asmt		Checklist	1	590-590

Item Subsets

Active: NC,NQ,NP,NSD,NO,NOD,ND,SP,SSD,SO,SOD,SD
 Inactive: NS,NT,SS,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3523	Skip pattern	Fatal	a) If B0100=[0], then all active items from E0100A through E0300 must not equal [^]. b) If B0100=[-], then all active items from E0100A through E0300 must equal [-].
-3503	None of above	Fatal	If E0100A through E0100B and E0100Z are all active, then the following rules apply: a) If E0100Z=[0], then at least one item from E0100A through E0100B must equal [1]. b) If E0100Z=[1], then all items from E0100A through E0100B must equal [0]. c) If E0100Z=[-], then at least one item from E0100A through E0100B must equal [-] and all remaining items must equal [0,-].

Changes for Version

Type	ID	Description
Format	-3676	[V1.13.0]-Updated item list for edit to delete items K0700A and K0700B and to add new items K0710A1 through K0710B3.

Data Submission Specifications for the MDS 3.0 (V1.13.2)

Detailed Data Specifications Report

Section: E

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
E0200A	Physical behav symptoms directed toward others	Asmt		Code	1	591-591

Item Subsets

Active: NC,NQ,NP,NSD,NO,NOD,ND,SP,SSD,SO,SOD,SD
 Inactive: NS,NT,SS,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Behavior not exhibited
1		Behavior of this type occurred 1 to 3 days
2		Behavior of this type occurred 4 to 6 days, but less than daily
3		Behavior of this type occurred daily
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3675	Consistency	Fatal	a) If E0200A or E0200B or E0200C is equal to [1,2,3], then if E0300 is active it must be equal to [1]. b) If E0200A and E0200B and E0200C are all equal to [0], then if E0300 is active it must be equal to [0]. c) If E0200A, E0200B or E0200C is equal to [-] and the remaining two items are equal to [0,-], then if E0300 is active it must be equal to [0,-].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3523	Skip pattern	Fatal	a) If B0100=[0], then all active items from E0100A through E0300 must not equal [^]. b) If B0100=[-], then all active items from E0100A through E0300 must equal [-].

Changes for Version

Type	ID	Description
Format	-3676	[V1.13.0]-Updated item list for edit to delete items K0700A and K0700B and to add new items K0710A1 through K0710B3.
Consistency	-3675	[V1.13.2]-The references to "...E0300 must..." in sub-edits (a), (b), and (c) were revised to say, "...if E0300 is active it must..."

Data Submission Specifications for the MDS 3.0 (V1.13.2)

Detailed Data Specifications Report

Section: E

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
E0200B	Verbal behav symptoms directed toward others	Asmt		Code	1	592-592

Item Subsets

Active: NC,NQ,NP,NSD,NO,NOD,ND,SP,SSD,SO,SOD,SD
 Inactive: NS,NT,SS,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Behavior not exhibited
1		Behavior of this type occurred 1 to 3 days
2		Behavior of this type occurred 4 to 6 days, but less than daily
3		Behavior of this type occurred daily
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3675	Consistency	Fatal	a) If E0200A or E0200B or E0200C is equal to [1,2,3], then if E0300 is active it must be equal to [1]. b) If E0200A and E0200B and E0200C are all equal to [0], then if E0300 is active it must be equal to [0]. c) If E0200A, E0200B or E0200C is equal to [-] and the remaining two items are equal to [0,-], then if E0300 is active it must be equal to [0,-].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3523	Skip pattern	Fatal	a) If B0100=[0], then all active items from E0100A through E0300 must not equal [^]. b) If B0100=[-], then all active items from E0100A through E0300 must equal [-].

Changes for Version

Type	ID	Description
Format	-3676	[V1.13.0]-Updated item list for edit to delete items K0700A and K0700B and to add new items K0710A1 through K0710B3.
Consistency	-3675	[V1.13.2]-The references to "...E0300 must..." in sub-edits (a), (b), and (c) were revised to say, "...if E0300 is active it must..."

Data Submission Specifications for the MDS 3.0 (V1.13.2)

Detailed Data Specifications Report

Section: E

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
E0200C	Other behav symptoms not directed toward others	Asmt		Code	1	593-593

Item Subsets

Active: NC,NQ,NP,NSD,NO,NOD,ND,SP,SSD,SO,SOD,SD
 Inactive: NS,NT,SS,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Behavior not exhibited
1		Behavior of this type occurred 1 to 3 days
2		Behavior of this type occurred 4 to 6 days, but less than daily
3		Behavior of this type occurred daily
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3675	Consistency	Fatal	a) If E0200A or E0200B or E0200C is equal to [1,2,3], then if E0300 is active it must be equal to [1]. b) If E0200A and E0200B and E0200C are all equal to [0], then if E0300 is active it must be equal to [0]. c) If E0200A, E0200B or E0200C is equal to [-] and the remaining two items are equal to [0,-], then if E0300 is active it must be equal to [0,-].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3523	Skip pattern	Fatal	a) If B0100=[0], then all active items from E0100A through E0300 must not equal [^]. b) If B0100=[-], then all active items from E0100A through E0300 must equal [-].

Changes for Version

Type	ID	Description
Format	-3676	[V1.13.0]-Updated item list for edit to delete items K0700A and K0700B and to add new items K0710A1 through K0710B3.
Consistency	-3675	[V1.13.2]-The references to "...E0300 must..." in sub-edits (a), (b), and (c) were revised to say, "...if E0300 is active it must..."

Data Submission Specifications for the MDS 3.0 (V1.13.2)

Detailed Data Specifications Report

Section: E

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
E0300	Overall presence of behavioral symptoms	Asmt		Code	1	594-594

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX
 State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3675	Consistency	Fatal	a) If E0200A or E0200B or E0200C is equal to [1,2,3], then if E0300 is active it must be equal to [1]. b) If E0200A and E0200B and E0200C are all equal to [0], then if E0300 is active it must be equal to [0]. c) If E0200A, E0200B or E0200C is equal to [-] and the remaining two items are equal to [0,-], then if E0300 is active it must be equal to [0,-].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3523	Skip pattern	Fatal	a) If B0100=[0], then all active items from E0100A through E0300 must not equal [^]. b) If B0100=[-], then all active items from E0100A through E0300 must equal [-].
-3531	Skip pattern	Fatal	a) If E0300=[0,^], then all active items from E0500A through E0600C must equal [^]. b) If E0300=[1], then all active items from E0500A through E0600C must not equal [^]. c) If E0300=[-], then all active items from E0500A through E0600C must equal [-].

Changes for Version

Type	ID	Description
Format	-3676	[V1.13.0]-Updated item list for edit to delete items K0700A and K0700B and to add new items K0710A1 through K0710B3.
Consistency	-3675	[V1.13.2]-The references to "...E0300 must..." in sub-edits (a), (b), and (c) were revised to say, "...if E0300 is active it must...".

Data Submission Specifications for the MDS 3.0 (V1.13.2)

Detailed Data Specifications Report

Section: E

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
E0500A	Behav symptoms put res at risk for illness/injury	Asmt		Code	1	595-595

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX
 State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3531	Skip pattern	Fatal	a) If E0300=[0,^], then all active items from E0500A through E0600C must equal [^]. b) If E0300=[1], then all active items from E0500A through E0600C must not equal [^]. c) If E0300=[-], then all active items from E0500A through E0600C must equal [-].

Changes for Version

Type	ID	Description
Format	-3676	[V1.13.0]-Updated item list for edit to delete items K0700A and K0700B and to add new items K0710A1 through K0710B3.

Data Submission Specifications for the MDS 3.0 (V1.13.2)

Detailed Data Specifications Report

Section: E

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
E0500B	Behav symptoms interfere with resident care	Asmt		Code	1	596-596

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX
 State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3531	Skip pattern	Fatal	a) If E0300=[0,^], then all active items from E0500A through E0600C must equal [^]. b) If E0300=[1], then all active items from E0500A through E0600C must not equal [^]. c) If E0300=[-], then all active items from E0500A through E0600C must equal [-].

Changes for Version

Type	ID	Description
Format	-3676	[V1.13.0]-Updated item list for edit to delete items K0700A and K0700B and to add new items K0710A1 through K0710B3.

Data Submission Specifications for the MDS 3.0 (V1.13.2)

Detailed Data Specifications Report

Section: E

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
E0500C	Behav symptoms interfere with social activities	Asmt		Code	1	597-597

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX
 State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3531	Skip pattern	Fatal	a) If E0300=[0,^], then all active items from E0500A through E0600C must equal [^]. b) If E0300=[1], then all active items from E0500A through E0600C must not equal [^]. c) If E0300=[-], then all active items from E0500A through E0600C must equal [-].

Changes for Version

Type	ID	Description
Format	-3676	[V1.13.0]-Updated item list for edit to delete items K0700A and K0700B and to add new items K0710A1 through K0710B3.

Data Submission Specifications for the MDS 3.0 (V1.13.2)

Detailed Data Specifications Report

Section: E

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
E0600A	Behav symptoms put others at risk for injury	Asmt		Code	1	598-598

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX
 State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3531	Skip pattern	Fatal	a) If E0300=[0,^], then all active items from E0500A through E0600C must equal [^]. b) If E0300=[1], then all active items from E0500A through E0600C must not equal [^]. c) If E0300=[-], then all active items from E0500A through E0600C must equal [-].

Changes for Version

Type	ID	Description
Format	-3676	[V1.13.0]-Updated item list for edit to delete items K0700A and K0700B and to add new items K0710A1 through K0710B3.

Data Submission Specifications for the MDS 3.0 (V1.13.2)

Detailed Data Specifications Report

Section: E

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
E0600B	Behav symptoms intrude on privacy of others	Asmt		Code	1	599-599

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX
 State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3531	Skip pattern	Fatal	a) If E0300=[0,^], then all active items from E0500A through E0600C must equal [^]. b) If E0300=[1], then all active items from E0500A through E0600C must not equal [^]. c) If E0300=[-], then all active items from E0500A through E0600C must equal [-].

Changes for Version

Type	ID	Description
Format	-3676	[V1.13.0]-Updated item list for edit to delete items K0700A and K0700B and to add new items K0710A1 through K0710B3.

Data Submission Specifications for the MDS 3.0 (V1.13.2)

Detailed Data Specifications Report

Section: E

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
E0600C	Behav symptoms disrupt care or living environment	Asmt		Code	1	600-600

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX
 State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3531	Skip pattern	Fatal	a) If E0300=[0,^], then all active items from E0500A through E0600C must equal [^]. b) If E0300=[1], then all active items from E0500A through E0600C must not equal [^]. c) If E0300=[-], then all active items from E0500A through E0600C must equal [-].

Changes for Version

Type	ID	Description
Format	-3676	[V1.13.0]-Updated item list for edit to delete items K0700A and K0700B and to add new items K0710A1 through K0710B3.

Data Submission Specifications for the MDS 3.0 (V1.13.2)

Detailed Data Specifications Report

Section: E

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
E0800	Rejection of care: presence and frequency	Asmt		Code	1	601-601

Item Subsets

Active: NC,NQ,NP,NSD,NO,NOD,ND,SP,SSD,SO,SOD,SD
 Inactive: NS,NT,SS,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Behavior not exhibited
1		Behavior of this type occurred 1 to 3 days
2		Behavior of this type occurred 4 to 6 days, but less than daily
3		Behavior of this type occurred daily
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3524	Skip pattern	Fatal	a) If B0100=[0], then all active items from E0800 through E0900 must not equal [^]. b) If B0100=[-], then all active items from E0800 through E0900 must equal [-].

Changes for Version

Type	ID	Description
Format	-3676	[V1.13.0]-Updated item list for edit to delete items K0700A and K0700B and to add new items K0710A1 through K0710B3.

Data Submission Specifications for the MDS 3.0 (V1.13.2)

Detailed Data Specifications Report

Section: E

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
E0900	Wandering: presence and frequency	Asmt		Code	1	602-602

Item Subsets

Active: NC,NQ,NP,NSD,NO,NOD,ND,SP,SSD,SO,SOD,SD
 Inactive: NS,NT,SS,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Behavior not exhibited
1		Behavior of this type occurred 1 to 3 days
2		Behavior of this type occurred 4 to 6 days, but less than daily
3		Behavior of this type occurred daily
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3524	Skip pattern	Fatal	a) If B0100=[0], then all active items from E0800 through E0900 must not equal [^]. b) If B0100=[-], then all active items from E0800 through E0900 must equal [-].
-3532	Skip pattern	Fatal	a) If E0900=[0,^], then all active items from E1000A through E1000B must equal [^]. b) If E0900=[1,2,3], then all active items from E1000A through E1000B must not equal [^]. c) If E0900=[-], then all active items from E1000A through E1000B must equal [-].

Changes for Version

Type	ID	Description
Format	-3676	[V1.13.0]-Updated item list for edit to delete items K0700A and K0700B and to add new items K0710A1 through K0710B3.

Data Submission Specifications for the MDS 3.0 (V1.13.2)

Detailed Data Specifications Report

Section: E

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
E1000A	Wandering: risk of getting to dangerous place	Asmt		Code	1	603-603

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX
 State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3532	Skip pattern	Fatal	a) If E0900=[0,^], then all active items from E1000A through E1000B must equal [^]. b) If E0900=[1,2,3], then all active items from E1000A through E1000B must not equal [^]. c) If E0900=[-], then all active items from E1000A through E1000B must equal [-].

Changes for Version

Type	ID	Description
Format	-3676	[V1.13.0]-Updated item list for edit to delete items K0700A and K0700B and to add new items K0710A1 through K0710B3.

Data Submission Specifications for the MDS 3.0 (V1.13.2)

Detailed Data Specifications Report

Section: E

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
E1000B	Wandering: intrude on privacy of others	Asmt		Code	1	604-604

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX
 State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3532	Skip pattern	Fatal	a) If E0900=[0,^], then all active items from E1000A through E1000B must equal [^]. b) If E0900=[1,2,3], then all active items from E1000A through E1000B must not equal [^]. c) If E0900=[-], then all active items from E1000A through E1000B must equal [-].

Changes for Version

Type	ID	Description
Format	-3676	[V1.13.0]-Updated item list for edit to delete items K0700A and K0700B and to add new items K0710A1 through K0710B3.

Data Submission Specifications for the MDS 3.0 (V1.13.2)

Detailed Data Specifications Report

Section: E

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
E1100	Change in behavioral or other symptoms	Asmt		Code	1	605-605

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX
 State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Same
1		Improved
2		Worse
3		N/A because no prior MDS assessment
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3525	Skip pattern	Fatal	a) If B0100=[0], then all active items from E1100 through F0300 must not equal [^]. b) If B0100=[-], then all active items from E1100 through F0300 must equal [-].

Changes for Version

Type	ID	Description
Format	-3676	[V1.13.0]-Updated item list for edit to delete items K0700A and K0700B and to add new items K0710A1 through K0710B3.