

**Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: L**

Item ID: L0200A .....2

Item ID: L0200B .....3

Item ID: L0200C .....4

Item ID: L0200D .....5

Item ID: L0200E .....6

Item ID: L0200F .....7

Item ID: L0200G .....8

Item ID: L0200Z .....9

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: L

Item ID: L0200A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Dental: broken or loosely fitting denture	Asmt		Checklist	1	885-885

#### Item Subsets

Active: NC,NQ,NP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3513	None of above	Fatal	If L0200A through L0200G and L0200Z are all active, then the following rules apply: a) If L0200Z=[0], then at least one item from L0200A through L0200G must equal [1]. b) If L0200Z=[1], then all items from L0200A through L0200G must equal [0]. c) If L0200Z=[-], then at least one item from L0200A through L0200G must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: L

Item ID: L0200B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Dental: no natural teeth or tooth fragment(s)	Asmt		Checklist	1	886-886

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3513	None of above	Fatal	If L0200A through L0200G and L0200Z are all active, then the following rules apply: a) If L0200Z=[0], then at least one item from L0200A through L0200G must equal [1]. b) If L0200Z=[1], then all items from L0200A through L0200G must equal [0]. c) If L0200Z=[-], then at least one item from L0200A through L0200G must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: L

Item ID: L0200C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Dental: abnormal mouth tissue	Asmt		Checklist	1	887-887

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3513	None of above	Fatal	If L0200A through L0200G and L0200Z are all active, then the following rules apply: a) If L0200Z=[0], then at least one item from L0200A through L0200G must equal [1]. b) If L0200Z=[1], then all items from L0200A through L0200G must equal [0]. c) If L0200Z=[-], then at least one item from L0200A through L0200G must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: L

Item ID: L0200D

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Dental: cavity or broken natural teeth	Asmt		Checklist	1	888-888

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3513	None of above	Fatal	If L0200A through L0200G and L0200Z are all active, then the following rules apply: a) If L0200Z=[0], then at least one item from L0200A through L0200G must equal [1]. b) If L0200Z=[1], then all items from L0200A through L0200G must equal [0]. c) If L0200Z=[-], then at least one item from L0200A through L0200G must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: L

Item ID: L0200E

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Dental: inflamed/bleeding gums or loose teeth	Asmt		Checklist	1	889-889

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3513	None of above	Fatal	If L0200A through L0200G and L0200Z are all active, then the following rules apply: a) If L0200Z=[0], then at least one item from L0200A through L0200G must equal [1]. b) If L0200Z=[1], then all items from L0200A through L0200G must equal [0]. c) If L0200Z=[-], then at least one item from L0200A through L0200G must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: L

Item ID: L0200F

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Dental: pain, discomfort, difficulty chewing	Asmt		Checklist	1	890-890

#### Item Subsets

Active: NC,NQ,NP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3513	None of above	Fatal	If L0200A through L0200G and L0200Z are all active, then the following rules apply: a) If L0200Z=[0], then at least one item from L0200A through L0200G must equal [1]. b) If L0200Z=[1], then all items from L0200A through L0200G must equal [0]. c) If L0200Z=[-], then at least one item from L0200A through L0200G must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: L

Item ID: L0200G

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Dental: unable to examine	Asmt		Checklist	1	891-891

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3513	None of above	Fatal	If L0200A through L0200G and L0200Z are all active, then the following rules apply: a) If L0200Z=[0], then at least one item from L0200A through L0200G must equal [1]. b) If L0200Z=[1], then all items from L0200A through L0200G must equal [0]. c) If L0200Z=[-], then at least one item from L0200A through L0200G must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.



# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: L

Item ID: L0200Z

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Dental: none of the above	Asmt		Checklist	1	892-892

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional: NQ,NP

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3513	None of above	Fatal	If L0200A through L0200G and L0200Z are all active, then the following rules apply: a) If L0200Z=[0], then at least one item from L0200A through L0200G must equal [1]. b) If L0200Z=[1], then all items from L0200A through L0200G must equal [0]. c) If L0200Z=[-], then at least one item from L0200A through L0200G must equal [-] and all remaining items must equal [0,-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.