

**Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT**  
**Detailed Data Specifications Report**

**Section: B**

Item ID: B0100.....2

Item ID: B0200.....4

Item ID: B0300.....5

Item ID: B0600.....6

Item ID: B0700.....7

Item ID: B0800.....8

Item ID: B1000.....9

Item ID: B1200.....10

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: B

Item ID: B0100

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Comatose	Asmt		Code	1	511-511

#### Item Subsets

Active: NC,NQ,NP,NSD,NO,NOD,ND,SP,SSD,SO,SOD,SD

Inactive: NS,NT,SS,ST,XX,NPE,SPE

State optional:

#### Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3825	Consistency	Fatal	a) If B0100=[0] and A0310G=[1,^], then if C0100 is active it must not equal [^]. b) If B0100=[-] and A0310G=[1,^], then if C0100 is active it must equal [-]. c) If B0100=[0] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if C0100 is active it must not equal [^]. d) If B0100=[-] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if C0100 is active it must equal [-].
-3826	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from C0100 through C0600 must equal [^] and all active items from C0700 through C1000 must not equal [^].
-3835	Consistency	Fatal	a) If B0100=[0] and A0310G=[1,^], then if D0100 is active it must not equal [^]. b) If B0100=[-] and A0310G=[1,^], then if D0100 is active it must equal [-]. c) If B0100=[0] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if D0100 is active it must not equal [^]. d) If B0100=[-] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if D0100 is active it must equal [-].
-3836	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0650 must equal [^].
-3837	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].
-3831	Consistency	Fatal	a) If B0100=[0] and A0310G=[1,^], then if J0200 is active it must not equal [^].

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: B

- b) If B0100=[-] and A0310G=[1,^], then if J0200 is active it must equal [-].
- c) If B0100=[0] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if J0200 is active it must not equal [^].
- d) If B0100=[-] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if J0200 is active it must equal [-].
- 3609 Skip pattern Fatal If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
- 3829 Skip pattern Fatal a) If B0100=[0], then all active items from B0200 through B1200 must not equal [^].  
b) If B0100=[-], then all active items from B0200 through B1200 must equal [-].
- 3830 Skip pattern Fatal \*\*\*THIS EDIT WAS DELETED IN V2.00.0 OF THE DATA SPECS.
- 3523 Skip pattern Fatal a) If B0100=[0], then all active items from E0100A through E0300 must not equal [^].  
b) If B0100=[-], then all active items from E0100A through E0300 must equal [-].
- 3524 Skip pattern Fatal a) If B0100=[0], then all active items from E0800 through E0900 must not equal [^].  
b) If B0100=[-], then all active items from E0800 through E0900 must equal [-].
- 3525 Skip pattern Fatal a) If B0100=[0], then all active items from E1100 through F0300 must not equal [^].  
b) If B0100=[-], then all active items from E1100 through F0300 must equal [-].
- 3610 Skip pattern Fatal If B0100=[1], then all active items from J0200 through J0850 must equal [^].
- 3862 Skip pattern Fatal a) If B0100=[0], then all active items from C1310A through C1310D must not equal [^].  
b) If B0100=[-], then all active items from C1310A through C1310D must equal [-].

### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.
Skip pattern	-3609	[V2.00.0]-Removed mappings to deleted items C1300A, C1300B, C1300C, C1300D, and C1600. Added mappings to new items C1310A, C1310B, C1310C and C1310D.
Skip pattern	-3830	[V2.00.0]-This edit was deleted because items C1300A through C1600 were deleted.
Skip pattern	-3862	[V2.00.0]-New edit.

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: B

Item ID: B0200

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hearing	Asmt		Code	1	512-512

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Adequate-no difficulty in normal conversation, social interaction, listening to TV
1		Minimal difficulty-difficulty in some environments (e.g.,when person speaks softly or setting is noisy)
2		Moderate difficulty-speaker has to increase volume and speak distinctly
3		Highly impaired-absence of useful hearing
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3829	Skip pattern	Fatal	a) If B0100=[0], then all active items from B0200 through B1200 must not equal [^]. b) If B0100=[-], then all active items from B0200 through B1200 must equal [-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.
Skip pattern	-3609	[V2.00.0]-Removed mappings to deleted items C1300A, C1300B, C1300C, C1300D, and C1600. Added mappings to new items C1310A, C1310B, C1310C and C1310D.

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: B

Item ID: B0300

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hearing aid	Asmt		Code	1	513-513

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3829	Skip pattern	Fatal	a) If B0100=[0], then all active items from B0200 through B1200 must not equal [^]. b) If B0100=[-], then all active items from B0200 through B1200 must equal [-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.
Skip pattern	-3609	[V2.00.0]-Removed mappings to deleted items C1300A, C1300B, C1300C, C1300D, and C1600. Added mappings to new items C1310A, C1310B, C1310C and C1310D.

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: B

Item ID: B0600

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Speech clarity	Asmt		Code	1	514-514

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Clear speech-distinct intelligible words
1		Unclear speech-slurred or mumbled words
2		No speech-absence of spoken words
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3829	Skip pattern	Fatal	a) If B0100=[0], then all active items from B0200 through B1200 must not equal [^]. b) If B0100=[-], then all active items from B0200 through B1200 must equal [-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.
Skip pattern	-3609	[V2.00.0]-Removed mappings to deleted items C1300A, C1300B, C1300C, C1300D, and C1600. Added mappings to new items C1310A, C1310B, C1310C and C1310D.

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: B

Item ID: B0700

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Makes self understood	Asmt		Code	1	515-515

#### Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD  
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Understood
1		Usually understood-difficulty communicating some words or finishing thoughts but is able if prompted or given time
2		Sometimes understood-ability is limited to making concrete requests
3		Rarely/never understood
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3829	Skip pattern	Fatal	a) If B0100=[0], then all active items from B0200 through B1200 must not equal [^]. b) If B0100=[-], then all active items from B0200 through B1200 must equal [-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.
Skip pattern	-3609	[V2.00.0]-Removed mappings to deleted items C1300A, C1300B, C1300C, C1300D, and C1600. Added mappings to new items C1310A, C1310B, C1310C and C1310D.

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: B

Item ID: B0800

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Ability to understand others	Asmt		Code	1	516-516

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Understands-clear comprehension
1		Usually understands-misses some part/intent of message but comprehends most conversation
2		Sometimes understands-responds adequately to simple, direct communication only
3		Rarely/never understands
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3829	Skip pattern	Fatal	a) If B0100=[0], then all active items from B0200 through B1200 must not equal [^]. b) If B0100=[-], then all active items from B0200 through B1200 must equal [-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.
Skip pattern	-3609	[V2.00.0]-Removed mappings to deleted items C1300A, C1300B, C1300C, C1300D, and C1600. Added mappings to new items C1310A, C1310B, C1310C and C1310D.



# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: B

Item ID: B1000

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Vision	Asmt		Code	1	517-517

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Adequate-sees fine detail, such as regular print in newspapers/books
1		Impaired-sees large print, but not regular print in newspapers/books
2		Moderately impaired-limited vision; not able to see newspaper headlines but can identify objects
3		Highly impaired-object identification in question, but eyes appear to follow objects
4		Severely impaired-no vision or sees only light, colors or shapes; eyes do not appear to follow objects
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3829	Skip pattern	Fatal	a) If B0100=[0], then all active items from B0200 through B1200 must not equal [^]. b) If B0100=[-], then all active items from B0200 through B1200 must equal [-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.
Skip pattern	-3609	[V2.00.0]-Removed mappings to deleted items C1300A, C1300B, C1300C, C1300D, and C1600. Added mappings to new items C1310A, C1310B, C1310C and C1310D.

# Data Submission Specifications for the MDS Item Set (V2.00.0) – DRAFT

## Detailed Data Specifications Report

### Section: B

Item ID: B1200

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Corrective lenses	Asmt		Code	1	518-518

#### Item Subsets

Active: NC,NQ,NP,SP  
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX,NPE,SPE  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3829	Skip pattern	Fatal	a) If B0100=[0], then all active items from B0200 through B1200 must not equal [^]. b) If B0100=[-], then all active items from B0200 through B1200 must equal [-].

#### Version Changes

Type	ID	Description
Format	-3676	[V2.00.0]-Removed the mappings to deleted items C1300A, C1300B, C1300C, C1300D and C1600. Added mappings to new items A0310H, C1310A, C1310B, C1310C, C1310D and X0600H, as well as all Section GG items.
Skip pattern	-3609	[V2.00.0]-Removed mappings to deleted items C1300A, C1300B, C1300C, C1300D, and C1600. Added mappings to new items C1310A, C1310B, C1310C and C1310D.