

## CLIA ANNUAL LABORATORY REGISTRY

Once a year the Centers for Medicare and Medicaid Services makes available to physicians and to the general public specific information (including information provided to CMS by the Office of the Inspector General) that is useful in evaluating the performance of laboratories. The Clinical Laboratory Improvement Amendments of 1988 (CLIA) and implementing regulations at 42 CFR 493.1850 require that this listing include the following:

- (1) A list of laboratories that have been convicted, under Federal or State laws relating to fraud and abuse, false billing, or kickbacks.
- (2) A list of laboratories that have had principal sanctions imposed; their CLIA certificates suspended, limited, or revoked, and the reasons for the adverse actions.
- (3) A list of persons who have been convicted of violating CLIA requirements, as specified in section 353(1) of the PHS Act, together with circumstances of each case and the penalties imposed.
- (4) A list of laboratories on which alternative sanctions have been imposed, showing--
  - (i) the effective date of the sanctions;
  - (ii) the reason for imposing them;
  - (iii) any corrective action taken by the laboratory;
  - (iv) if the laboratory has achieved compliance, the verified date of compliance.
- (5) A list of laboratories whose accreditation has been withdrawn or revoked and the reasons for the withdrawal or revocation.
- (6) All appeals and hearing decisions.
- (7) A list of laboratories against which CMS has brought suit under Section 493.1846 and the reasons for those actions.
- (8) A list of laboratories that have been excluded from participation in Medicare or Medicaid and the reasons for exclusion.

Civil settlements reached with clinical laboratories are also noted.

The Laboratory Registry is compiled for the calendar year proceeding the date the information is made available and also contains corrections of any erroneous statements of information that appeared in the previous registry. A final section includes other specific information that may be useful in evaluating the performance of laboratories, as specified in 42 CFR 493.1850(a). It also includes information provided by CLIA exempt states.

2018 CLIA LAB REGISTRY

Laboratory Registry Activity from 01/01/2018 thru 12/31/2018

(AS REQUIRED BY SECTION 353(N) OF THE PUBLIC HEALTH SERVICE ACT)

1. LABORATORIES SUBJECT TO CLIA THAT HAVE BEEN CONVICTED, UNDER FEDERAL OR STATE LAWS RELATING TO FRAUD AND ABUSE, FALSE BILLING, OR KICKBACKS.

\*\*\* NO DATA FOUND \*\*\*

2. LABORATORIES THAT HAVE HAD THEIR CLIA CERTIFICATE SUSPENDED, LIMITED, OR REVOKED, AND THE REASON FOR THE ADVERSE ACTION. (MEDICARE CANCELLATION, A PRINCIPAL SANCTION, HAS BEEN INCLUDED IN THIS CATEGORY.)

VIRGINIA PROVENCHER MT AMT, DIRECTOR

POARCH BAND OF CREEK INDIANS HEALTH DEPARTMENT LAB

429 BUFORD ROLIN DRIVE

ATMORE, AL 36502

CLIA ID# 01D0671486

|                 |   |
|-----------------|---|
| SANCTION:       | Limitation of CLIA Certificate  |
| EFFECTIVE DATE: | August 25, 2018   |
| REASON:         | Condition Level Non-Compliance<br>Improper PT Testing Referral Activities |
| STATUS:         | Laboratory voluntarily Ceased Testing                                     |

HUEY KIDD DO, DIRECTOR

PHYSICIANS CARE OF THOMASVILLE

33621 HIGHWAY 43

THOMASVILLE, AL 36784

CLIA ID# 01D2012272

|                 |                                |
|-----------------|--------------------------------|
| SANCTION:       | Limitation of CLIA Certificate |
| EFFECTIVE DATE: | May 25, 2018                   |
| REASON:         | Unsuccessful PT                |

NEERAJ BHARANY, DIRECTOR

ARKANSAS HEMATOLOGY & ONCOLOGY, PLLC

180 MEDICAL PARK PLACE, SUITE 202

HOT SPRINGS, AR 71901

CLIA ID# 04D2090071

|                 |   |
|-----------------|---|
| SANCTION:       | Cancel Medicare/Medicaid Approval                 |
| EFFECTIVE DATE: | October 2, 2018                                   |
| REASON:         | Condition Level Non-Compliance<br>Unsuccessful PT |

VYBREM LABS

1311 FORT ST

BARLING, AR 72923

CLIA ID# 04D2132998

|                 |   |
|-----------------|---|
| SANCTION:       | Cancel Medicare/Medicaid Approval<br>Suspension of CLIA Certificate |
| EFFECTIVE DATE: | February 13, 2018<br>February 13, 2018                              |
| REASON:         | Condition Level Non-Compliance with IJ                              |
| STATUS:         | Revocation Pending Hearing<br>Hearing Requested                     |

OSCAR NDEREVA, OWNER

MEDISCOPE ARKANSAS LLC

1116 AR-161

JACKSONVILLE, AR 72076

CLIA ID# 04D2133880

SANCTION: Cancel Medicare/Medicaid Approval  
Suspension of CLIA Certificate  
Revocation of CLIA Certificate

EFFECTIVE DATE: January 24, 2018  
January 24, 2018  
March 20, 2018

REASON: Condition Level Non-Compliance with IJ

STATUS: Revocation of CLIA Certificate

RUSSELL KLEIN MD, DIRECTOR  
KLEIN KHAW ABRAMS AND RAIMAN  
IN-OFFICE LABORATORY  
16101 VENTURA BLVD, STE 340  
ENCINO, CA 91436  
CLIA ID# 05D0561185

SANCTION: Limitation of CLIA Certificate

EFFECTIVE DATE: May 19, 2018

REASON: Cancellation of Medicare Approval Suspension  
Condition Level Non-Compliance  
Unsuccessful PT

RICHARD SNYDER MD, DIRECTOR  
LAB-ALL INC  
2200 W 7TH ST STE 305  
LOS ANGELES, CA 90057  
CLIA ID# 05D0692916

SANCTION: Limitation of CLIA Certificate  
EFFECTIVE DATE: October 14, 2018  
REASON: Cancellation of Medicare Approval Suspension  
Condition Level Non-Compliance  
Unsuccessful PT

MARYAM AMERI MD, DIRECTOR  
VIBRA HOSPITAL OF SAN BERNARDINO, LLC  
DBA BALLARD REHABILITATION HOSPITAL  
1760 W 16TH ST  
SAN BERNARDINO, CA 92411  
CLIA ID# 05D0873272

SANCTION: Limitation of CLIA Certificate  
EFFECTIVE DATE: August 1, 2018  
REASON: Medicare Cancellation/Suspension  
Condition Level Non-Compliance with IJ  
Unsuccessful PT

MING ZHOU, MD, DIRECTOR  
SUTTER GOULD MEDICAL FOUNDATION - TURLOCK URGENT  
3100 W CHRISTOFFERSEN PKWY  
TURLOCK, CA 95382  
CLIA ID# 05D2093854

SANCTION: Limitation of CLIA Certificate  
EFFECTIVE DATE: October 4, 2018

REASON: Medicare Cancellation/Suspension  
Condition Level Non-Compliance  
Unsuccessful PT

ARLYN LABAIR, DIRECTOR  
URGENT CARE SOLUTIONS - GLENDALE, PC  
DBA AFC URGENT CARE - CHERRY CREEK  
760 S COLORADO BLVD, STE A  
DENVER, CO 80246  
CLIA ID# 06D2054025

SANCTION: Limitation of CLIA Certificate  
EFFECTIVE DATE: June 19, 2018  
REASON: Unsuccessful PT  
STATUS: Certificate Reinstated  
Compliance Achieved

ALEXANDER FINKELSTEIN, DIRECTOR  
BRIDGEPORT HOSPITAL LABORATORY  
267 GRANT  
BRIDGEPORT, CT 06610  
CLIA ID# 07D0099572

SANCTION: Limitation of CLIA Certificate  
EFFECTIVE DATE: November 29, 2018  
REASON: Condition Level Non-Compliance  
STATUS: Compliance Achieved

NOTE: Due to condition-level non-compliance, the laboratory's CLIA certificate has been limited under the specialty of Cytology effective November 29, 2018.

ROBERT BABKOWSKI, DIRECTOR  
RICHARD SANTAROSA & MICHAEL NURZIA  
166 WEST BROAD STREET, SUITE 404  
STAMFORD, CT 06902  
CLIA ID# 07D0723961

|                 |   |
|-----------------|---|
| SANCTION:       | Cancel Medicare/Medicaid Approval<br>Revocation of CLIA Certificate |
| EFFECTIVE DATE: | September 26, 2018<br>September 26, 2018                            |
| REASON:         | Failure To Submit Acceptable POC or AOC                             |
| STATUS:         | Compliance Achieved   |

YILING DING, DIRECTOR  
TOTAL LAB CARE, LLC  
7685 103RD ST STE 1A  
JACKSONVILLE, FL 32210  
CLIA ID# 10D2077557

|                 |                                |
|-----------------|--------------------------------|
| SANCTION:       | Revocation of CLIA Certificate |
| EFFECTIVE DATE: | August 17, 2018                |
| REASON:         | Revocation of CLIA Certificate |

RAYMOND DUONG, DIRECTOR  
RAYMOND S DUONG MD PA  
370 17TH ST  
VERO BEACH, FL 32960

CLIA ID# 10D2112755

SANCTION: Cancel Medicare/Medicaid Approval  
Revocation of CLIA Certificate

EFFECTIVE DATE: August 12, 2018  
August 12, 2018

REASON: Cancellation of Medicare Approval Revocation  
Condition Level Non-Compliance  
Revocation of CLIA Certificate  
Failure To Submit Acceptable POC or AOC

STATUS: Revocation of CLIA Certificate

CEDRICE DAVIS, DIRECTOR

URBAN FAMILY PRACTICE ASSOCIATES PC

2520 WINDY HILL RD SUITE 301

MARIETTA, GA 30067

CLIA ID# 11D0255180

SANCTION: Cancel Medicare/Medicaid Approval  
Revocation of CLIA Certificate

EFFECTIVE DATE: November 11, 2018  
November 11, 2018

REASON: Cancellation of Medicare Approval Revocation  
2 Year Prohibition From Owning, Operating and Directing  
Condition Level Non-Compliance with IJ  
Failure To Submit Acceptable POC or AOC

STATUS: Revocation of CLIA Certificate

ROBERT SIEGEL, DIRECTOR  
GWINNETT MEDICAL CENTER  
1000 MEDICAL CENTER BLVD  
LAWRENCEVILLE, GA 30046  
CLIA ID# 11D0257657

SANCTION:                      Limitation of CLIA Certificate  
EFFECTIVE DATE:              February 22, 2018  
REASON:                        Condition Level Non-Compliance  
STATUS:                         Hearing Requested  
NOTE: Settlement Agreement reached prior to hearing.

TERESA TRIPPE MD, DIRECTOR  
COLISEUM PEDIATRIC & ADOLESCENT CARE  
145 N CREST BOULEVARD  
MACON, GA 31210  
CLIA ID# 11D0685520

SANCTION:                      Limitation of CLIA Certificate  
EFFECTIVE DATE:              December 18, 2018  
REASON:                        Condition Level Non-Compliance  
   Unsuccessful PT  
STATUS:                         Laboratory voluntarily Ceased Testing

COLLIER GLADIN JR MD, DIRECTOR  
COLLIER B GLADIN JR MD  
FAMILY MEDICINE  
140 NORTH CREST BOULEVARD

MACON, GA 31210

CLIA ID# 11D0948963

|                 |   |
|-----------------|---|
| SANCTION:       | Limitation of CLIA Certificate                    |
| EFFECTIVE DATE: | August 10, 2018                                   |
| REASON:         | Condition Level Non-Compliance<br>Unsuccessful PT |
| STATUS:         | Laboratory voluntarily Ceased Testing             |

GYULA SOOS, DIRECTOR

DR SOOS PEDIATRICS PC

102 BOWLING LANE

DUBLIN, GA 31021

CLIA ID# 11D1068770

|                 |  |
|-----------------|--|
| SANCTION:       | Limitation of CLIA Certificate<br>Suspension of CLIA Certificate |
| EFFECTIVE DATE: | September 13, 2018<br>September 13, 2018                         |
| REASON:         | Condition Level Non-Compliance<br>Unsuccessful PT                |
| STATUS:         | Compliance Achieved<br>Laboratory voluntarily Ceased Testing     |

SON THANH NGUYEN, DIRECTOR

PELICAN HILL MEDICAL CENTER

470 PLEASANT HILL ROAD, NW

LILBURN, GA 30047

CLIA ID# 11D2133946

SANCTION: Cancel Medicare/Medicaid Approval  
Revocation of CLIA Certificate

EFFECTIVE DATE: December 3, 2018  
December 3, 2018

REASON: 2 Year Prohibition From Owning, Operating and Directing  
Condition Level Non-Compliance with IJ  
Revocation of CLIA Certificate

STATUS: Revocation of CLIA Certificate

JANE BENNETT-MUNRO, DIRECTOR

ST LUKE'S JEROME

709 N LINCOLN AVE

JEROME, ID 83338

CLIA ID# 13D0520720

SANCTION: Limitation of CLIA Certificate

EFFECTIVE DATE: December 4, 2018

REASON: Unsuccessful PT

DOUG OTTO, DIRECTOR

INTERPATH LABORATORY - TWIN FALLS

496 SHOUP AVE SUITE F

TWIN FALLS, ID 83301

CLIA ID# 13D1046008

SANCTION: Limitation of CLIA Certificate

EFFECTIVE DATE: March 6, 2018  
REASON: Improper PT Testing Referral Activities

CHUKWUEMEKA EZIKE MD, DIRECTOR  
OAK FOREST HEALTH CENTER - ATTN LAB DIRECTOR  
15900 S CICERO AVE, BLDG E - GROUND FLOOR  
OAK FOREST, IL 60452  
CLIA ID# 14D0716077

SANCTION: Suspension of CLIA Certificate  
EFFECTIVE DATE: December 9, 2018  
REASON: Medicare Cancellation/Suspension  
STATUS: Rescission of Medicare Cancel/CLIA Suspension  
Suspension And Limitation Lifted  
Compliance Achieved

SUDEEP GUPTA, DIRECTOR  
MERCYONE BEAVERDALE FAMILY MEDICINE CLINIC  
1750 48TH STREET, SUITE 1  
DES MOINES, IA 50310  
CLIA ID# 16D0383623

SANCTION: Limitation of CLIA Certificate  
EFFECTIVE DATE: October 3, 2018  
REASON: Unsuccessful PT  
STATUS: Suspension And Limitation Lifted

JEFFREY MALIK, DIRECTOR  
STEWART MEMORIAL COMMUNITY HOSPITAL  
1301 WEST MAIN STREET  
LAKE CITY, IA 51449  
CLIA ID# 16D0385663

|                 |                                  |
|-----------------|----------------------------------|
| SANCTION:       | Limitation of CLIA Certificate   |
| EFFECTIVE DATE: | August 20, 2018                  |
| REASON:         | Unsuccessful PT                  |
| STATUS:         | Suspension and Limitation Lifted |

DIPTI BAVISHI MD, DIRECTOR  
DIPTI BAVISHI, MD  
7777 SOUTHWEST FREEWAY SUITE 544  
HOUSTON, TX 77074  
CLIA ID# 19D0913092

|                 |   |
|-----------------|---|
| SANCTION:       | Cancel Medicare/Medicaid Approval<br>Suspension of CLIA Certificate<br>Revocation of CLIA Certificate |
| EFFECTIVE DATE: | January 23, 2018<br>January 23, 2018<br>March 20, 2018  |
| REASON:         | Condition Level Non-Compliance with IJ<br>Failure to Permit Inspection                                |
| STATUS:         | Revocation of CLIA Certificate  |

MOHAMMAD CHAUDHRY MD, DIRECTOR  
HEART CENTER-MOHAMMAD H CHAUDHRY  
7610 CARROLL AVENUE SUITE 300  
TAKOMA PARK, MD 20912  
CLIA ID# 21D0213986

|                 |   |
|-----------------|---|
| SANCTION:       | Limitation of CLIA Certificate                    |
| EFFECTIVE DATE: | February 14, 2018                                 |
| REASON:         | Condition Level Non-Compliance<br>Unsuccessful PT |

VICKI THOMSON, DIRECTOR  
EDINA PEDIATRICS  
7025 FRANCE AVE  
EDINA, MN 55435  
CLIA ID# 24D0403126

|                 |                                 |
|-----------------|---------------------------------|
| SANCTION:       | Revocation of CLIA Certificate  |
| EFFECTIVE DATE: | February 3, 2018                |
| REASON:         | Failure to Correct Deficiencies |
| STATUS:         | Revocation of CLIA Certificate  |

STEVE HOWARD, DIRECTOR  
INTERVENTIONAL PAIN INSTITUTE LLC  
1405 N TRUMAN BLVD  
FESTUS, MO 63028  
CLIA ID# 26D2005035

SANCTION: Cancel Medicare/Medicaid Approval  
Revocation of CLIA Certificate

EFFECTIVE DATE: April 5, 2018  
May 25, 2018

REASON: 2 Year Prohibition from Owning, Operating and Directing  
Medicare Cancellation/Suspension  
Condition Level Non-Compliance  
Failure to Correct Deficiencies  
Revocation of CLIA Certificate  
Failure to Submit Acceptable POC or AOC  
Lab Owner/Open Prohibited From Owning Lab

STATUS: Revocation of CLIA Certificate

GARY LAMONDA, DIRECTOR  
LAMONDA INTERNAL MEDICINE  
1145 S MORLEY STREET  
MOBERLY, MO 65270  
CLIA ID# 26D2107589

SANCTION: Revocation of CLIA Certificate

EFFECTIVE DATE: April 12, 2018

REASON: 2 Year Prohibition from Owning, Operating and Directing  
Failure to Correct Deficiencies  
Revocation of CLIA Certificate  
Failure to Submit Acceptable POC or AOC  
Lab Owner/Open Prohibited From Owning Lab

STATUS: Revocation of CLIA Certificate

ANTON SOHN, DIRECTOR  
R E D LABORATORIES  
1664 N VIRGINIA ST MS554 BLDG 160  
RENO, NV 89557  
CLIA ID# 29D2019771

SANCTION: Cancel Medicare/Medicaid Approval  
Revocation of CLIA Certificate  
EFFECTIVE DATE: October 27, 2018  
October 27, 2018  
REASON: Cancellation of Medicare Approval Revocation  
Condition Level Non-Compliance  
Failure to Submit Acceptable POC or AOC  
STATUS: Revocation Pending Hearing

NII ADDY, DIRECTOR  
TADDY HEALTHCARE SERVICES LLC  
615 W MERMOD ST  
CARLSBAD, NM 88220  
CLIA ID# 32D2003235

SANCTION: Cancel Medicare/Medicaid Approval  
Suspension of CLIA Certificate  
EFFECTIVE DATE: September 17, 2018  
September 17, 2018  
REASON: Medicare Cancellation/Suspension  
Condition Level Non-Compliance with IJ  
Failure to Submit Acceptable POC or AOC

JAMES SMITH, DIRECTOR

OKLAHOMA BLOOD INSTITUTE SYLVAN N GOLDMAN CENTER

OKLAHOMA BLOOD INSTITUTE

1001 N LINCOLN BOULEVARD

OKLAHOMA CITY, OK 73104

CLIA ID# 37D0470358

|                 |   |
|-----------------|---|
| SANCTION:       | Limitation of CLIA Certificate  |
| EFFECTIVE DATE: | August 11, 2018   |
| REASON:         | Condition Level Non-Compliance<br>Improper PT Testing Referral Activities |

NAVA NAWAZ MD, DIRECTOR

PERLL DIAGNOSTICS INC

5010 RITTER ROAD

MECHANICSBURG, PA 17055

CLIA ID# 39D2021686

|                 |   |
|-----------------|---|
| SANCTION:       | Cancel Medicare/Medicaid Approval<br>Suspension of CLIA Certificate<br>Revocation of CLIA Certificate |
| EFFECTIVE DATE: | May 11, 2018<br>May 11, 2018<br>July 11, 2018   |
| REASON:         | Condition Level Non-Compliance with IJ  |

JOSE CHAVEZ MD, DIRECTOR

JOSE J CHAVEZ MD

17 SURREY COURT

COLUMBIA, SC 29212

CLIA ID# 42D0690142

|                 |   |
|-----------------|---|
| SANCTION:       | Limitation of CLIA Certificate                    |
| EFFECTIVE DATE: | October 27, 2018                                  |
| REASON:         | Condition Level Non-Compliance<br>Unsuccessful PT |
| STATUS:         | Laboratory voluntarily Ceased Testing             |

GIGI WOOD DAVIS DO, DIRECTOR

GIGI WOOD DAVIS DO-FAMILY MEDICINE

1010 WAYNE RD, SUITE 100

SAVANNAH, TN 38372

CLIA ID# 44D0904183

|                 |   |
|-----------------|---|
| SANCTION:       | Limitation of CLIA Certificate                    |
| EFFECTIVE DATE: | September 10, 2018                                |
| REASON:         | Condition Level Non-Compliance<br>Unsuccessful PT |

HARSHILA PATEL, DIRECTOR

BRENTWOOD EAST PEDIATRICS

626 BRENTWOOD EAST DR

NASHVILLE, TN 37211

CLIA ID# 44D1071905

SANCTION: Cancel Medicare/Medicaid Approval  
Revocation of CLIA Certificate

EFFECTIVE DATE: January 22, 2018  
January 22, 2018

REASON: Cancellation of Medicare Approval Revocation  
Condition Level Non-Compliance  
Failure to Correct Deficiencies  
Revocation of CLIA Certificate  
Failure to Submit Acceptable POC or AOC

STATUS: Revocation of CLIA Certificate

MARILYN NUTT, DIRECTOR  
THROCKMORTON COUNTY MEMORIAL HOSPITAL  
802 NORTH MINTER AVENUE BOX 729  
THROCKMORTON, TX 76483  
CLIA ID# 45D0659838

SANCTION: Limitation of CLIA Certificate

EFFECTIVE DATE: September 27, 2018

REASON: Condition Level Non-Compliance  
Unsuccessful PT

MOHAMMAD BABA, DIRECTOR  
BESTCARE LABORATORY SERVICES, LLC  
202 NORTH TEXAS AVENUE, SUITE 100  
WEBSTER, TX 77598  
CLIA ID# 45D0994183

SANCTION: Cancel Medicare/Medicaid Approval  
Suspension of CLIA Certificate

EFFECTIVE DATE: September 21, 2018  
September 21, 2018

REASON: Medicare Cancellation/Suspension

NOTE: Suspension of the CLIA certificate due to OIG exclusion.

AUSTIN OGWU, DIRECTOR  
ALPHA MEDICAL CENTER  
2505 WEST BELTLINE ROAD  
LANCASTER, TX 75146  
CLIA ID# 45D1010521

SANCTION: Cancel Medicare/Medicaid Approval  
Suspension of CLIA Certificate

EFFECTIVE DATE: November 8, 2018  
November 8, 2018

REASON: Medicare Cancellation/Suspension  
Condition Level Non-Compliance with IJ  
Failure to Correct Deficiencies

MOHAMMAD BABA, DIRECTOR  
BESTCARE LABORATORY SERVICES, LLC  
1603 BABCOCK ROAD SUITE 103  
SAN ANTONIO, TX 78229  
CLIA ID# 45D1052874

SANCTION: Cancel Medicare/Medicaid Approval  
Suspension of CLIA Certificate  
EFFECTIVE DATE: September 21, 2018  
September 21, 2018  
REASON: Medicare Cancellation/Suspension  
NOTE: Suspension of the CLIA certificate due to OIG exclusion.

MOHAMMAD BABA, DIRECTOR  
BESTCARE LABORATORY SERVICES, LLC  
12000 FORD RD STE 150  
DALLAS, TX 75234  
CLIA ID# 45D1065087

SANCTION: Cancel Medicare/Medicaid Approval  
Suspension of CLIA Certificate  
EFFECTIVE DATE: September 21, 2018  
September 21, 2018  
REASON: Medicare Cancellation/Suspension  
NOTE: Suspension of the CLIA certificate due to OIG exclusion.

ARTURO MENDIETTA, DIRECTOR  
TEXAS INTERNAL MEDICINE AND DIAGNOSTIC CENTER  
4502 N LAURENT ST  
VICTORIA, TX 77901  
CLIA ID# 45D2000387

SANCTION: Limitation of CLIA Certificate  
EFFECTIVE DATE: April 12, 2018

REASON: Condition Level Non-Compliance  
Unsuccessful PT  
STATUS: Compliance Achieved

NEXTHEALT, OWNER  
MEDICUS LABORATORIES, LLC  
5710 LBJ FREEWAY  
DALLAS, TX 75240  
CLIA ID# 45D2010531

SANCTION: Revocation of CLIA Certificate  
EFFECTIVE DATE: April 27, 2018  
REASON: Lab Owner/Operation Prohibited From Owning Lab  
STATUS: Revocation of CLIA Certificate  
NOTE: Sanctions were not imposed on the laboratory director.

MICHEAL ROMANKO, DIRECTOR  
FIRST CHOICE EMERGENCY ROOM  
1220 W FAIRMONT PKWY  
LA PORTE, TX 77571  
CLIA ID# 45D2073921

SANCTION: Revocation of CLIA Certificate  
EFFECTIVE DATE: June 21, 2018  
REASON: Condition Level Non-Compliance  
Improper PT Testing Referral Activities  
STATUS: Revocation of CLIA Certificate  
Appeal Filed By Laboratory

NOTE: The laboratory dismissed the appeal; revocation proceeded.

THOMAS SUCHMOR, DIRECTOR  
FIRST CHOICE EMERGENCY ROOM  
2860 SOUTH GORDON ST  
ALVIN, TX 77511  
CLIA ID# 45D2074517

|                 |   |
|-----------------|---|
| SANCTION:       | Revocation of CLIA Certificate  |
| EFFECTIVE DATE: | June 21, 2018   |
| REASON:         | Condition Level Non-Compliance<br>Improper PT Testing Referral Activities |
| STATUS:         | Revocation of CLIA Certificate<br>Appeal Filed By Laboratory              |

NOTE: Laboratory withdrew the appeal and revocation occurred.

MOHAMMAD SIDDIQI, DIRECTOR  
FIRST CHOICE EMERGENCY ROOM  
225 E PARKWOOD AVE  
FRIENDSWOOD, TX 77546  
CLIA ID# 45D2085451

|                 |   |
|-----------------|---|
| SANCTION:       | Revocation of CLIA Certificate  |
| EFFECTIVE DATE: | June 21, 2018   |
| REASON:         | Condition Level Non-Compliance<br>Improper PT Testing Referral Activities |
| STATUS:         | Revocation of CLIA Certificate<br>Appeal Filed By Laboratory              |

NOTE: The laboratory dismissed the appeal; and revocation proceeded

ARCHANG THOTA, DIRECTOR  
THE MEDICAL RESORT AT SUGARLAND  
1803 WESTCOTT AVENUE  
SUGAR LAND, TX 77479  
CLIA ID# 45D2094665

SANCTION: Cancel Medicare/Medicaid Approval  
Suspension of CLIA Certificate

EFFECTIVE DATE: August 23, 2018  
August 23, 2018

REASON: Condition Level Non-Compliance with IJ  
Failure to Submit Acceptable POC or AOC

NOTE: Facility requested a certificate change to a Certificate of Waiver.

LUIS TUMIALAN, DIRECTOR  
AIM LABORATORIES  
19255 PARK ROW DR, STE 205  
HOUSTON, TX 77084  
CLIA ID# 45D2105803

SANCTION: Cancel Medicare/Medicaid Approval  
Suspension of CLIA Certificate

EFFECTIVE DATE: March 20, 2018  
March 20, 2018

REASON: Condition Level Non-Compliance with IJ  
Failure to Submit Acceptable POC or AOC

STATUS: Laboratory voluntarily Ceased Testing

MOHAMMAD BABA, DIRECTOR  
BESTCARE LABORATORY SERVICES LLC  
5314 DASHWOOD DRIVE 3RD FLOOR #301  
HOUSTON, TX 77081  
CLIA ID# 45D2129059

SANCTION: Suspension of CLIA Certificate  
EFFECTIVE DATE: September 21, 2018  
REASON: Suspension of the CLIA certificate based on OIG  
exclusion.

CHESTER GWIN, DIRECTOR  
RECTIFIED LABORATORY LLC  
10303 NORTHWEST FWY SUITE 536  
HOUSTON, TX 77092  
CLIA ID# 45D2130956

SANCTION: Cancel Medicare/Medicaid Approval  
Suspension of CLIA Certificate  
EFFECTIVE DATE: September 17, 2018  
September 17, 2018  
REASON: Medicare Cancellation/Suspension  
Condition Level Non-Compliance with IJ  
STATUS: Revocation Pending Hearing  
Appeal Filed By Laboratory

ARCHANA THOTA, DIRECTOR  
THE MEDICAL RESORT AT WILLOWBROOK  
13220 BRETON RIDGE STREET  
HOUSTON, TX 77070  
CLIA ID# 45D2131556

SANCTION: Cancel Medicare/Medicaid Approval  
Suspension of CLIA Certificate

EFFECTIVE DATE: August 23, 2018  
August 23, 2018

REASON: Condition Level Non-Compliance with IJ  
Failure to Submit Acceptable POC or AOC

NOTE: Laboratory changed their certificate to a Certificate of Waiver

THOTA ARCHANA, DIRECTOR  
THE MEDICAL RESORT AT PEARLAND  
3406 BUSINESS CENTER DRIVE  
PEARLAND, TX 77584  
CLIA ID# 45D2141019

SANCTION: Cancel Medicare/Medicaid Approval  
Suspension of CLIA Certificate

EFFECTIVE DATE: August 23, 2018  
August 23, 2018

REASON: Condition Level Non-Compliance with IJ  
Failure to Submit Acceptable POC or AOC

NOTE: Laboratory changed certificates to a Certificate of Waiver

XYLINA GREGG MD, DIRECTOR  
UTAH CANCER SPECIALISTS-TOOELE  
1244 NORTH MAIN ST STE 101  
TOOELE, UT 84074  
CLIA ID# 46D1046491

|                 |   |
|-----------------|---|
| SANCTION:       | Limitation of CLIA Certificate                |
| EFFECTIVE DATE: | May 17, 2018                                  |
| REASON:         | Unsuccessful PT                               |
| STATUS:         | Certificate Reinstated<br>Compliance Achieved |

3. A LIST OF PERSONS CONVICTED OF VIOLATING CLIA REQUIREMENTS AS SPECIFIED IN SECTION 353(1) OF THE PUBLIC HEALTH SERVICES ACT, WITH THE CIRCUMSTANCES OF EACH CASE AND THE PENALTIES IMPOSED.

\*\*\* NO DATA FOUND \*\*\*

4. A LIST OF LABORATORIES ON WHICH ALTERNATIVE SANCTIONS HAVE BEEN IMPOSED, SHOWING -

- (I) THE EFFECTIVE DATE OF THE SANCTIONS
- (II) THE REASON FOR IMPOSING THEM
- (III) ANY CORRECTIVE ACTION TAKEN BY THE LABORATORY AND
- (IV) IF LABORATORY HAS ACHIEVED COMPLIANCE, THE VERIFIED DATE OF THE COMPLIANCE

VIRGINIA PROVENCHER MT AMT, DIRECTOR

POARCH BAND OF CREEK INDIANS HEALTH DEPARTMENT LAB

429 BUFORD ROLIN DRIVE

ATMORE, AL 36502

CLIA ID# 01D0671486

|                 |   |
|-----------------|---|
| SANCTION:       | Civil Money Penalty<br>Suspension of All of Medicare/Medicaid             |
| EFFECTIVE DATE: | August 25, 2018<br>August 25, 2018  |
| REASON:         | Condition Level Non-Compliance<br>Improper PT Testing Referral Activities |
| STATUS:         | Laboratory voluntarily Ceased Testing                                     |

JAMES SMITH, DIRECTOR

OKLAHOMA BLOOD INSTITUTE, ARKANSAS BLOOD INSTITUTE

FT. SMITH

5300 SOUTH U STREET

FORT SMITH, AR 72903

CLIA ID# 04D0469265

SANCTION: Civil Money Penalty  
EFFECTIVE DATE: July 19, 2018  
REASON: Condition Level Non-Compliance  
Improper PT Testing Referral Activities

NEERAJ BHARANY, DIRECTOR  
ARKANSAS HEMATOLOGY & ONCOLOGY, PLLC  
180 MEDICAL PARK PLACE, SUITE 202  
HOT SPRINGS, AR 71901  
CLIA ID# 04D2090071

SANCTION: Suspension of Part of Medicare/Medicaid  
EFFECTIVE DATE: October 2, 2018  
REASON: Condition Level Non-Compliance  
Unsuccessful PT

RUSSELL KLEIN MD, DIRECTOR  
KLEIN KHAW ABRAMS AND RAIMAN  
IN-OFFICE LABORATORY  
16101 VENTURA BLVD, STE 340  
ENCINO, CA 91436  
CLIA ID# 05D0561185

SANCTION: Directed Portion Plan of Correction (DPPOC)  
Suspension of Part of Medicare/Medicaid  
EFFECTIVE DATE: May 17, 2018  
May 19, 2018

REASON: Cancellation of Medicare Approval Suspension  
Condition Level Non-Compliance  
Unsuccessful PT

RICHARD SNYDER MD, DIRECTOR

LAB-ALL INC

2200 W 7TH ST STE 305

LOS ANGELES, CA 90057

CLIA ID# 05D0692916

SANCTION: Directed Plan of Correction (DPOC)  
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: October 12, 2018  
October 14, 2018

REASON: Cancellation of Medicare Approval Suspension  
Condition Level Non-Compliance  
Unsuccessful PT

MARYAM AMERI MD, DIRECTOR

VIBRA HOSPITAL OF SAN BERNARDINO, LLC

DBA BALLARD REHABILITATION HOSPITAL

1760 W 16TH ST

SAN BERNARDINO, CA 92411

CLIA ID# 05D0873272

SANCTION: Directed Plan of Correction (DPOC)  
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: July 28, 2018

August 1, 2018

REASON: Medicare Cancellation/Suspension  
Condition Level Non-Compliance  
Unsuccessful PT

MING ZHOU, MD, DIRECTOR

SUTTER GOULD MEDICAL FOUNDATION - TURLOCK URGENT

3100 W CHRISTOFFERSEN PKWY

TURLOCK, CA 95382

CLIA ID# 05D2093854

SANCTION: Directed Portion Plan of Correction (DPPOC)  
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: October 2, 2018

October 4, 2018

REASON: Medicare Cancellation/Suspension  
Condition Level Non-Compliance  
Unsuccessful PT

ARLYN LABAIR, DIRECTOR

URGENT CARE SOLUTIONS - GLENDALE, PC

DBA AFC URGENT CARE - CHERRY CREEK

760 S COLORADO BLVD, STE A

DENVER, CO 80246

CLIA ID# 06D2054025

SANCTION: Directed Plan of Correction (DPOC)  
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: June 19, 2018  
June 19, 2018  
REASON: Unsuccessful PT

ALEXANDER FINKELSTEIN, DIRECTOR  
BRIDGEPORT HOSPITAL LABORATORY  
267 GRANT  
BRIDGEPORT, CT 06610  
CLIA ID# 07D0099572

SANCTION: Civil Money Penalty  
Directed Portion Plan of Correction (DPPOC)  
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: November 29, 2018  
November 29, 2018  
November 29, 2018

REASON: Condition Level Non-Compliance

STATUS: Compliance Achieved

NOTE: Due to condition-level non-compliance, the laboratory's CLIA certificate has been limited under the specialty of Cytology effective November 29, 2018.

SHAHLA MASOOD, DIRECTOR  
SHANDS JACKSONVILLE MEDICAL CENTER  
655 W 8TH STREET  
JACKSONVILLE, FL 32209  
CLIA ID# 10D0268926

SANCTION: Civil Money Penalty

EFFECTIVE DATE: February 6, 2018  
REASON: Improper PT Testing Referral Activities  
STATUS: Compliance Achieved

ROBERT SIEGEL, DIRECTOR  
GWINNETT MEDICAL CENTER  
1000 MEDICAL CENTER BLVD  
LAWRENCEVILLE, GA 30046  
CLIA ID# 11D0257657

SANCTION: Civil Money Penalty  
Suspension of Part of Medicare/Medicaid  
EFFECTIVE DATE: February 22, 2018  
February 22, 2018  
REASON: Condition Level Non-Compliance  
STATUS: Hearing Requested  
NOTE: Settlement Agreement reached prior to hearing.

COLLIER GLADIN JR MD, DIRECTOR  
COLLIER B GLADIN JR MD  
FAMILY MEDICINE  
140 NORTH CREST BOULEVARD  
MACON, GA 31210  
CLIA ID# 11D0948963

SANCTION: Directed Plan of Correction (DPOC)  
Suspension of Part of Medicare/Medicaid  
EFFECTIVE DATE: August 10, 2018

August 10, 2018

REASON: Condition Level Non-Compliance  
Unsuccessful PT

GYULA SOOS, DIRECTOR  
DR SOOS PEDIATRICS PC  
102 BOWLING LANE  
DUBLIN, GA 31021  
CLIA ID# 11D1068770

SANCTION: Directed Plan of Correction (DPOC)  
EFFECTIVE DATE: September 13, 2018  
REASON: Condition Level Non-Compliance  
Unsuccessful PT  
STATUS: Compliance Achieved  
Laboratory voluntarily Ceased Testing

SON THANH NGUYEN, DIRECTOR  
PELICAN HILL MEDICAL CENTER  
470 PLEASANT HILL ROAD, NW  
LILBURN, GA 30047  
CLIA ID# 11D2133946

SANCTION: Suspension of All of Medicare/Medicaid  
EFFECTIVE DATE: October 12, 2018  
REASON: Medicare Cancellation/Suspension  
Condition Level Non-Compliance with IJ  
Revocation of CLIA Certificate

STATUS: Failure to Submit Acceptable POC or AOC  
Revocation of CLIA Certificate

JANE BENNETT-MUNRO, DIRECTOR  
ST LUKE'S JEROME  
709 N LINCOLN AVE  
JEROME, ID 83338  
CLIA ID# 13D0520720

SANCTION: Directed Plan of Correction (DPOC)  
Suspension of Part of Medicare/Medicaid  
EFFECTIVE DATE: December 4, 2018  
December 4, 2018  
REASON: Unsuccessful PT

LAWRENCE ADAMS, DIRECTOR  
INTERPATH LABORATORY - BOISE I  
8660 W EMERALD ST #102  
BOISE, ID 83704  
CLIA ID# 13D0980387

SANCTION: Civil Money Penalty  
Directed Portion Plan of Correction (DPPOC)  
EFFECTIVE DATE: March 6, 2018  
March 6, 2018  
REASON: Improper PT Testing Referral Activities

DOUG OTTO, DIRECTOR

INTERPATH LABORATORY - TWIN FALLS

496 SHOUP AVE SUITE F

TWIN FALLS, ID 83301

CLIA ID# 13D1046008

|                 |   |
|-----------------|---|
| SANCTION:       | Civil Money Penalty                         |
|                 | Directed Portion Plan of Correction (DPPOC) |
|                 | Suspension of Part of Medicare/Medicaid     |
| EFFECTIVE DATE: | March 6, 2018                               |
|                 | March 6, 2018                               |
|                 | March 6, 2018                               |
| REASON:         | Improper PT Testing Referral Activities     |

MARILYN MCMILLEN MD, DIRECTOR

COMBINED PHYSICIANS LAB

469 WEST PLEASANT STREET

CYNTHIANA, KY 41031

CLIA ID# 18D0648560

|                 |                                    |
|-----------------|------------------------------------|
| SANCTION:       | Directed Plan of Correction (DPOC) |
| EFFECTIVE DATE: | March 24, 2018                     |
| REASON:         | Condition Level Non-Compliance     |
|                 | Unsuccessful PT                    |
| STATUS:         | Compliance Achieved                |

CHRISSY LALONDE, DIRECTOR

ALLEN PARISH HOSPITAL LAB

108 6TH AVENUE

KINDER, LA 70648

CLIA ID# 19D0461975

|                 |                                    |
|-----------------|------------------------------------|
| SANCTION:       | Directed Plan of Correction (DPOC) |
| EFFECTIVE DATE: | October 9, 2018                    |
| REASON:         | Condition Level Non-Compliance     |
| STATUS:         | Compliance Achieved                |

MICHELE WERNER, DIRECTOR

WOMAN'S CLINIC, THE

711 ST JOHN STREET

MONROE, LA 71201

CLIA ID# 19D0464567

|                 |                                    |
|-----------------|------------------------------------|
| SANCTION:       | Directed Plan of Correction (DPOC) |
| EFFECTIVE DATE: | May 23, 2018                       |
| REASON:         | Failure to Correct Deficiencies    |
| STATUS:         | Compliance Achieved                |

MOHAMMAD CHAUDHRY MD, DIRECTOR

HEART CENTER-MOHAMMAD H CHAUDHRY

7610 CARROLL AVENUE SUITE 300

TAKOMA PARK, MD 20912

CLIA ID# 21D0213986

|                 |   |
|-----------------|---|
| SANCTION:       | Civil Money Penalty                     |
|                 | Suspension of Part of Medicare/Medicaid |
| EFFECTIVE DATE: | February 14, 2018                       |

February 14, 2018

REASON: Condition Level Non-Compliance  
Unsuccessful PT

DAVID OBUDZINSKI, DIRECTOR  
BEVERLY HILLS PEDIATRICS PC  
32100 TELEGRAPH SUITE 110  
BINGHAM FARMS, MI 48025  
CLIA ID# 23D0362690

SANCTION: Civil Money Penalty  
Directed Plan of Correction (DPOC)

EFFECTIVE DATE: April 3, 2018  
April 3, 2018

REASON: Improper PT Testing Referral Activities

APRILE GILMORE, DIRECTOR  
CHILDREN'S CLINIC LABORATORY  
4210 LINCOLN ROAD  
HATTIESBURG, MS 39402  
CLIA ID# 25D0318900

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: February 12, 2018

REASON: Unsuccessful PT

STATUS: Compliance Achieved

STEVE HOWARD, DIRECTOR

INTERVENTIONAL PAIN INSTITUTE LLC

1405 N TRUMAN BLVD

FESTUS, MO 63028

CLIA ID# 26D2005035

|                 |  |
|-----------------|--|
| SANCTION:       | Directed Plan of Correction (DPOC)   |
| EFFECTIVE DATE: | April 5, 2018  |
| REASON:         | Condition Level Non-Compliance<br>Failure to Correct Deficiencies<br>Failure to Submit Acceptable POC or AOC |

GARY LAMONDA, DIRECTOR

LAMONDA INTERNAL MEDICINE

1145 S MORLEY STREET

MOBERLY, MO 65270

CLIA ID# 26D2107589

|                 |  |
|-----------------|--|
| SANCTION:       | Directed Portion Plan of Correction (DPPOC)  |
| EFFECTIVE DATE: | April 12, 2018   |
| REASON:         | Condition Level Non-Compliance with IJ<br>Failure to Correct Deficiencies<br>Failure To Submit Acceptable POC or AOC |

ANTON SOHN, DIRECTOR

R E D LABORATORIES

1664 N VIRGINIA ST MS554 BLDG 160

RENO, NV 89557

CLIA ID# 29D2019771

SANCTION: Civil Money Penalty  
Directed Portion Plan of Correction (DPPOC)  
EFFECTIVE DATE: September 12, 2018  
September 12, 2018  
REASON: Cancellation of Medicare Approval Revocation  
Condition Level Non-Compliance  
Failure To Submit Acceptable POC or AOC  
STATUS: Revocation Pending Hearing

GREGORY POMPER, DIRECTOR  
NORTH CAROLINA BAPTIST HOSPITAL PATHOLOGY LAB  
MEDICAL CENTER BOULEVARD  
WINSTON-SALEM, NC 27157  
CLIA ID# 34D0664386

SANCTION: Directed Plan of Correction (DPOC)  
EFFECTIVE DATE: July 31, 2018  
REASON: Condition Level Non-Compliance  
STATUS: Compliance Achieved

GHULAM SHAIKH, DIRECTOR  
SHAIKH MEDICAL CLINIC, PA  
171 MAST DRIVE  
GARNER, NC 27529  
CLIA ID# 34D0981273

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: July 11, 2018  
REASON: Unsuccessful PT

DONALD LUDLOW JR, DIRECTOR  
SEASHORE PEDIATRICS, PC  
3650 EXPRESS DRIVE  
SHALLOTTE, NC 28470  
CLIA ID# 34D2003992

SANCTION: Directed Plan of Correction (DPOC)  
EFFECTIVE DATE: August 14, 2018  
REASON: Unsuccessful PT  
STATUS: Compliance Achieved

BILL CROWELL, DIRECTOR  
PAULS VALLEY GENERAL HOSPITAL  
100 VALLEY DRIVE  
PAULS VALLEY, OK 73075  
CLIA ID# 37D0470000

SANCTION: Directed Plan of Correction (DPOC)  
EFFECTIVE DATE: February 7, 2018  
REASON: Condition Level Non-Compliance with IJ  
STATUS: Compliance Achieved

JAMES SMITH, DIRECTOR  
OKLAHOMA BLOOD INSTITUTE SYLVAN N GOLDMAN CENTER  
OKLAHOMA BLOOD INSTITUTE

1001 N LINCOLN BOULEVARD  
OKLAHOMA CITY, OK 73104  
CLIA ID# 37D0470358

SANCTION: Civil Money Penalty  
EFFECTIVE DATE: July 19, 2018  
REASON: Condition Level Non-Compliance  
Improper PT Testing Referral Activities

WILLIAM PRICE, DIRECTOR  
CENTER FOR MEN  
5657 E 41ST STREET  
TULSA, OK 74135  
CLIA ID# 37D2084784

SANCTION: Directed Plan of Correction (DPOC)  
EFFECTIVE DATE: September 27, 2018  
REASON: Condition Level Non-Compliance  
STATUS: Compliance Achieved

HUSAM HAMATI, DIRECTOR  
REGIONAL HOSPITAL OF SCRANTON  
SCRANTON HOSPITAL COMPANY, LLC  
746 JEFFERSON AVENUE  
SCRANTON, PA 18510  
CLIA ID# 39D0192512

SANCTION: Civil Money Penalty

EFFECTIVE DATE: July 11, 2018  
REASON: Improper PT Testing Referral Activities  
STATUS: Settlement

CARMEN FIGUEROA, DIRECTOR  
LABORATORIO CLINICO MELANIA  
ROAD #3 KM 140 5  
GUAYAMA, PR 00785  
CLIA ID# 40D0963573

SANCTION: Civil Money Penalty  
EFFECTIVE DATE: October 16, 2018  
REASON: Improper PT Testing Referral Activities  
STATUS: Compliance Achieved

JOSE CHAVEZ MD, DIRECTOR  
JOSE J CHAVEZ MD  
17 SURREY COURT  
COLUMBIA, SC 29212  
CLIA ID# 42D0690142

SANCTION: Directed Plan of Correction (DPOC)  
Suspension of Part of Medicare/Medicaid  
EFFECTIVE DATE: September 13, 2018  
October 27, 2018  
REASON: Condition Level Non-Compliance  
Unsuccessful PT  
STATUS: Laboratory voluntarily Ceased Testing

GIGI WOOD DAVIS DO, DIRECTOR  
GIGI WOOD DAVIS DO-FAMILY MEDICINE  
1010 WAYNE RD, SUITE 100  
SAVANNAH, TN 38372  
CLIA ID# 44D0904183

SANCTION: Directed Plan of Correction (DPOC)  
Suspension of Part of Medicare/Medicaid  
EFFECTIVE DATE: July 27, 2018  
September 10, 2018  
REASON: Condition Level Non-Compliance  
Unsuccessful PT

HARSHILA PATEL, DIRECTOR  
BRENTWOOD EAST PEDIATRICS  
626 BRENTWOOD EAST DR  
NASHVILLE, TN 37211  
CLIA ID# 44D1071905

SANCTION: Civil Money Penalty  
Directed Portion Plan of Correction (DPPOC)  
EFFECTIVE DATE: January 22, 2018  
January 22, 2018  
REASON: Condition Level Non-Compliance  
Failure to Correct Deficiencies  
Revocation of CLIA Certificate  
Failure To Submit Acceptable POC or AOC  
STATUS: Revocation of CLIA Certificate

NISHITHA REDDY, DIRECTOR  
CARE RITE PLLC  
1445 HIGHWAY 51 BYPASS STE A  
DYERSBURG, TN 38024  
CLIA ID# 44D2036174

SANCTION: Civil Money Penalty  
Directed Plan of Correction (DPOC)  
EFFECTIVE DATE: July 20, 2018  
August 10, 2018  
REASON: Improper PT Testing Referral Activities

NISHITHA REDDY, DIRECTOR  
CARE RITE, PLLC  
521 HWY 51 NORTH, SUITE A  
RIPLEY, TN 38063  
CLIA ID# 44D2077868

SANCTION: Civil Money Penalty  
Directed Plan of Correction (DPOC)  
EFFECTIVE DATE: July 20, 2018  
August 10, 2018  
REASON: Improper PT Testing Referral Activities

ELISABETH BROCKIE, DIRECTOR  
QUEST DIAGNOSTICS FORT WORTH RRL  
1250 8TH AVENUE, SUITE 115

FORT WORTH, TX 76104

CLIA ID# 45D0486182

|                 |   |
|-----------------|---|
| SANCTION:       | Civil Money Penalty<br>Directed Plan of Correction (DPOC) |
| EFFECTIVE DATE: | October 16, 2018<br>October 31, 2018                      |
| REASON:         | Improper PT Testing Referral Activities                   |

MARILYN NUTT, DIRECTOR

THROCKMORTON COUNTY MEMORIAL HOSPITAL

802 NORTH MINTER AVENUE BOX 729

THROCKMORTON, TX 76483

CLIA ID# 45D0659838

|                 |  |
|-----------------|--|
| SANCTION:       | Suspension of Part of Medicare/Medicaid                    |
| EFFECTIVE DATE: | September 27, 2018   |
| REASON:         | Unsuccessful PT<br>Improper PT Testing Referral Activities |

KENYON BEHRENS, DIRECTOR

VALLEY MEDICAL CLINIC

7812 GATEWAY EAST BOULEVARD SUITE 230

EL PASO, TX 79915

CLIA ID# 45D0673481

|                 |                                    |
|-----------------|------------------------------------|
| SANCTION:       | Directed Plan of Correction (DPOC) |
| EFFECTIVE DATE: | May 23, 2018                       |

REASON: Condition Level Non-Compliance  
Failure To Submit Acceptable POC or AOC  
REASON: Laboratory changed to a certificate of waiver

OKEY OKOLI, DIRECTOR  
ADVANCE WOMENS CENTER  
13035 NACOGDOCHES ROAD  
SAN ANTONIO, TX 78217  
CLIA ID# 45D1022148

SANCTION: Civil Money Penalty  
Directed Plan of Correction (DPOC)  
EFFECTIVE DATE: July 10, 2018  
July 27, 2018  
REASON: Condition Level Non-Compliance with IJ  
STATUS: Compliance Achieved

C LYNN ANDERSON JR, DIRECTOR  
VALLEY DAY AND NIGHT CLINIC  
1755 W PRICE RD  
BROWNSVILLE, TX 78520  
CLIA ID# 45D1047501

SANCTION: Civil Money Penalty  
EFFECTIVE DATE: February 12, 2018  
REASON: Condition Level Non-Compliance  
Unsuccessful PT  
Failure to Correct Deficiencies

NOTE: CMP was paid.

CESAR ABBUD-MENDEZ, DIRECTOR

PAIN & SPINE CENTER

5652 N MESA STREET

EL PASO, TX 79912

CLIA ID# 45D1094692

SANCTION: Directed Plan of Correction (DPOC)  
EFFECTIVE DATE: November 14, 2018  
REASON: Condition Level Non-Compliance  
Failure To Submit Acceptable POC or AOC

ARTURO MENDIETTA, DIRECTOR

TEXAS INTERNAL MEDICINE AND DIAGNOSTIC CENTER

4502 N LAURENT ST

VICTORIA, TX 77901

CLIA ID# 45D2000387

SANCTION: Suspension of Part of Medicare/Medicaid  
Directed Plan of Correction (DPOC)  
EFFECTIVE DATE: April 13, 2018  
June 8, 2018  
REASON: Condition Level Non-Compliance  
Unsuccessful PT  
Failure to Correct Deficiencies  
STATUS: Compliance Achieved

TERESA DURAN, DIRECTOR  
CLINICAL PATHOLOGY ASSOCIATES NE BAPTIST HOSPITAL  
DEPT OF PATHOLOGY  
8811 VILLAGE DRIVE  
SAN ANTONIO, TX 78217  
CLIA ID# 45D2007457

|                 |  |
|-----------------|--|
| SANCTION:       | Directed Plan of Correction (DPOC)     |
| EFFECTIVE DATE: | May 25, 2018                           |
| REASON:         | Condition Level Non-Compliance with IJ |

MICHAEL ROBLES, DIRECTOR  
PATHOLOGY DX PLLC  
26103 I45N STE 300  
SPRING, TX 77380  
CLIA ID# 45D2111307

|                 |                                |
|-----------------|--------------------------------|
| SANCTION:       | Civil Money Penalty            |
| EFFECTIVE DATE: | July 18, 2018                  |
| REASON:         | Condition Level Non-Compliance |
| STATUS:         | Compliance Achieved            |

RYAN O QUINN, DIRECTOR  
SOUTH TEXAS SKIN CANCER CENTER - NB  
66 GRUENE PARK DRIVE, SUITE 210  
NEW BRAUNFELS, TX 78130  
CLIA ID# 45D2123635

SANCTION: Civil Money Penalty  
EFFECTIVE DATE: August 13, 2018  
REASON: Condition Level Non-Compliance  
STATUS: Compliance Achieved

XYLINA GREGG MD, DIRECTOR  
UTAH CANCER SPECIALISTS-TOOELE  
1244 NORTH MAIN ST STE 101  
TOOELE, UT 84074  
CLIA ID# 46D1046491

SANCTION: Directed Plan of Correction (DPOC)  
Suspension of Part of Medicare/Medicaid  
EFFECTIVE DATE: May 17, 2018  
May 17, 2018  
REASON: Unsuccessful PT  
STATUS: Certificate Reinstated  
Compliance Achieved

5. LABORATORIES WHOSE ACCREDITATION HAS BEEN WITHDRAWN OR REVOKED AND THE REASON FOR THE WITHDRAWAL OR REVOCATION. (INCLUDES ALL OTHER ADVERSE ACTIONS TAKEN BY THE ACCREDITATION ORGANIZATIONS)

CURTIS BUCHHOLZ, DIRECTOR  
BRISTOL BAY AREA HEALTH CORPORATION  
6000 KANAKANAK ROAD  
DILLINGHAM, AK 99576  
CLIA ID# 02D0668921 **CAP**

|                 |   |
|-----------------|---|
| SANCTION:       | Probation   |
| EFFECTIVE DATE: | November 2, 2018  |
| REASON:         | Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain Corrections; Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or More Areas of the Laboratory. |
| STATUS:         | As of 02/07/2019 Probation Still in Effect.   |

PATRICK FOX, DIRECTOR  
HEALTHY CONNECTIONS, INC  
HEALTHY CONNECTIONS INC  
136 HEALTH PARK DRIVE  
MENA, AR 71953  
CLIA ID# 04D1007429 **COLA**

|                 |  |
|-----------------|--|
| SANCTION:       | Cease Testing for Cholesterol<br>Cease Testing for Albumin |
| EFFECTIVE DATE: | September 11, 2018<br>October 29, 2018                     |

REASON: Unsuccessful PT  
STATUS: As of 12/31/2018 Cease Testing for Cholesterol & Albumin Still in Effect

JOHN NACHAZEL, DIRECTOR  
CALIFORNIA HOSP MED CENTER  
1401 S GRAND AVE  
LOS ANGELES, CA 90015  
CLIA ID# 05D0058745 **CAP**

SANCTION: Probation  
EFFECTIVE DATE: January 9, 2018  
REASON: Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain Corrections; Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or More Areas of the Laboratory  
STATUS: Removed from Probation on 06/26/2018

DANIEL LEIGHTON, DIRECTOR  
IMPERIAL VALLEY FAMILY CARE MEDICAL GROUP  
516 WEST ATEN ROAD, SUITE # 3  
IMPERIAL, CA 92251  
CLIA ID# 05D0681409 **COLA**

SANCTION: Cease Testing for Testosterone  
EFFECTIVE DATE: May 14, 2018  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2018 Cease Testing for Testosterone Still in Effect

DORON BLUMENFELD, MD, DIRECTOR  
WOMEN'S HEALTHCARE ASSOCIATES OF  
SANTA MONICA A MEDICAL CORPORATION  
1245 16TH STREET 300  
SANTA MONICA, CA 90404  
CLIA ID# 05D0699187 **COLA**

SANCTION: Cease Testing for HCG, Beta, Serum, Quantitative,  
Bacteriology  
EFFECTIVE DATE: July 12, 2018  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2018 Cease Testing for HCG, Beta, Serum,  
Quantitative, Bacteriology Still in Effect

SARA CAPATANOS, DIRECTOR  
ADVENTIST HEALTH PHYSICIANS NETWORK  
1687 ERRINGER RD STE 104  
SIMI VALLEY, CA 93065  
CLIA ID# 05D0715482 **COLA**

SANCTION: Cease Testing for White Blood Cell Differential (WBC  
Diff), White Blood Cell Count (Leukocyte Count) (WBC),  
Red Blood Cell Count (Erythrocyte Count) (RBC), Platelet  
Count, Hemoglobin, Hematocrit.  
EFFECTIVE DATE: August 27, 2018  
REASON: Unsuccessful PT  
STATUS: Laboratory No Longer Accredited by COLA.

MICHAEL WEILERT, DIRECTOR  
NORTH FRESNO PRIMARY CARE LABORATORY

5539 E. KINGS CANYON RD  
FRESNO, CA 93727  
CLIA ID# 05D0720483 **CAP**

SANCTION: Probation  
EFFECTIVE DATE: October 9, 2018  
REASON: Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain Corrections; Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or More Areas of the Laboratory  
STATUS: As of 02/07/2019 Probation Still in Effect

JORGE DEL TORO, DIRECTOR  
MOHAWK MEDICAL & ASSOCIATES, INC.  
9914 BRIMHALL RD  
BAKERSFIELD, CA 93312  
CLIA ID# 05D0864381 **COLA**

SANCTION: Cease Testing for Triglyceride  
EFFECTIVE DATE: August 7, 2018  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2018 Cease Testing for Triglyceride Still in Effect

JAMES WEAGLEY MD, DIRECTOR  
DOCTORS OFFICE PHYSICIANS OFFICE LAB  
24355 W LYONS AVE STE 130  
NEWHALL, CA 91321  
CLIA ID# 05D0932999 **COLA**

SANCTION: Cease Testing for Magnesium  
EFFECTIVE DATE: January 30, 2018  
REASON: Unsuccessful PT  
STATUS: On 02/13/2018 the lab removed Magnesium test from their Test Menu.

RIFAAT SALEM MD, DIRECTOR  
PACIFIC REPRODUCTIVE CENTER  
3720 LOMITA BLVD STE 200  
TORRANCE, CA 90505  
CLIA ID# 05D0936846 **CAP**

SANCTION: Probation  
EFFECTIVE DATE: September 11, 2018  
REASON: Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain Corrections; Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or More Areas of the Laboratory  
STATUS: As of 02/07/2019 Probation Still in Effect

LEONID KLEYNBERG, DIRECTOR  
KLEYNBERG MEDICAL CLINIC  
6850 SEPULVEDA BLVD 207  
VAN NUYS, CA 91405  
CLIA ID# 05D1082823 **COLA**

SANCTION: Cease Testing for White Blood Cell Differential (WBC Diff)  
EFFECTIVE DATE: April 9, 2018  
REASON: Unsuccessful PT

STATUS: No Longer Accredited by COLA

REDA TADROS, DIRECTOR  
VICTOR VALLEY GLOBAL MEDICAL CENTER  
15248 ELEVENTH ST  
VICTORVILLE, CA 92395  
CLIA ID# 05D2054158 **CAP**

SANCTION: Cease Testing for Fibrinogen  
EFFECTIVE DATE: October 16, 2018  
REASON: Unsuccessful PT  
STATUS: As of 02/07/2019 Cease Testing for Fibrinogen Still in Effect

JAMES STARBUCK, DIRECTOR  
ST VINCENT GENERAL HOSPITAL DISTRICT LAB  
822 W 4TH ST  
LEADVILLE, CO 80461  
CLIA ID# 06D0644384 **COLA**

SANCTION: Cease Testing for Bilirubin, Neonatal  
EFFECTIVE DATE: April 16, 2018  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2018 Cease Testing for Bilirubin, Neonatal Still in Effect

GARY LETTS, DIRECTOR  
GARY A LETTS, MD, LLC  
D/B/A - CORIUM DIAGNOSTICS

148 EAST AVE, STE 2D  
NORWALK, CT 06851 CLIA  
ID# 07D1082246 **CAP**

SANCTION: Probation  
EFFECTIVE DATE: July 31, 2018  
REASON: Quality and Severity of Deficiencies Is Significant Enough  
to Question Ability to Sustain Corrections; Corrective  
Action Fails to Support Implementation and Prevention of  
Recurrence in One or More Areas of the Laboratory  
STATUS: Removed from Probation on 01/23/2019

STEPHEN NOEL, DIRECTOR  
MEDICAL ASSOCIATES OF WEST FLORIDA LLP  
7575 SR 52  
BAYONET POINT, FL 34667  
CLIA ID# 10D0298163 **COLA**

SANCTION: Cease Testing for Bacteriology  
EFFECTIVE DATE: April 16, 2018  
REASON: Unsuccessful PT  
STATUS: Testing for Bacteriology was reinstated on 11/20/2018

ELIZABETH REILLY HAYS, DIRECTOR  
MARIANO D CIBRAN MD CORP D/B/A  
ST PETERSBURG PEDIATRIC  
2137 16TH ST N  
SAINT PETERSBURG, FL 33704  
CLIA ID# 10D0688749 **COLA**

SANCTION: Cease Testing for Hematocrit, Hemoglobin, Platelet Count, Red Blood Cell Count (Erythrocyte Count) (RBC), White Blood Cell Count (Leukocyte Count) (WBC), White Blood Cell Differential (WBC Diff)

EFFECTIVE DATE: April 9, 2018

REASON: Unsuccessful PT

STATUS: Reinstated Hematocrit, Hemoglobin, Platelet Count, White Blood Cell Count (Leukocyte Count) (WBC), Testing on 11/20/2018.

As of 12/31/2018 Cease Testing for RBC Count WBC Diff Still in Effect.

BARRY RIPPS, DIRECTOR  
NEW LEADERS IN FERTILITY &  
ENDOCRINOLOGY LLC  
4400 BAYOU BLVD STE 36  
PENSACOLA, FL 32503  
CLIA ID# 10D0899889 **COLA**

SANCTION: Cease Testing for Free Thyroxine (FT4)

EFFECTIVE DATE: October 5, 2018

REASON: Unsuccessful PT

STATUS: As of 12/31/2018 Cease Testing for Free Thyroxine (FT4) Still in Effect

ELIZABETH REILLY HAYS, DIRECTOR  
MARIANO D CIBRAN MD CORP D/B/A  
ST PETERSBURG PEDIATRIC  
3475 EAST BAY DR  
LARGO, FL 33771

CLIA ID# 10D0954831 **COLA**

SANCTION: Cease Testing for White Blood Cell Differential (WBC Diff)  
EFFECTIVE DATE: April 9, 2018  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2018 Cease Testing for WBC Diff Still in Effect

JOSEPH KAMINSKI, DIRECTOR

MICHAEL DATTOLI PLC D/B/A DATTOLI CANCER CENTER

2803 FRUITVILLE RD

SARASOTA, FL 34237

CLIA ID# 10D1023950 **COLA**

SANCTION: Cease Testing for Billirubin, Total  
EFFECTIVE DATE: September 10, 2018  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2018 Cease Testing for Bilirubin Total Still in Effect

JAMES WISDO, DIRECTOR

WISDO FAMILY MEDICINE

2118 SW 20TH PL STE 102

OCALA, FL 34471

CLIA ID# 10D1032063 **COLA**

SANCTION: Cease Testing for White Blood Cell Differential (WBC Diff)  
EFFECTIVE DATE: May 10, 2018

REASON: Unsuccessful PT  
STATUS: As of 12/31/2018 Cease Testing for WBC Diff Still in Effect

DANIEL JACOBS, DIRECTOR  
CM LAB INC  
20861 JOHNSON ST #117  
PEMBROKE PINES, FL 33029  
CLIA ID# 10D1046281 **COLA**

SANCTION: Cease Testing for Thyroid Stimulating Hormone (TSH)  
Denial of Accreditation

EFFECTIVE DATE: April 16, 2018  
May 17, 2018

REASON: Unsuccessful PT  
Failure to Adhere to COLA – Imposed Required Improvements

STATUS: Laboratory No Longer Accredited by COLA

SEAN KAUFMAN, DIRECTOR  
FIRST QUALITY LABORATORY  
11460 INTER CHANGE CIRCLE NORTH  
MIRAMAR, FL 33025  
CLIA ID# 10D1056759 **COLA**

SANCTION: Cease Testing for Immunoglobulin A

EFFECTIVE DATE: October 1, 2018

REASON: Unsuccessful PT

STATUS: As of 12/31/2018 Cease Testing for Immunoglobulin A  
Still in Effect

RIZWANUDDIN FAROOQI, DIRECTOR  
HEALTHPOINT MEDICAL GROUP INC  
1919 W SWANN AVE 3RD FL  
TAMPA, FL 33606  
CLIA ID# 10D2068542 **COLA**

SANCTION: Cease Testing for White Blood Cell Differential (WBC  
Diff)  
Cease Testing for Hematocrit, Hemoglobin, Platelet Count,  
Red Blood Cell Count (Erythrocyte Count) (RBC), White  
Blood Cell Count (Leukocyte Count) (WBC), White Blood  
Cell Differential (WBC Diff)

EFFECTIVE DATE: January 3, 2018  
September 7, 2018

REASON: Unsuccessful PT  
Unsuccessful PT

STATUS: As of 12/31/2018 Cease Testing Hematocrit, Hemoglobin,  
Platelet Count, RBC Count, WBC Count, WBC Diff Still  
in Effect

BRUCE BURKS, DIRECTOR  
FLORIDA SUNSHINE DIAGNOSTIC'S INC  
201 SW 16TH ST  
OKEECHOBEE, FL 34974  
CLIA ID# 10D2089814 **COLA**

SANCTION: Cease Testing for White Blood Cell Differential (WBC  
Diff)

EFFECTIVE DATE: June 12, 2018  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2018 Cease Testing for WBC Still in Effect

MILLS BRINSON, DIRECTOR  
FLO-MEDILAB SERVICES LLC  
716 HUGHEY ST  
KISSIMMEE, FL 34741  
CLIA ID# 10D2093547 **COLA**

SANCTION: Cease Testing for White Blood Cell Differential (WBC Diff), White Blood Cell Count (Leukocyte Count) (WBC), Red Blood Cell Count (Erythrocyte Count) (RBC), Platelet Count, Hemoglobin, Hematocrit

EFFECTIVE DATE: January 3, 2018  
REASON: Unsuccessful PT  
STATUS: Testing for White Blood Cell Differential (WBC Diff), White Blood Cell Count (Leukocyte Count) (WBC), Red Blood Cell Count (Erythrocyte Count) (RBC), Platelet Count, Hemoglobin were reinstated on 07/03/2018

CHRISTOPHER CAMPO, DIRECTOR  
SOUTHERN REGIONAL MEDICAL CENTER  
11 UPPER RIVERDALE RD SW  
RIVERDALE, GA 30274  
CLIA ID# 11D0021026 **CAP**

SANCTION: Probation  
EFFECTIVE DATE: July 31, 2018  
REASON: Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain Corrections; Corrective

Action Fails to Support Implementation and Prevention of  
Recurrence in One or More Areas of the Laboratory

STATUS: As of 02/07/2019 Probation Still in Effect

BRITTON PILCHER, DIRECTOR  
HOUSTON MEDICAL CENTER LABORATORY  
1601 WATSON BOULEVARD  
WARNER ROBINS, GA 31093  
CLIA ID# 11D0263947 **CAP**

SANCTION: Probation  
EFFECTIVE DATE: February 13, 2018  
REASON: Quality and Severity of Deficiencies Is Significant Enough  
to Question Ability to Sustain Corrections; Corrective  
Action Fails to Support Implementation and Prevention of  
Recurrence in One or More Areas of the Laboratory  
STATUS: As of 02/07/2019 Probation Still in Effect

JOHN DUPRE, DIRECTOR  
WELLSTAR SPALDING REGIONAL HOSPITAL  
601 SOUTH 8TH STREET  
GRIFFIN, GA 30224  
CLIA ID# 11D0871855 **CAP**

SANCTION: Probation  
EFFECTIVE DATE: February 27, 2018  
REASON: Quality and Severity of Deficiencies Is Significant Enough  
to Question Ability to Sustain Corrections; Corrective  
Action Fails to Support Implementation and Prevention of  
Recurrence in One or More Areas of the Laboratory  
STATUS: Removed from Probation on 01/09/2019

DANIEL TENCH, DIRECTOR  
LANDMARK HOSPITAL OF ATHENS  
775 SUNSET DRIVE  
ATHENS, GA 30606  
CLIA ID# 11D1092043 **COLA**

|                 |  |
|-----------------|--|
| SANCTION:       | Cease Testing for PO2                                  |
| EFFECTIVE DATE: | October 29, 2018                                       |
| REASON:         | Unsuccessful PT  |
| STATUS:         | As of 12/31/2018 Cease Testing for PO2 Still in Effect |

JILL BUCKTHAL-MCCUIN, DIRECTOR  
AVAIL DERMATOLOGY - DERMATOPATHOLOGY LAB  
710 NEWNAN CROSSING BYPASS  
NEWNAN, GA 30263  
CLIA ID# 11D2003396 **TJC**

|                 |   |
|-----------------|---|
| SANCTION:       | Denial of Accreditation   |
| EFFECTIVE DATE: | May 30, 2018  |
| REASON:         | Failure to Correct Deficiencies   |
| STATUS:         | Organization corrected the deficiencies, reapplied for accreditation and achieved accreditation effective 10/17/2018. |

KASHIF AHMED, DIRECTOR  
AHMED FAMILY PRACTICE LLC  
528 FOREST PARKWAY STE A  
FOREST PARK, GA 30297

CLIA ID# 11D2106082 **COLA**

SANCTION: Cease Testing for White Blood Cell Differential (WBC Diff)  
EFFECTIVE DATE: September 7, 2018  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2018 Cease Testing for WBC Diff Still in Effect

MICHELANGELO MILANO, DIRECTOR  
NORTHWEST COMMUNITY HOSPITAL  
800 W CENTRAL RD  
ARLINGTON HEIGHTS, IL 60005  
CLIA ID# 14D0411645 **CAP**

SANCTION: Cease Testing for ANA  
EFFECTIVE DATE: May 26, 2018  
REASON: Unsuccessful PT  
STATUS: As of 02/07/2019 Cease Testing for ANA Still in Effect

OLARONKE AKINTOLA-OGUNREMI, DIRECTOR  
SPARTA COMMUNITY HOSPITAL  
818 E BROADWAY - PO BOX 297  
SPARTA, IL 62286  
CLIA ID# 14D0434503 **CAP**

SANCTION: Cease Testing for Virology  
Cease Testing for Mycology  
EFFECTIVE DATE: January 5, 2018

April 9, 2018

REASON: Unsuccessful PT

STATUS: Permanently Ceased Testing for Virology & Mycology on  
04/19/2018

DOMINIC GAZIANO MD, DIRECTOR

GLENCREST NURSING & REHABILITATION CTR

2451 W TOUHY AVE

CHICAGO, IL 60645

CLIA ID# 14D0671205 **TJC**

SANCTION: Cease testing for pH, pO<sub>2</sub>, pCO<sub>2</sub>, Routine Chemistry,  
Hemoglobin and Hematology.

EFFECTIVE DATE: October 24, 2018

REASON: Unsuccessful PT

STATUS: As of 12/31/18 cease testing for pH, pO<sub>2</sub>, pCO<sub>2</sub>, Routine  
Chemistry, Hemoglobin and Hematology still in effect.

WEI LIU, DIRECTOR

ILLINOIS CANCERCARE

8940 N WOOD SAGE RD

PEORIA, IL 61615

CLIA ID# 14D0674492 **COLA**

SANCTION: Cease Testing for Prothrombin Time (PT)

EFFECTIVE DATE: March 8, 2018

REASON: Unsuccessful PT

STATUS: As of 12/31/2018 Cease Testing for Prothrombin Time Still  
in Effect

KAREN MOSKOFF, DIRECTOR  
SOUTHERN ILLINOIS UNIV STUDENT HEALTH PROGRAM  
374 E GRAND AVE M/C 6740  
CARBONDALE, IL 62901  
CLIA ID# 14D0702249 **COLA**

SANCTION: Cease Testing for Rheumatoid Factor (RF)  
EFFECTIVE DATE: November 14, 2018  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2018 Cease Testing for RF Still in Effect

TINA VENETOS M D, DIRECTOR  
NORTSHORE DERMATOLOGY LAB  
925 SHERWOOD DR  
LAKE BLUFF, IL 60044  
CLIA ID# 14D2089854 **CAP**

SANCTION: Probation  
EFFECTIVE DATE: October 23, 2018  
REASON: Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain Corrections; Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or More Areas of the Laboratory  
STATUS: As of 02/07/2019 Probation Still in Effect

JUGNOO HUSAIN, DIRECTOR  
DECATUR COUNTY MEMORIAL HOSPITAL LAB  
MID AMERICA CLINICAL LABORATORIES  
720 N LINCOLN ST

GREENSBURG, IN 47240

CLIA ID# 15D0359761 **CAP**

SANCTION: Cease Testing for Compatibility Testing  
EFFECTIVE DATE: April 13, 2018  
REASON: Unsuccessful PT  
STATUS: Allowed to Resume Testing for Compatibility Testing on  
11/02/2018

STEVEN CLARK, DIRECTOR  
FRANCISCAN HLTH CARMEL  
POINT OF CARE TESTING  
12188 B N MERIDIAN  
CARMEL, IN 46032  
CLIA ID# 15D2108320 **COLA**

SANCTION: Cease Testing for Creatinine.  
EFFECTIVE DATE: March 8, 2018  
REASON: Unsuccessful PT  
STATUS: Creatinine Testing was reinstated on 09/14/2018

C THOMAS ANDERSON, DIRECTOR  
CARROLL COUNTY MEMORIAL HOSPITAL  
309 ELEVENTH STREET  
CARROLLTON, KY 41008  
CLIA ID# 18D0722618 **CAP**

SANCTION: Cease Testing for Compatibility Testing  
EFFECTIVE DATE: May 7, 2018

REASON: Unsuccessful PT  
STATUS: Allowed to Resume Testing for Compatibility Testing on 08/23/2018

BEERELLI SESHI, DIRECTOR  
ETHOS HOLDING CORPORATION  
29 E 6TH STREET  
NEWPORT, KY 41071  
CLIA ID# 18D2067771 **CAP**

SANCTION: Probation  
EFFECTIVE DATE: November 28, 2018  
REASON: Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain Corrections; Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or More Areas of the Laboratory  
STATUS: As of 02/07/2019 Probation Still in Effect

BRIAN LEVENSON, DIRECTOR  
SABINE MEDICAL CENTER  
240 HIGHLAND DRIVE  
MANY, LA 71449  
CLIA ID# 19D0465060 **COLA**

SANCTION: Cease Testing for pO2  
EFFECTIVE DATE: October 29, 2018  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2018 Cease Testing for pO2 Still in Effect

BAHIGE ASAKER, DIRECTOR

CURAHEALTH STOUGHTON  
909 SUMNER ST  
STOUGHTON, MA 02072  
CLIA ID# 22D0948210 **TJC**

SANCTION: Cease testing for pO<sub>2</sub>, pCO<sub>2</sub>, and pH.  
EFFECTIVE DATE: July 30, 2018  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2018 cease testing for pO<sub>2</sub>, pCO<sub>2</sub>, and pH still in effect.

YASSER HASSANE, DIRECTOR  
HURON VALLEY PEDIATRICS PC  
2632 S MILFORD ROAD  
HIGHLAND, MI 48357  
CLIA ID# 23D0372660 **COLA**

SANCTION: Denial of Accreditation  
EFFECTIVE DATE: July 25, 2018  
REASON: Failure to Comply with the Reasonable Requests of COLA  
STATUS: Laboratory No Longer Accredited by COLA

MODINA THRASHER, DIRECTOR  
SPARROW CARSON HOSPITAL  
406 E ELM STREET  
CARSON CITY, MI 48811  
CLIA ID# 23D0375313 **HFAP**

SANCTION: Cease testing for Valproic Acid.

EFFECTIVE DATE: December 10, 2018  
REASON: Unsuccessful PT  
STATUS: As of 2/7/2019 cease testing for Valproic Acid still in effect.

SYED DANISH, DIRECTOR  
SOUTHGATE MEDICAL CLINIC  
13819 TRENTON RD  
SOUTHGATE, MI 48195  
CLIA ID# 23D0708436 **COLA**

SANCTION: Denial of Accreditation  
EFFECTIVE DATE: March 29, 2018  
REASON: Failure to Adhere to COLA – Imposed Required Improvements  
STATUS: Laboratory No Longer Accredited by COLA

JAMAL HAMMOUD, DIRECTOR  
ENDOCRINE CONSULTANT OF MID MICHIGAN  
1128 S LINDEN ROAD SUITE 11  
FLINT, MI 48532  
CLIA ID# 23D0709664 **COLA**

SANCTION: Cease Testing for Cortisol  
EFFECTIVE DATE: April 9, 2018  
REASON: Unsuccessful PT  
STATUS: On 04/20/2018 the lab removed Cortisol test from their Test Menu.

TALANKI VISWANATH, DIRECTOR

LEVAN INTERNISTS, PC

15130 LEVAN ROAD SUITE 30

LIVONIA, MI 48154

CLIA ID# 23D0962494 **COLA**

|                 |   |
|-----------------|---|
| SANCTION:       | Cease Testing for Chloride                                  |
| EFFECTIVE DATE: | July 20, 2018   |
| REASON:         | Unsuccessful PT   |
| STATUS:         | As of 12/31/2018 Cease Testing for Chloride Still in Effect |

JAMES LITTLE MD, DIRECTOR

MAPLEVIEW LABORATORY

35200 DEQUINDRE SUITE 300

STERLING HEIGHTS, MI 48310

CLIA ID# 23D1020287 **COLA**

|                 |   |
|-----------------|---|
| SANCTION:       | Cease Testing for Chloride                                  |
| EFFECTIVE DATE: | November 20, 2018   |
| REASON:         | Unsuccessful PT   |
| STATUS:         | As of 12/31/2018 Cease Testing for Chloride Still in Effect |

MICHAEL NASKI, DIRECTOR

SAINT MARY'S EAST BELTLINE LABORATORY

1471 E BELTLINE AVENUE NE

GRAND RAPIDS, MI 49525

CLIA ID# 23D2032077 **CAP**

SANCTION: Probation  
EFFECTIVE DATE: September 11, 2018  
REASON: Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain Corrections; Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or More Areas of the Laboratory  
STATUS: As of 02/07/2019 Probation Still in Effect

JONATHAN TALLMAN, DIRECTOR  
NORTHWEST FAMILY CLINICS  
1495 COUNTY ROAD 101 NORTH  
PLYMOUTH, MN 55447  
CLIA ID# 24D0860287 **COLA**

SANCTION: Cease Testing for White Blood Cell Differential (WBC Diff)  
EFFECTIVE DATE: March 8, 2018  
REASON: Unsuccessful PT  
STATUS: WBC Diff Testing was reinstated on 09/14/2018

ANDREW MARTIN, DIRECTOR  
NORTH OAK REGIONAL MEDICAL CENTER  
401 GETWELL DR  
SENATOBIA, MS 38668  
CLIA ID# 25D0316599 **TJC**

SANCTION: Cease testing for Compatibility Testing.  
EFFECTIVE DATE: October 25, 2018  
REASON: Unsuccessful PT

STATUS: As of 12/31/2018 cease testing for Compatibility Testing still in effect.

TOMEKIA POPE, DIRECTOR  
INLAND FAMILY PRACTICE CENTER LLC  
908 WEST PINE STREET  
HATTIESBURG, MS 39401  
CLIA ID# 25D1085090 COLA

SANCTION: Cease Testing for Failure to Participate for Luteinizing Hormone (LH), Cortisol, Estradiol, Ferritin, Folate (Folic acid), Follicle Stimulating Hormone (FSH), Sex Hormone Binding Globulin, Testosterone, Thyroid Stimulating Hormone (TSH), Thyroxine (T4), Thyroxine, Free (FT4), Triiodothyronine, Free (FT3), Vitamin B12, Prostatic Specific Antigen (PSA), 25-Hydroxyvitamin D (25-OH-D), Alanine Aminotransferase (ALT) (SGPT), Albumin, Alkaline Phosphatase (ALP), Aspartate Aminotransferase (AST) (SGOT), Bilirubin, Total, Calcium, Total, Carbon Dioxide, Total (CO2), Chloride, Cholesterol, Creatinine, Glucose, HDL Cholesterol, Iron, Potassium, Protein, Total, Sodium, Triglyceride, Urea (BUN), Hematocrit, Hemoglobin, Platelet Count, Red Blood Cell Count (Erythrocyte Count) (RBC), White Blood Cell Count (Leukocyte Count), White Blood Cell Differential (WBC Diff)

EFFECTIVE DATE: June 28, 2018

REASON: Unsuccessful PT

STATUS: As of 12/31/2018 Cease Testing for Luteinizing Hormone (LH), Cortisol, Estradiol, Ferritin, Folate (Folic acid), Follicle Stimulating Hormone (FSH), Sex Hormone Binding Globulin, Testosterone, Thyroid Stimulating Hormone (TSH), Thyroxine (T4), Thyroxine, Free (FT4), Triiodothyronine, Free (FT3), Vitamin B12, Prostatic Specific Antigen (PSA), 25-Hydroxyvitamin D (25-OH-D), Alanine Aminotransferase (ALT) (SGPT), Albumin, Alkaline Phosphatase (ALP), Aspartate Aminotransferase

(AST) (SGOT), Bilirubin, Total, Calcium, Total, Carbon Dioxide, Total (CO2), Chloride, Cholesterol, Creatinine, Glucose, HDL Cholesterol, Iron, Potassium, Protein, Total, Sodium, Triglyceride, Urea (BUN), Hematocrit, Hemoglobin, Platelet Count, Red Blood Cell Count (Erythrocyte Count) (RBC), White Blood Cell Count (Leukocyte Count), White Blood Cell Differential (WBC Diff) Still in Effect.

DONALD RICE, DIRECTOR

URGENT CARE CLINIC OF LINCOLN PC

4210 PIONEER WOODS DRIVE STE A

LINCOLN, NE 68506

CLIA ID# 28D1046195 **COLA**

SANCTION: Cease Testing for HCG, Beta, Serum, Quantitative

EFFECTIVE DATE: October 29, 2018

REASON: Unsuccessful PT

STATUS: On 11/06/2018 the lab removed HCG, Beta, Serum, Quantitative test from their Test Menu.

MICHAEL POWELL, DIRECTOR

WESTERN PATHOLOGY CONSULTANTS

343 ELM ST STE 206

RENO, NV 89503

CLIA ID# 29D0652745 **CAP**

SANCTION: Probation

EFFECTIVE DATE: January 9, 2018

REASON: Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain Corrections; Corrective

Action Fails to Support Implementation and Prevention of  
Recurrence in One or More Areas of the Laboratory

STATUS: Removed from Probation on 06/26/2018

ROBERT LAITMAN, DIRECTOR  
BRONX WESTCHESTER MEDICAL GROUP PC  
2510 WESTCHESTER AVENUE, SUITE 106  
BRONX, NY 10461  
CLIA ID# 33D0137175 **COLA**

SANCTION: Cease Testing for Thyroxine, Free (FT4)  
Cease Testing for Chloride  
EFFECTIVE DATE: April 16, 2018  
September 10, 2018  
REASON: Unsuccessful PT  
STATUS: Thyroxine, Free (FT4) Test was reinstated on 10/29/2018  
As of 12/31/2018 Cease Testing for Chloride Still in Effect

MARIANNE FRIERI, DIRECTOR  
DRS BLAU, TIGER & SUMNER  
566 BROADWAY  
MASSAPEQUA, NY 11758  
CLIA ID# 33D0158103 **COLA**

SANCTION: Cease Testing for Chloride  
EFFECTIVE DATE: September 11, 2018  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2018 Cease Testing for Chloride Still in Effect

RONALD GAMBARDELLA, DIRECTOR

RICHARD ASH MD PC

800 A 5TH AVE SUITE 205

NEW YORK, NY 10065

CLIA ID# 33D0705751 **COLA**

|                 |   |
|-----------------|---|
| SANCTION:       | Cease Testing for Uric Acid                 |
| EFFECTIVE DATE: | April 16, 2018                              |
| REASON:         | Unsuccessful PT                             |
| STATUS:         | Uric Acid Test was reinstated on 11/20/2018 |

ARNOLD WEG, DIRECTOR

ARNOLD WEG MD

710 PARK AVENUE, SUITE 1C

NEW YORK, NY 10021

CLIA ID# 33D0887555 **COLA**

|                 |   |
|-----------------|---|
| SANCTION:       | Cease Testing for Sodium                                  |
| EFFECTIVE DATE: | September 10, 2018  |
| REASON:         | Unsuccessful PT   |
| STATUS:         | As of 12/31/2018 Cease Testing for Sodium Still in Effect |

YING GUO, DIRECTOR

AMERIPATH NEW YORK INC DBA ACKERMAN

ACADEMY OF DERMATOPATHOLOGY

145 E 32ND STREET 10 FLOOR

NEW YORK, NY 10016

CLIA ID# 33D0961556 **CAP**

SANCTION: Probation  
EFFECTIVE DATE: May 24, 2018  
REASON: Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain Corrections; Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or More Areas of the Laboratory  
STATUS: Removed from Probation on 07/24/2018

SKENDER MURTEZANI, DIRECTOR  
SKENDER MURTEZANI MD PLLC  
7200 DOUGLASTON PARKWAY, GROUND FLOOR, SOUTH  
LITTLE NECK, NY 11362  
CLIA ID# 33D1093215 **CAP**

SANCTION: Denial of Accreditation  
EFFECTIVE DATE: February 28, 2018  
REASON: Failure to Comply With the Reasonable Request of COLA  
STATUS: No Longer Accredited by COLA.

KATIE HESTER, DIRECTOR  
ACCUREFERENCE MEDICAL LAB  
609 PROFESSIONAL DRIVE  
ROXBORO, NC 27573  
CLIA ID# 34D0240148 **COLA**

SANCTION: Cease Testing for White Blood Cell Differential (WBC Diff)  
EFFECTIVE DATE: September 7, 2018  
REASON: Unsuccessful PT

STATUS: As of 12/31/2018 Cease Testing for WBC Diff Still in Effect

GREGORY POMPER, DIRECTOR  
NORTH CAROLINA BAPTIST HOSPITAL PATHOLOGY LAB  
MEDICAL CENTER BOULEVARD  
WINSTON-SALEM, NC 27157  
CLIA ID# 34D0664386 **CAP**

SANCTION: Probation  
EFFECTIVE DATE: February 27, 2018  
REASON: Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain Corrections; Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or More Areas of the Laboratory  
STATUS: Removed from Probation on 09/25/2018

DIANE PIPER, DIRECTOR  
ASHEVILLE FAMILY HEALTH CENTERS, PA  
206 ASHLAND AVENUE  
ASHEVILLE, NC 28801  
CLIA ID# 34D0989077 **COLA**

SANCTION: Cease Testing for Infectious Mononucleosis  
EFFECTIVE DATE: August 28, 2018  
REASON: Unsuccessful PT  
STATUS: On 09/05/2018 the lab removed the Infectious Mononucleosis test from their Test Menu.

SAID ELFAYAR, DIRECTOR

ACCURATE MEDICAL LAB  
140 PARKER ROAD W - SUITE A  
DANVILLE, VA 24541  
CLIA ID# 34D1106621 COLA

**SANCTION:** Cease Testing for Alanine Aminotransferase (ALT) (SGPT), Protein, Total, Thyroid Stimulating Hormone (TSH), 25-Hydroxyvitamin D (25OH-D, Aspartate Aminotransferase (AST) (SGOT), Glycosylated Hemoglobin (Hgb A1C), Magnesium, Sodium, Transferrin, Albumin, Alkaline Phosphatase (ALP), Bilirubin Total, Bilirubin Direct, Calcium, Total, Carbon Dioxide, Total (CO2), Chloride, Cholesterol, Creatine Kinase (CK), Creatinine, Ferritin, Glucose, HDL Cholesterol, LDL Cholesterol, Iron, Potassium, Phosphorus, Thyroxine, Free (FT4), Triglyceride, Urea (BUN), Uric Acid, Vitamin B12, Iron Binding Capacity, Total, B-Type Natriuretic Peptide (BNP), HCG, Serum Qualitative, HCG, Serum Quantitative, White Blood Cell Differential (WBC Diff)

**EFFECTIVE DATE:** April 19, 2018

**REASON:** Unsuccessful PT

**STATUS:** Reinstated Testing for Alanine Aminotransferase (ALT) (SGPT), Protein, Total, Thyroid Stimulating Hormone (TSH), Aminotransferase (AST) (SGOT), Magnesium, Sodium, Albumin, Alkaline Phosphatase (ALP), Bilirubin Total, Calcium, Total, Chloride, Cholesterol, Creatinine, Glucose, HDL Cholesterol, Iron, Potassium, Phosphorus, Thyroxine, Free (FT4), Triglyceride, Urea (BUN), White Blood Cell Differential (WBC Diff) on 11/20/2018.

As of 12/31/2018 Cease Testing for 25-Hydroxyvitamin D (25OH-D, Aspartate Glycosylated Hemoglobin (Hgb A1C), Transferrin, Bilirubin Direct, Carbon Dioxide, Total (CO2), Creatine Kinase (CK), Ferritin, LDL Cholesterol, Uric Acid, Vitamin B12, Iron Binding Capacity, Total, B-Type Natriuretic Peptide (BNP), HCG, Serum Qualitative, HCG, Serum Quantitative Still in Effect.

KARRIE STANSFIELD, DIRECTOR  
THOMASVILLE-ARCHDALE PEDIATRICS  
WELL-CHILD CLINIC  
6329 I UNITY STREET  
THOMASVILLE, NC 27360  
CLIA ID# 34D2135175 **COLA**

SANCTION: Cease Testing for Bacteriology, (Streptococcus, group A)  
EFFECTIVE DATE: December 4, 2018  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2018 Cease Testing for Streptococcus, group A  
Still in Effect

JAMES LIU, DIRECTOR  
UH FERTILITY CENTER - AHUJA  
1000 AUBURN DR STE 310  
BEACHWOOD, OH 44122  
CLIA ID# 36D2028081 **CAP**

SANCTION: Probation  
EFFECTIVE DATE: April 10, 2018  
REASON: Quality and Severity of Deficiencies Is Significant Enough  
to Question Ability to Sustain Corrections; Corrective  
Action Fails to Support Implementation and Prevention of  
Recurrence in One or More Areas of the Laboratory  
STATUS: Removed from Probation on 11/28/2018

DAVID TAYLOR, DIRECTOR  
MOUNT CARMEL GROVE CITY  
5300 NORTH MEADOWS DRIVE

GROVE CITY, OH 43123

CLIA ID# 36D2069759 **CAP**

SANCTION: Cease Testing for Ethanol  
EFFECTIVE DATE: May 1, 2018  
REASON: Unsuccessful PT  
STATUS: Allowed to Resume Testing for Ethanol on 11/14/2018

THEODORE NIEMANN, DIRECTOR

MOUNT CARMEL LEWIS CENTER

7100 GRAPHICS WAY, SUITE 1600

LEWIS CENTER, OH 43035

CLIA ID# 36D2103863 **CAP**

SANCTION: Probation  
EFFECTIVE DATE: September 11, 2018  
REASON: Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain Corrections; Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or More Areas of the Laboratory  
STATUS: As of 02/07/2019 Probation Still in Effect

BRAD CHASER, DIRECTOR

SSM HEALTH ST ANTHONY - OKLAHOMA CITY

1000 N LEE PO BOX 205

OKLAHOMA CITY, OK 73101

CLIA ID# 37D0050352 **CAP**

SANCTION: Probation

EFFECTIVE DATE: August 28, 2018  
REASON: Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain Corrections; Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or More Areas of the Laboratory  
STATUS: Removed from Probation on 01/23/2019

ROBERT GRIER, DIRECTOR  
LATIMER COUNTY GENERAL HOSPITAL  
806 HWY 2 N  
WILBURTON, OK 74578  
CLIA ID# 37D0475450 **COLA**

SANCTION: Cease Testing for Thyroxine, Free (FT4)  
Cease Testing for Thyroxine, Free (FT4), HCG, Serum, Qualitative, Thyroid Stimulating Hormone (TSH) Third Generation, Testosterone  
EFFECTIVE DATE: April 25, 2018  
May 11, 2018  
REASON: Unsuccessful PT  
STATUS: Laboratory No Longer Accredited by COLA

BILL CROWELL, DIRECTOR  
FIVE OAKS MEDICAL GROUP  
GRADY MEMORIAL HOSPITAL  
2100 IOWA  
CHICKASHA, OK 73018  
CLIA ID# 37D0958119 **CAP**

SANCTION: Probation

EFFECTIVE DATE: April 10, 2018  
REASON: Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain Corrections; Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or More Areas of the Laboratory  
STATUS: As of 02/07/2019 Probation Still in Effect

JANA FREEMAN, DIRECTOR  
NORTHSIDE PEDIATRIC ASSOCIATES  
13901 MCAULEY BLVD, SUITE 220  
OKLAHOMA CITY, OK 73134  
CLIA ID# 37D1048791 **COLA**

SANCTION: Cease Testing for Hematocrit  
EFFECTIVE DATE: March 14, 2018  
REASON: Unsuccessful PT  
STATUS: Hematocrit Test was reinstated on 11/20/2018

BRAD CHASER, DIRECTOR  
SSM HEALTH ST ANTHONY HEALTHPLEX  
3400 DOUGLAS BOULEVARD  
OKLAHOMA CITY, OK 73150  
CLIA ID# 37D2034948 **CAP**

SANCTION: Probation  
EFFECTIVE DATE: July, 31, 2018  
REASON: Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain Corrections; Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or More Areas of the Laboratory

STATUS: As of 02/07/2019 Probation Still in Effect

BRAD CHASER, DIRECTOR

SSM HEALTH ST ANTHONY HEALTHPLEX

13401 SOUTH TULSA DRIVE

OKLAHOMA CITY, OK 73170

CLIA ID# 37D2034951 **CAP**

SANCTION: Probation

EFFECTIVE DATE: July 31, 2018

REASON: Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain Corrections; Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or More Areas of the Laboratory.

STATUS: As of 02/07/2019 Probation Still in Effect

JAMES NETREBA, DIRECTOR

SSM HEALTH ST ANTHONY HEALTHPLEX

201 S SARA ROAD

MUSTANG, OK 73064 CLIA

ID# 37D2085402 **CAP**

SANCTION: Probation

EFFECTIVE DATE: July 31, 2018

REASON: Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain Corrections; Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or More Areas of the Laboratory

STATUS: As of 02/07/2019 Probation Still in Effect

JAMES NETREBA, DIRECTOR  
SSM HEALTH ST ANTHONY HEALTHPLEX  
13401 N WESTERN AVE  
OKLAHOMA CITY, OK 73120  
CLIA ID# 37D2090080 **CAP**

SANCTION: Probation  
EFFECTIVE DATE: August 28, 2018  
REASON: Quality and Severity of Deficiencies Is Significant Enough  
to Question Ability to Sustain Corrections; Corrective  
Action Fails to Support Implementation and Prevention of  
Recurrence in One or More Areas of the Laboratory  
STATUS: As of 02/07/2019 Probation Still in Effect

HAROLD ASHCRAFT, DIRECTOR  
NASON HOSPITAL  
NASON MEDICAL CENTER, LLC  
105 NASON DR  
ROARING SPRING, PA 16673  
CLIA ID# 39D0184772 **CAP**

SANCTION: Cease Testing for Compatibility Testing  
EFFECTIVE DATE: January 5, 2018  
REASON: Unsuccessful PT  
STATUS: As of 02/07/2019 Laboratory Not Accredited by CAP

RICHARD BINDIE, DIRECTOR  
LVH-SCHUYLKILL S JACKSON  
420 S JACKSON ST

POTTSVILLE, PA 17901

CLIA ID# 39D0719571 **TJC**

SANCTION: Cease testing for pO2.  
EFFECTIVE DATE: November 12, 2018  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2018 cease testing for pO2 still in effect.

JOANNA RODRIGUEZ, DIRECTOR

REGIONAL CANCER CARE - PLYMOUTH MEETING

JEFFERSON UNIVERSITY PHYSICIANS

600 WEST GERMANTOWN PIKE, SUITE 125

PLYMOUTH MEETING, PA 19462

CLIA ID# 39D0961555 **COLA**

SANCTION: Cease Testing for Hematocrit  
EFFECTIVE DATE: July 30, 2018  
REASON: Unsuccessful PT  
STATUS: Laboratory No Longer Accredited by COLA.

JAMES TUREK, DIRECTOR

ACCESS MEDICAL CENTER, PC

3816 HIGHWAY 17 SOUTH

NORTH MYRTLE BEACH, SC 29582

CLIA ID# 42D0252144 **COLA**

SANCTION: Denial of Accreditation  
EFFECTIVE DATE: March 28, 2018

REASON: Failure to Adhere to COLA – Imposed Required Improvements

STATUS: Laboratory No Longer Accredited by COLA

BENJAMIN EMANUEL, DIRECTOR  
RESPIRATORY CARE DEPARTMENT-NCMH  
2669 KINARD STREET  
NEWBERRY, SC 29108  
CLIA ID# 42D0665778 **CAP**

SANCTION: Cease Testing for Hemoglobin

EFFECTIVE DATE: May 23, 2018

REASON: Unsuccessful PT

STATUS: Allowed to Resume Testing for Hemoglobin on 12/06/2018

ADNAN QADEER, DIRECTOR  
BON SECOURS NORTH HILLS MEDICAL CENTER  
- PELHAM  
800 PELHAM RD  
GREENVILLE, SC 29615  
CLIA ID# 42D0883054 **COLA**

SANCTION: Cease Testing for White Blood Cell Differential (WBC Diff)

EFFECTIVE DATE: September 7, 2018

REASON: Unsuccessful PT

STATUS: As of 12/31/2018 Cease Testing for WBC Dif Still in Effect

SUSAN STUBER, DIRECTOR

MCLEOD LORIS/SEACOAST HOSPITAL  
DBA SEACOAST MEDICAL CENTER  
4000 HIGHWAY 9 EAST  
LITTLE RIVER, SC 29566  
CLIA ID# 42D0975525 **CAP**

SANCTION: Cease Testing for Sodium  
EFFECTIVE DATE: April 17, 2018  
REASON: Unsuccessful PT  
STATUS: Allowed to Resume Testing for Sodium on 08/31/2018

KEVIN WESSINGER, DIRECTOR  
SANDHILLS PEDIATRICS AND ADOLESCENT CLINIC  
2318 SUNSET BLVD  
WEST COLUMBIA, SC 29169  
CLIA ID# 42D1025342 **COLA**

SANCTION: Cease Testing for Bilirubin, Total  
EFFECTIVE DATE: January 29, 2018  
REASON: Unsuccessful PT  
STATUS: Bilirubin, Total Test was reinstated on 08/03/2018

RANDY PARDUE, DIRECTOR  
TRINITY MEDICAL ASSOCIATES  
2217 EAST LAMAR ALEXANDER PARKWAY  
MARYVILLE, TN 37804  
CLIA ID# 44D1084166 **COLA**

SANCTION: Cease Testing for White Blood Cell Differential (WBC Diff)  
EFFECTIVE DATE: May 10, 2018  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2018 Cease Testing for WBC Dif Still in Effect

THOMAS WHEELER, DIRECTOR  
CHI ST LUKE'S HEALTH BCM MEDICAL CENTER  
6720 BERTNER AVENUE  
HOUSTON, TX 77030  
CLIA ID# 45D0053108 **CAP**

SANCTION: Cease Testing for Parasitology  
EFFECTIVE DATE: April 26, 2018  
REASON: Unsuccessful PT  
STATUS: Cease Testing for Parasitology

ROBERT PYLE, DIRECTOR  
TRINITY VALLEY DIAGNOSTIC CLINIC  
2217 S SYCAMORE  
PALESTINE, TX 75801  
CLIA ID# 45D0483784 **COLA**

SANCTION: Cease Testing for Complement C3  
EFFECTIVE DATE: May 30, 2018  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2018 Cease Testing for Complement C3 Still in Effect

JAMES HUMPHREYS, DIRECTOR  
ST MARKS MEDICAL CENTER  
ONE ST MARKS PLACE  
LA GRANGE, TX 78945  
CLIA ID# 45D0506453 **COLA**

SANCTION: Cease Testing for Bacteriology  
EFFECTIVE DATE: April 16, 2018  
REASON: Unsuccessful PT  
STATUS: Bacteriology Test was reinstated on 11/20/2018

ELIZABETH WAGAR, DIRECTOR  
UT MD ANDERSON CANCER CENTER-  
ACB LAB AMBULATORY CARE BLDG  
1220 HOLCOMBE BLVD UNIT 24  
HOUSTON, TX 77030  
CLIA ID# 45D0874047 **CAP**

SANCTION: Cease Testing for Sodium  
EFFECTIVE DATE: July 21, 2018  
REASON: Unsuccessful PT  
STATUS: Allowed to Resume Testing for Sodium on 01/31/2019

AJAY SOBTI, DIRECTOR  
NORTH TEXAS INTERNAL MEDICINE ASSOC  
901 B MEDICAL CENTER DRIVE  
ARLINGTON, TX 76012

CLIA ID# 45D0906954 **COLA**

SANCTION: Cease Testing for Cholesterol, Sodium  
EFFECTIVE DATE: October 29, 2018  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2018 Cease Testing for Cholesterol, Sodium  
Still in Effect

RANDALL SIMONSEN, DIRECTOR  
CHRISTUS SPOHN HOSP ALICE LABORATORY  
2500 EAST MAIN ST  
ALICE, TX 78332  
CLIA ID# 45D0953936 **CAP**

SANCTION: Cease Testing for Compatibility Testing  
EFFECTIVE DATE: May 7, 2018  
REASON: Unsuccessful PT  
STATUS: As of 02/07/2019 Cease Testing for Compatibility Testing  
Still in Effect

DR GOIN, DIRECTOR  
CALVARY MED PA  
8484 WILL CLAYTON PKWY  
HUMBLE, TX 77339  
CLIA ID# 45D0980081 **COLA**

SANCTION: Cease Testing for White Blood Cell Differential (WBC  
Diff)  
EFFECTIVE DATE: May 10, 2018

REASON: Unsuccessful PT  
STATUS: As of 12/31/2018 Cease Testing for WBC Dif Still in Effect

SYED YUSOOF, DIRECTOR  
EL PASO LTAC HOSPITAL  
1221 N COTTON 3RD FLOOR  
EL PASO, TX 79902  
CLIA ID# 45D1050213 **COLA**

SANCTION: Cease Testing for PCO<sub>2</sub>, PO<sub>2</sub>, Blood Gases (pH), Calcium, Ionized, Chloride, Creatinine, Glucose, Hematocrit, Potassium, Sodium, Lactic Acid (Lactate)

EFFECTIVE DATE: February 2, 2018

REASON: Unsuccessful PT

STATUS: PCO<sub>2</sub>, PO<sub>2</sub>, Blood Gases (pH), Calcium, Ionized, Chloride, Creatinine, Glucose, Hematocrit, Potassium, Sodium, Lactic Acid (Lactate) Tests were reinstated on 09/07/2018

TODD NGUYEN, DIRECTOR  
TRANSCEND MEDICAL GROUP  
1119 W RANDOL MILL ROAD , SUITE 103  
ARLINGTON, TX 76012  
CLIA ID# 45D1092331 **COLA**

SANCTION: Cease Testing for Sodium

EFFECTIVE DATE: October 29, 2018

REASON: Unsuccessful PT

STATUS: As of 12/31/2018 Cease Testing for Sodium Still in Effect

SOCRATES GARRIGOS, DIRECTOR

SOCRATES A GARRIGOS MD PA

801 E NOLANA, SUITE 15

MCALLEN, TX 78504

CLIA ID# 45D2002642 **COLA**

|                 |  |
|-----------------|--|
| SANCTION:       | Cease Testing for White Blood Cell Differential (WBC Diff) |
| EFFECTIVE DATE: | September 7, 2018  |
| REASON:         | Unsuccessful PT  |
| STATUS:         | As of 12/31/2018 Cease Testing for WBC Dif Still in Effect |

HECTOR ZEPEDA, DIRECTOR

CLINICAL PHYSICIANS PATHOLOGY LAB

1416 GEORGE DIETER

EL PASO, TX 79936

CLIA ID# 45D2039888 **COLA**

|                 |                                |
|-----------------|--------------------------------|
| SANCTION:       | Cease Testing for Theophylline |
| EFFECTIVE DATE: | April 27, 2018                 |
| REASON:         | Unsuccessful PT                |
| STATUS:         | No Longer Accredited by COLA   |

DAVID JIMENEZ, DIRECTOR

JIMENEZ PEDIATRICS

8814 E. Hwy 107

EDINBURG, TX 78542

CLIA ID# 45D2047738 **COLA**

SANCTION: Cease Testing for Red Blood Cell Count (Erythrocyte Count) (RBC)  
EFFECTIVE DATE: September 7, 2018  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2018 Cease Testing for Red Blood Cell Count (Erythrocyte Count) (RBC) Still in Effect

OSCAR RAMOS, DIRECTOR  
AMERICAN MEDICAL LAB, INC  
755 S 11TH STREET, SUITE 255  
BEAUMONT, TX 77701  
CLIA ID# 45D2090051 **HFAP**

SANCTION: Denial of Accreditation  
EFFECTIVE DATE: April 18, 2018  
REASON: Non-compliance with standards and Corrective Action Report unsatisfactory.  
STATUS: Laboratory not accredited

JORGE OCHOA, DIRECTOR  
GRIFOLS DIAGNOSTIC SOLUTIONS LABORATORIES  
201 CARLSON CIRCLE  
SAN MARCOS, TX 78666  
CLIA ID# 45D2099571 **CAP**

SANCTION: Denial of Accreditation  
EFFECTIVE DATE: November 19, 2018

REASON: Laboratory Performance Does Not Meet CAP Standards of Accreditation

STATUS: As of 02/07/2019 Laboratory Not Accredited by CAP

JOSEPH GOIN, DIRECTOR

CALVARY MEDICAL CLINIC-LIVINGSTON

309 HWY 59 S LOOP

LIVINGSTON, TX 77351

CLIA ID# 45D2107847 **COLA**

SANCTION: Cease Testing for Red Blood Cell Count (Erythrocyte Count) (RBC)

EFFECTIVE DATE: September 7, 2018

REASON: Unsuccessful PT

STATUS: As of 12/31/2018 Cease Testing for Red Blood Cell Count (Erythrocyte Count) (RBC) Still in Effect

GLEN FRIEDMAN, DIRECTOR

LAS PALMAS DEL SOL EMERGENCY ROOM-WEST

1535 RESLER DRIVE

EL PASO, TX 79912

CLIA ID# 45D2111681 **CAP**

SANCTION: Cease Testing for Prothrombin Time & PTT

EFFECTIVE DATE: July 19, 2018

REASON: Unsuccessful PT

STATUS: Allowed to Resume Testing for Prothrombin Time & PTT on 12/18/2018

ALEX CUDKOWICZ, DIRECTOR

BLUE MOUNTAIN HOSPITAL  
802 SOUTH 200 WEST SUITE A  
BLANDING, UT 84511  
CLIA ID# 46D1100871 **COLA**

SANCTION: Cease Testing for Lactic Acid Dehydrogenase (LDH)  
EFFECTIVE DATE: October 29, 2018  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2018 Cease Testing for Lactic Acid  
Dehydrogenase (LDH) Still in Effect

ELIZABETH JENSEN, DIRECTOR  
ST MARK'S HOSPITAL TAYLORSVILLE FSED LABORATORY  
2700 WEST TAYLORSVILLE BLVD  
TAYLORSVILLE, UT 84129  
CLIA ID# 46D2102187 **CAP**

SANCTION: Cease Testing for pO<sub>2</sub>  
Cease Testing for pCO<sub>2</sub>, pH, Blood Gas  
EFFECTIVE DATE: August 1 2018  
November 26, 2018  
REASON: Unsuccessful PT  
STATUS: As of 02/07/2019 Cease Testing for pCO<sub>2</sub>, pH, Blood Gas  
Still in Effect

JAMES HOLLERAN, DIRECTOR  
BAYVIEW PHYSICIANS SERVICES PC  
DBA LAKEVIEW SUFFOLK  
2000 MEADE PKWY

SUFFOLK, VA 23434

CLIA ID# 49D0661189 **COLA**

SANCTION: Cease Testing for Complement C3, Complement C4  
EFFECTIVE DATE: December 12, 2018  
REASON: Unsuccessful PT  
STATUS: On 11/06/2018 the lab removed Complement C3,  
Complement C4 tests from their Test Menu.

DANIEL TOWEILL, DIRECTOR

LABORATORY CORPORATION OF AMERICA

550 17TH AVE, SUITE 300

SEATTLE, WA 98122

CLIA ID# 50D0630157 **CAP**

SANCTION: Probation  
EFFECTIVE DATE: November 28, 2018  
REASON: Quality and Severity of Deficiencies Is Significant Enough  
to Question Ability to Sustain Corrections; Corrective  
Action Fails to Support Implementation and Prevention of  
Recurrence in One or More Areas of the Laboratory  
STATUS: As of 02/07/2019 Probation Still in Effect

JOSEPH LEVERONE, DIRECTOR

WESTERN WISCONSIN HEALTH ROBERTS

503 CHERRY LN

ROBERTS, WI 54023

CLIA ID# 52D2011691 **COLA**

SANCTION: Cease Testing for White Blood Cell Differential (WBC Diff)  
EFFECTIVE DATE: March 14, 2018  
REASON: Unsuccessful PT  
STATUS: On 03/23/2018 the lab removed WBC Dif test from their Test Menu.

LARS CONWAY, DIRECTOR  
RIVERTON MEMORIAL HOSPITAL, LLC  
DBA SAGEWEST HEALTHCARE-LANDER  
2100 WEST SUNSET DRIVE  
RIVERTON, WY 82501  
CLIA ID# 53D0056323 **TJC**

SANCTION: Cease testing for Compatibility Testing.  
EFFECTIVE DATE: June 13, 2018  
REASON: Unsuccessful PT  
STATUS: Reinstated Compatibility Testing effective 12/13/2018.

DANIEL LONG, DIRECTOR  
CHEYENNE ONCOLOGY/HEMATOLOGY  
310 EAST 24TH STREET  
CHEYENNE, WY 82001  
CLIA ID# 53D1084614 **TJC**

SANCTION: Cease testing for Chloride.  
EFFECTIVE DATE: August 6, 2018  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2018 cease testing for Chloride still in effect.

DANIEL MOCKLER, DIRECTOR  
EUROPEAN LABORATORY OF NUTRIENTS  
REGULIERENRING 9  
BUNNIK, NLO 3981 LA  
CLIA ID# 99D0990365 **CAP**

|                 |   |
|-----------------|---|
| SANCTION:       | Cease Testing for Albumin                           |
| EFFECTIVE DATE: | April 17, 2018                                      |
| REASON:         | Unsuccessful PT                                     |
| STATUS:         | Allowed to Resume Testing for Albumin on 05/10/2018 |

6. ALL APPEALS AND HEARING DECISIONS. FOR DETAILED INFORMATION REGARDING THE FOLLOWING LISTING SEE CLIA HEARING DECISION INDEX AT [HTTP://WWW.CMS.GOV/CLIA/HEARINGGROUP.ASP](http://www.cms.gov/clia/hearinggroup.asp)

\*\*\* NO DATA FOUND \*\*\*

7. A LIST OF LABORATORIES AGAINST WHICH CMS HAS BROUGHT SUIT UNDER SECTION 493.1846 AND THE REASON FOR THOSE ACTIONS.

\*\*\* NO DATA FOUND \*\*\*

8. A LIST OF LABORATORIES THAT HAVE BEEN EXCLUDED FROM PARTICIPATION IN MEDICARE OR MEDICAID AND THE REASON FOR EXCLUSION.

ERLO ROTH M D, DIRECTOR

SPIRIPLEX INC

100 TRISTATE INTERNATIONAL DR, STE 100

LINCOLNSHIRE, IL 60069

CLIA ID# 14D2063316

MOHAMMAD BABA, DIRECTOR

BESTCARE LABORATORY SERVICES, LLC

202 NORTH TEXAS AVENUE, SUITE 100

WEBSTER, TX 77598

CLIA ID# 45D0994183

REASON: Suspension of the CLIA certificate due to OIG exclusion.

MOHAMMAD BABA, DIRECTOR

BESTCARE LABORATORY SERVICES, LLC

1603 BABCOCK ROAD SUITE 103

SAN ANTONIO, TX 78229

CLIA ID# 45D1052874

REASON: Suspension of the CLIA certificate due to OIG exclusion.

MOHAMMAD BABA, DIRECTOR

BESTCARE LABORATORY SERVICES, LLC

12000 FORD RD STE 150

DALLAS, TX 75234

CLIA ID# 45D1065087

REASON: Suspension of the CLIA certificate due to OIG exclusion.

MOHAMMAD BABA, DIRECTOR

BESTCARE LABORATORY SERVICES LLC

5314 DASHWOOD DRIVE 3RD FLOOR #301

HOUSTON, TX 77081

CLIA ID# 45D2129059

REASON: Suspension of the CLIA certificate based on OIG exclusion.

9. CORRECTION OF ANY ERRONEOUS STATEMENTS OF INFORMATION THAT APPEARED IN THE 2002 REGISTRY.

\*\*\* NO DATA FOUND \*\*\*

10. OTHER ACTIONS. THIS SECTION INCLUDES OTHER SPECIFIC INFORMATION THAT MAY BE USEFUL IN EVALUATING THE PERFORMANCE OF LABORATORIES AS SPECIFIED IN 493 CFR 1859(A). IT ALSO INCLUDES INFORMATION PROVIDED BY CLIA EXEMPT STATES.

\*\*\* NO DATA FOUND \*\*\*